



Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC[☆]

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 1 November 2011
Received in revised form 26 January 2012
Accepted 16 February 2012
Available online 21 February 2012
Editor: H. Weerts

Keywords:

LHC
ATLAS
Microscopic black holes
Extra dimensions
Same-sign dimuons

ABSTRACT

A search for microscopic black holes has been performed in a same-sign dimuon final state using 1.3 fb^{-1} of proton–proton collision data collected with the ATLAS detector at a centre of mass energy of 7 TeV at the CERN Large Hadron Collider. The data are found to be consistent with the expectation from the Standard Model and the results are used to derive exclusion contours in the context of a low scale gravity model.

© 2012 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Models introducing extra dimensions can provide a solution to the hierarchy problem, the fact that the Planck scale $M_{\text{Pl}} \sim 10^{16}$ TeV is much larger than the electroweak scale. In some models of extra dimensions, the gravitational field can propagate into $(n + 4)$ dimensions, where n is the number of extra dimensions, while the Standard Model particles are restricted to four-dimensional space-time. Therefore, the gravitational field as measured in four dimensions is reduced in strength from the fundamental gravitational field. As a result, the Planck scale in $(n + 4)$ dimensions M_D would be much smaller than the Planck scale in four dimensions M_{Pl} , and possibly comparable to the electroweak scale. An example of such a model of extra dimensions is the ADD model, which is a model of large flat extra dimensions [1–3].

If extra dimensions exist and M_D is in the TeV range, microscopic black holes with masses at the TeV scale could be produced at the Large Hadron Collider [4–8]. Black holes are expected to be produced when the classical impact parameter of two colliding partons is smaller than the higher-dimensional horizon radius corresponding to a black hole with mass equal to the invariant mass of the colliding parton system. This letter considers higher-dimensional Schwarzschild solutions, as well as Kerr solutions for black holes with initial angular momentum equal to the relative

angular momentum between the two colliding partons; parton spin is ignored [9].

The production of black holes at the LHC would occur with a continuous mass distribution ranging from approximately the reduced Planck scale M_D to the proton–proton centre of mass energy of 7 TeV. The classical approximations used for black hole production and the semi-classical approximations for decay are expected to be valid only for masses well above the higher-dimensional Planck scale. A lower threshold M_{TH} is thus applied to the black hole mass to reduce the contributions from regions where the models are invalid. The production cross section is set to zero if the parton–parton centre of mass energy is below M_{TH} .

Once produced, a black hole starts to evaporate in a manner described by Hawking radiation [10] which determines the energy and multiplicity distributions of the emitted particles. The relative multiplicities of the emitted particles are determined by the number of degrees of freedom of each particle type and the decay modes of emitted unstable particles. Black hole events should therefore have a high multiplicity of high- p_T particles which is the characteristic feature exploited in this analysis. Models with rotating and non-rotating black holes are considered in this letter. The multiplicity of high- p_T particles is lower for rotating black holes [11]. No graviton initial-state radiation or emission from the black hole is considered. As a result of the emission of Hawking radiation, the mass of the produced black hole decreases. When the mass of the black hole approaches M_D , quantum gravity effects become important. In the final stage of the black hole decay, the classical evaporation is no longer a good

* © CERN for the benefit of the ATLAS Collaboration.

* E-mail address: atlas.publications@cern.ch.

description. In such cases where the black hole mass is near the Planck scale, the burst model adopted by the BLACKMAX event generator [9,12] is used to model the final part of the decay.

A search for microscopic black holes in a multijet final state is presented in Ref. [13]. In this analysis, events are selected containing two muons of the same charge. This channel is expected to have low Standard Model backgrounds while retaining good signal acceptance. Isolated muons (i.e. muons with very little activity around them in the detector) can be produced directly from the black hole or from the decay of heavy particles such as W or Z bosons. Muons from the semi-leptonic decays of heavy-flavour hadrons produced from the black hole can have several other particles nearby and can therefore be non-isolated. In order to maintain optimal acceptance for a possible signal, only one of the muons is required to be isolated in this analysis, thereby typically increasing the acceptance in the signal region by 50%.

The decay of the black hole to multiple high- p_T objects is used to divide the observed events into background-rich and potentially signal-rich regions. This is done by using the number of high- p_T charged particle tracks as the criterion to assign events to each region. As will be quantified below, black hole events typically have a high number of tracks per event (N_{trk}), while Standard Model processes have sharply falling track multiplicity distributions. In the background-rich region, where only small signal contributions are expected, data and Monte Carlo simulations are used to estimate the number of events after selections. This background estimate is validated by comparing to data. The expected number of events from Standard Model processes in the signal-rich region is then compared with the measured number, and a constraint on the contribution from black hole decays is inferred.

The backgrounds from Standard Model processes are divided into two categories: processes where the two muons come from correlated decay chains and processes that produce same-sign dimuons in uncorrelated decay chains. Same-sign dimuon events in correlated decay chains are produced primarily in the decays of $t\bar{t}$ events and $b\bar{b}$ events. In $t\bar{t}$ events, the most likely case is that the leading isolated muon arises from the decay of a W -boson from one of the top-quarks, and the other muon of same charge comes from the semi-leptonic decay of a b -quark from the other top-quark. In $b\bar{b}$ events, the leading muon arises from the semi-leptonic decay of one b -quark, and the other muon from the sequential decay $b \rightarrow cX \rightarrow \mu X'$. Same-sign dimuons can also be produced due to $B^0\bar{B}^0$ mixing. The backgrounds from $t\bar{t}$ and $b\bar{b}$, and those from gauge boson pair production such as WZ are estimated from Monte Carlo samples.

Dimuon events in uncorrelated decay chains arise predominantly from the $W + \text{jets}$ process, where the leading isolated muon comes from W -boson decay and the other muon from a π/K decay-in-flight, or the semi-leptonic decay of a b or c hadron in the remainder of the event. This background also has contributions from the $Z + \text{jets}$ process, and from low- p_T dijet events. The background from uncorrelated decay chains is estimated from data. In the signal-rich region, the dominant backgrounds come from $t\bar{t}$ events and from muons produced in uncorrelated decays.

The rest of this letter is organised as follows. After a brief description of the ATLAS detector in Section 2, the data set and Monte Carlo samples are described in Section 3. The event selection and the procedures to determine the backgrounds and their uncertainties are explained in Sections 4 and 5 respectively. The results and their interpretation are discussed in Section 6.

2. The ATLAS detector

The ATLAS detector [14] covers nearly the entire solid angle¹ around the collision point with layers of tracking detectors, calorimeters and muon chambers. The inner detector is immersed in a 2 T magnetic field along the z -axis and provides charged particle tracking in the range $|\eta| < 2.5$. The silicon pixel detector covers the vertex region and typically provides three measurements per track, followed by the silicon microstrip tracker (SCT) which provides measurements from eight strip layers. The silicon detectors are complemented by the transition radiation tracker (TRT) which provides more than 30 straw-tube measurements per track and improves the momentum resolution.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Lead-liquid argon (LAr) electromagnetic sampling calorimeters cover the range $|\eta| < 3.2$, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by a scintillator-tile calorimeter over $|\eta| < 1.7$ and two copper/LAr endcap calorimeters over $1.75 < |\eta| < 3.2$. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeters for electromagnetic and hadronic measurements respectively up to $|\eta| < 4.9$.

The muon spectrometer consists of separate trigger and high-precision tracking chambers which measure the deflection of muon tracks in a magnetic field with a bending integral of approximately 2 to 8 Tm. The magnetic field is generated by three superconducting air-core toroid magnet systems. The tracking chambers cover the region $|\eta| < 2.7$ with three layers of monitored drift tubes and cathode strip chambers in the innermost region of the endcap muon spectrometer. The muon trigger system covers the range $|\eta| < 2.4$ with resistive plate chambers in the barrel, and thin gap chambers in the endcap regions.

3. Data and Monte Carlo samples

The data used in this analysis were collected between March and July 2011 at the LHC operating at a centre of mass energy of 7 TeV. The total integrated luminosity after detector and data-quality requirements is 1.3 fb^{-1} , with an uncertainty of 3.7% [15,16]. The data were recorded with a single muon trigger with the threshold at 20 GeV on the muon's transverse momentum. The muon trigger efficiency reaches the plateau regime for transverse momenta above 25 GeV. The plateau efficiency is 75% in the barrel and 88% in the endcap for muons reconstructed offline. In this analysis it is required that at least one of the selected muons with p_T above 20 GeV matches the trigger criteria. During the considered data-taking period, the LHC configuration was such that the mean number of primary proton-proton interactions per bunch crossing was close to 6. The effect of this “pile-up” is taken into account in the analysis.

Several Monte Carlo samples are used both for signal modelling and background estimation. These samples are processed with the ATLAS full detector simulation [17] which is based on the GEANT4 toolkit [18]. The simulated events are then reconstructed with the same software chain as the data. The effect of pile-up is modelled by overlaying simulated minimum bias events onto the original

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis coinciding with the axis of the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe, referred to the x -axis. The pseudorapidity is defined in terms of the polar angle θ (with respect to the z -axis) as $\eta = -\ln \tan(\theta/2)$.

hard-scattering event. Monte Carlo events are then re-weighted so that the reconstructed vertex multiplicity distribution agrees with the data.

Background Monte Carlo samples are generated for $t\bar{t}$, as well as for $b\bar{b}$ and $c\bar{c}$ processes. The latter are considered together in the following and referred to as b/c for simplicity. The $t\bar{t}$ events are generated with MC@NLO [19,20] with an assumed top-quark mass of 172.5 GeV, and with the next-to-leading order CTEQ66 [21] parton distribution function (PDF) set. Fragmentation and hadronisation of the events is done with HERWIG [22] using JIMMY [23] for the underlying event model. The b/c Monte Carlo sample is generated and hadronised with PYTHIA [24] using the ATLAS AMBT1 tune [25]. It is produced with a filter at the generator level requiring two muons with $p_T > 10$ GeV each. The diboson samples (WZ and ZZ) are generated with HERWIG. They are filtered to have at least one electron or muon with $p_T > 10$ GeV. The single top background in the Wt -channel is estimated with ACERMC [26]. The single top backgrounds in the t -channel and s -channel are included in the background estimate derived from data. The b/c , diboson and single top samples are all generated using the MRST2007 PDF [27]. Samples of $W + \text{jet}$ and $Z + \text{jet}$ events produced using Alpgen [28] are also used for cross-checks.

Signal Monte Carlo samples are generated using BLACKMAX 2.01 and hadronised with PYTHIA using the ATLAS AMBT1 tune. The samples are produced with the CTEQ66 PDF set with the mass of the black hole used as the QCD scale. For the signal samples, M_D is varied between 0.5 TeV and 2.5 TeV and M_{TH} is varied between 3 TeV and 5 TeV. In each case, samples are generated with 2, 4 and 6 extra dimensions.

4. Event selection

Events passing the single muon trigger are required to have at least one primary vertex with at least five associated tracks with $p_T^{\text{track}} > 400$ MeV. If the event has multiple primary vertices, the vertex with the largest $\sum(p_T^{\text{track}})^2$ is identified as the “hard-scattering vertex”.

Tracks found in the inner detector (ID) are selected using the following criteria:

$$\begin{aligned} p_T^{\text{track}} &> 1 \text{ GeV}, & N_{\text{pixel}} &\geqslant 1, & N_{\text{SCT}} &\geqslant 6, \\ |\eta| &< 2.4, & |d_0| &< 1.5 \text{ mm}, & |z_0 \sin \theta| &< 1.5 \text{ mm}, \end{aligned}$$

where N_{pixel} and N_{SCT} are the number of hits² from the pixel and the SCT detectors, respectively, that are associated with the track, and d_0 and z_0 are the transverse and longitudinal impact parameters measured with respect to the hard-scattering vertex. Muon candidates are reconstructed from tracks measured in the muon spectrometer (MS). The MS tracks are then matched with ID tracks using a procedure that takes material effects into account. The parameters for the resulting matched muon candidates are obtained by a statistical combination of the measurements in the MS and the ID.

At least two muons passing these selections are required in each event. Both must come from the hard-scattering vertex and satisfy $|\eta| < 2.4$. The muon with the highest transverse momentum is required to have $p_T > 25$ GeV. This leading muon is also required to be isolated by requiring that the sum of transverse momenta of ID tracks in a cone in $\eta - \phi$ space of radius $\Delta R = 0.2$ around the muon is less than $0.2 \times p_T$ of the muon. The muon with the next highest transverse momentum is required to have

$p_T > 15$ GeV and the same charge as the leading muon. No isolation requirement is made on this second muon. The two muons are required to satisfy $\Delta R > 0.2$ to explicitly ensure that the isolated muon is not close to the second muon. The leading muon is required to have small impact parameter significance by imposing $|d_0/\sigma(d_0)| < 3$. The impact parameter is calculated with respect to the hard-scattering vertex in the event.

The track multiplicity is constructed by counting the number of ID tracks associated to the hard-scattering vertex which satisfy $p_T > 10$ GeV and $|\eta| < 2.4$. By definition, the track count includes the two muon candidates. A signal-rich region is defined by selecting events with at least ten such tracks, while events with less than ten tracks are used to validate the prediction of the expected backgrounds.

All selections except the trigger are applied to the Monte Carlo events. To account for the trigger efficiency, the Monte Carlo events are weighted with the efficiency measured from data, while the differences in muon reconstruction and identification between data and simulation are accounted for by applying p_T and η dependent scale factors [29,30] to the Monte Carlo events when calculating the acceptance. This is important when the sub-leading muon provides the trigger as the trigger efficiency varies with p_T in the region between 20 and 25 GeV.

The tracking efficiency in data is well reproduced by the Monte Carlo simulation [31]. This is confirmed by additional studies of tracking performance in a dense environment [32]. No corrections to the Monte Carlo are therefore applied.

5. Background estimation

The two components of the background from correlated and uncorrelated particle decays are determined using a mixture of Monte Carlo simulation and techniques using data.

5.1. Correlated background estimates

The correlated background arises from processes such as $t\bar{t}$ production where, for example, the isolated muon comes from top decay ($t \rightarrow bW \rightarrow b\mu\nu$) and the other (non-isolated) from the antitop decay ($\bar{t} \rightarrow W\bar{b} \rightarrow W\mu\nu\bar{c}$). The background from $t\bar{t}$ production is estimated from Monte Carlo simulation. The approximate next-to-next-to-leading-order production cross section of 165 pb [33–35] is used to normalise the Monte Carlo prediction. This cross section is in agreement with the measurement of the $t\bar{t}$ cross section at ATLAS [36]. The sources of systematic uncertainty on the $t\bar{t}$ background described in Ref. [37] are considered and the uncertainty from each source is shown in Table 1. The sources considered are the choice of generator, the amount of initial and final state radiation (ISR/FSR), the top-quark mass, and the theoretical uncertainty on the predicted production cross section. The largest contribution to the uncertainty is 9.6% on the cross section which arises from variations in the renormalisation and factorisation scales (5.6%) and the PDF uncertainty (4%). The uncertainty due to the choice of generator is evaluated by comparing the predictions of MC@NLO with those of POWHEG [38] interfaced to PYTHIA. The POWHEG samples are generated using the MRST2007 PDF set. The uncertainty due to the top-quark mass is obtained by generating $t\bar{t}$ samples with top mass ± 2.5 GeV from the nominal choice of 172.5 GeV. The ISR/FSR uncertainty is determined by using the ACERMC generator interfaced to PYTHIA, and by varying the ISR and FSR Λ_{QCD} , and the ISR and FSR cutoff. There is also an additional 2.6% uncertainty on the $t\bar{t}$ estimate from trigger weight and muon reconstruction efficiency scale factors.

The background from b/c production is estimated in two steps. In the first step, the background is determined in the $N_{\text{trk}} < 10$

² A hit is a signal above threshold in a particular detector element.

Table 1

Systematic uncertainties in percent on the background and signal estimates in the signal region from various sources. μ reco/trig stands for the uncertainty due to trigger efficiency and muon reconstruction efficiency scale factors applied to the Monte Carlo events. A blank entry indicates that the particular systematic uncertainty does not apply to that particular background.

Source	Muon + fake (%)	$t\bar{t}$ (%)	b/c (%)	Signal (%)
Measurement statistics	4.1			
Subtraction of $t\bar{t} + b/c + Wt + \text{diboson}$	20			
ISR/FSR		7.1		
t -quark mass		4.5		
Cross section		+7 -9.6		
Monte Carlo generator		5.1		
Luminosity		3.7	3.7	
μ reco/trig		2.6	1.5	
PDF (acceptance)			3.0	
Rescaled truth acceptance			14.3	
Ratio (nominal/inverted)		8.5		
Extrapolation to $N_{\text{trk}} \geq 10$		100		
Total uncertainty	20.4	14.4	100.4	15.1

(background) region using a heavy-flavour enriched data sample to normalise the Monte Carlo prediction. In the second step, the estimated background is extrapolated from $N_{\text{trk}} < 10$ to $N_{\text{trk}} \geq 10$ using Monte Carlo.

To estimate b/c production in the background region, a heavy-flavour rich sample is selected by inverting the isolation and impact parameter significance requirements on the leading muon. This yields 6480 events. The b/c Monte Carlo sample is used to measure the ratio of events passing the nominal muon selection to those passing the inverted selection. The ratio is 0.33 ± 0.03 where the uncertainty comes from the limited size of the Monte Carlo sample. Applying this ratio to the heavy-flavour rich sample in data gives the b/c estimate in the background region. The shapes of the kinematic distributions for the b/c background, such as p_T of the muons are also obtained from the heavy-flavour rich sample.

The N_{trk} distribution in the Monte Carlo is then fit with an exponential to determine the fraction of events with $N_{\text{trk}} \geq 10$. The method is validated by varying the fit range, testing the extrapolation procedure in the $t\bar{t}$ Monte Carlo, as well as by relaxing the p_T requirements on the muons to enhance the statistics of the b/c Monte Carlo. Based on these studies, a 100% systematic uncertainty due to the extrapolation is assigned to the b/c background in the signal region.

The backgrounds from diboson (WZ, ZZ) and single-top processes are estimated from the corresponding Monte Carlo samples and are found to be negligible.

5.2. Uncorrelated background estimate

The uncorrelated background arises when the second muon is not a true muon (fake), or is a muon from K or π decay, or from events where there is no correlation between the production mechanisms of the two muons. The background from uncorrelated decays is estimated by first measuring the probability for a track to be reconstructed as a muon in a control sample from data. This ‘fake’ probability is then applied to data events with one muon and one or more tracks to obtain a prediction for μ + fake dimuon events.

The control sample consists of W -boson + track events. Events are selected with at least one isolated muon with $p_T > 25$ GeV and missing transverse momentum (E_T^{miss}) satisfying $25 \text{ GeV} < E_T^{\text{miss}} < 80 \text{ GeV}$. E_T^{miss} is constructed from the sum of all cells contained

Table 2

Numbers of expected and observed events in the background-rich control region with $N_{\text{trk}} < 10$. Only the uncertainties due to the limited size of the Monte Carlo samples are included for the diboson ($WZ + ZZ$) and single-top (Wt) backgrounds.

Process	Events
b/c	$2120 \pm 30(\text{stat}) \pm 200(\text{syst})$
$t\bar{t}$	$750 \pm 100(\text{syst}) \pm 30(\text{lumi})$
$\mu + \text{fake}$	$1300 \pm 2(\text{stat}) \pm 260(\text{syst})$
Wt	$53 \pm 2(\text{syst})$
$WZ + ZZ$	$36 \pm 1(\text{syst})$
Predicted	$4270 \pm 30(\text{stat}) \pm 340(\text{syst})$
Observed	3775

in calorimeter clusters and is corrected for the presence of muons in the event. The transverse mass calculated from the muon and the E_T^{miss} is required to be between 50 GeV and 120 GeV. These events are also required to have at least one track in addition to the muon, with $p_T > 15$ GeV and the same charge as the muon. If an event has more than one such track, then all tracks are considered for the measurement. The events are also required to have less than ten tracks to remove possible signal contributions.

A subset of the W -boson + track control sample is then selected by requiring an additional muon passing the analysis selection criteria with $p_T > 15$ GeV and of the same charge as the first selected muon. Using this subset, the fraction of events where a second muon is present is determined directly from data. This fraction contains contributions from fakes, K or π decay, and heavy-flavour decays. To avoid double-counting, the contributions from the correlated decays from $t\bar{t}$, b/c , and diboson processes are estimated from Monte Carlo (as described) and subtracted. The per-track rate is measured in three p_T bins; for $p_T < 20$ GeV the rate is $(4.4 \pm 0.2) \times 10^{-3}$, for $20 < p_T < 60$ GeV the rate is $(3.7 \pm 0.1) \times 10^{-3}$, and for $p_T > 60$ GeV the rate is $(3.7 \pm 2) \times 10^{-3}$. This rate is applied to all events in data with one muon and at least one track of the same charge with $p_T > 15$ GeV. If more than one track is found, then each track is considered in calculating a total probability for the event to be reconstructed as a dimuon event. The uncertainty on the background estimate from the nominal fake rate measurement due to measurement statistics is 4.1%.

To determine the systematic uncertainty, shown in Table 1, the amount of subtracted $t\bar{t} + b/c + Wt + \text{diboson}$ background is varied up and down by 1σ . The corresponding variation in the fake estimate is 20% which is taken as the systematic uncertainty on this background.

This method is verified by using the W + jet and single-top Monte Carlo samples as pseudo-data to measure the rate and then make a prediction. Similar studies on fake muon probability, with different selection criteria, are reported in Ref. [39] and show consistent results.

The background estimation is tested in events with the same selections as the signal region except the track multiplicity which is required to be $N_{\text{trk}} < 10$. The prediction from the Standard Model is shown in Table 2, along with the number of observed events in data in the background region. The contribution from the signal in the background region has been checked to be less than 0.1% of backgrounds for various choices of the signal parameters. The event rates observed in the background region agree with the prediction within the uncertainties.

6. Results and interpretation

Figs. 1 and 2 show the p_T distributions of both muons and the track multiplicity in all same-sign dimuon events respectively before applying the N_{trk} requirement. The prediction for a sam-




Fig. 1. The leading (left) and sub-leading (right) muon p_T distributions for same-sign dimuon events before the N_{trk} cut. The background histograms are stacked. The signal expectation for a non-rotating black hole model with parameters $M_D = 800 \text{ GeV}$, $M_{\text{TH}} = 4 \text{ TeV}$, and six extra dimensions is overlaid for illustrative purposes. The bottom panels show the ratio of data to the expected background (points) and the total systematic uncertainty on the background (shaded area).




Fig. 2. The track multiplicity distribution for same-sign dimuon events. The region with $N_{\text{trk}} \geq 10$ is selected as the signal region. The background histograms are stacked. The signal expectation for a non-rotating black hole model with parameters $M_D = 800 \text{ GeV}$, $M_{\text{TH}} = 4 \text{ TeV}$, and six extra dimensions is overlaid for illustrative purposes. The bottom panel shows the ratio of data to the expected background (points) and the total systematic uncertainty on the background (shaded area).

ple signal model for non-rotating black holes with $M_D = 800 \text{ GeV}$, $M_{\text{TH}} = 4 \text{ TeV}$, and six extra dimensions is also shown. Good agreement is observed between the measured distributions and the background expectations. As shown in Fig. 2, the backgrounds peak at low values of the track multiplicity while a possible signal has a higher number of tracks. Table 3 shows the expected and observed numbers of same-sign dimuon events in the signal region. No excess over the Standard Model predictions is observed in the data.

The background in the signal region is dominated by the $t\bar{t}$ and by the uncorrelated decays from $W + \text{jet}$ events. The relative contributions of the various backgrounds are different in the background-rich (Table 2) and signal-rich (Table 3) regions. In particular the b/c contribution falls more rapidly with increasing N_{trk} than the other backgrounds and is very small in the signal-rich region. By removing the isolation requirement on the leading muon, the distribution is dominated by b/c background and the Monte Carlo simulation agrees with data giving confidence in the b/c prediction.

Using the number of events observed in data and the background expectations, upper limits are set on $\sigma \times BR \times A$, where

Table 3

Number of expected and observed events in the signal region, like-sign dimuon events with $N_{\text{trk}} \geq 10$. The other backgrounds are from diboson and single-top processes. The signal expectation for a non-rotating black hole model with $M_D = 800 \text{ GeV}$, $M_{\text{TH}} = 4 \text{ TeV}$, and six extra dimensions is also shown.

Process	Events
b/c	$0.77 \pm 0.77(\text{syst})$
$t\bar{t}$	$29.2 \pm 4.1(\text{syst}) \pm 1.1(\text{lumi})$
$\mu + \text{fake}$	$25.6 \pm 0.3(\text{stat}) \pm 5.2(\text{syst})$
Other backgrounds	$0.25 \pm 0.11(\text{syst})$
Predicted	$55.8 \pm 0.3(\text{stat}) \pm 6.7(\text{syst}) \pm 1.1(\text{lumi})$
Observed	60
Signal $M_{\text{TH}} = 4 \text{ TeV}$	$72.1 \pm 4.5(\text{syst})$

σ is the cross section, BR the branching ratio to dimuons, and A the acceptance of non-Standard Model contributions in this final state in the signal region. The CLs method [40] is used to derive these limits assuming Gaussian uncertainties on the predicted background and signal, and Poissonian fluctuations on the observed number of events. The observed 95% confidence level upper limit on $\sigma \times BR \times A$ is 0.018 pb . This result is compatible with the expected limit of 0.016 pb , which is determined from pseudo-experiments using simulation. The 1σ and 2σ ranges on the expected limit are from 0.012 to 0.022 pb and from 0.008 to 0.029 pb respectively. The $BR \times A$ for the signal model shown in Table 3 is 3%, and typically varies between 1% and 6% for the signal models considered here.

Limits on the reduced Planck mass (M_D) and the minimum mass of the black hole (M_{TH}) for several models are set using the BLACKMAX generator and the CTEQ66 PDF. The signal yield is affected by the PDF choice due to two distinct effects: the change in the production cross section and the change in signal acceptance. The signal cross section obtained from MRST2007 is typically 40% to 50% higher than that from CTEQ66 for $M_D = 1 \text{ TeV}$, $M_{\text{TH}} = 4 \text{ TeV}$. This difference is somewhat larger than the uncertainty on the cross section from the CTEQ66 PDF error sets. At the large values of M_{TH} near the quoted limits, the invariant mass of the incoming partons is large and the PDFs are therefore used in a range of parton momentum fraction x where they are not well constrained. The theoretical uncertainty on the production cross section is potentially very large. For these reasons, no theoretical uncertainty on the signal cross section is assigned, that is, the exclusion limits are set for the exact benchmark models as implemented in the BLACKMAX generator: using CTEQ66 rather than




Fig. 3. 95% confidence level exclusion contours for non-rotating (left) and rotating (right) black holes in models with two and six extra dimensions. The dashed lines show the expected exclusion contour with the 1σ uncertainty shown as a band. The solid lines show the observed exclusion contour. The regions below the contour are excluded by this analysis. The dotted lines show lines of constant slope equal to 3, 4, and 5. Only slopes much larger than 1 correspond to physical models.

MRST2007 gives a more conservative limit. The cross section for the signal point shown in Table 3 is 2.1 pb. The uncertainty on the signal acceptance from the choice of PDF is estimated to be 3% by using the 44 error sets of the CTEQ66 PDF and is a small contribution to the overall uncertainty.

The observed results are used to obtain exclusion contours in the plane of M_D and M_{TH} . For a large number of points in the (M_D, M_{TH}) plane, the signal acceptance is measured using kinematic properties obtained from the event generator (truth). This truth level acceptance is compared to the acceptance from full detector simulation for a smaller set of points which are representative of the model parameters probed in this analysis. To account for the difference in acceptances, the truth level acceptance is scaled by a constant factor of 0.7 ± 0.1 which is determined by comparing truth to fully simulated points. Therefore the uncertainty on the signal prediction consists of the following components: the uncertainty due to rescaling of truth acceptance, the uncertainty on the luminosity of the data sample, the uncertainty on acceptance due to the PDF, the experimental uncertainty on acceptance due to muon trigger and identification efficiencies and a statistical uncertainty due to the finite Monte Carlo samples (see Table 1).

Fig. 3 shows the expected and observed exclusion contours for rotating and non-rotating black holes for 2 and 6 extra dimensions. The non-smoothness of the exclusion contours reflects the discrete nature of the Monte Carlo grid in the (M_D, M_{TH}) plane and the finite Monte Carlo statistics at the generated points. Lines of constant slope (M_{TH}/M_D) of 3, 4 and 5 are also shown in the figure. The semi-classical approximations used for black hole production and decay are expected to be valid only for large slopes. It can be seen that if this ratio is greater than three, the limit on M_{TH} is larger than half the centre-of-mass energy.

In view of the rapidly falling PDF's in this region, further significant improvements on these limits are not expected until the LHC energy is increased. For example, moving from $M_{TH} = 4.7$ TeV to $M_{TH} = 5$ TeV changes the signal cross section from 0.24 pb to 0.06 pb (for non-rotating black holes in models with $M_D = 500$ GeV and six extra dimensions). It is also worth noting that the exclusion contours are dependent on the model considered, and this analysis is not expected to be sensitive to black hole models with decays to low multiplicity final states such as quantum black holes [41].

In summary, a search for extra dimensions in the same-sign dimuon final state has been performed using 1.3 fb^{-1} of data

recorded with the ATLAS detector in 7 TeV proton–proton collisions at the LHC. No excess of events over the Standard Model prediction is observed and exclusion contours are obtained in the plane of the reduced Planck scale M_D and the threshold M_{TH} for black hole production. A model independent limit of 0.018 pb on any new physics contribution in the signal region with the described selection is set.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; ARTEMIS, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and

reproduction in any medium, provided the original authors and source are credited.

References

- [1] N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, Phys. Lett. B 429 (1998) 263.
- [2] I. Antoniadis, N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, Phys. Lett. B 436 (1998) 257.
- [3] N. Arkani-Hamed, S. Dimopoulos, G.R. Dvali, Phys. Rev. D 59 (1999) 086004.
- [4] P.C. Argyres, S. Dimopoulos, J. March-Russell, Phys. Lett. B 441 (1998) 96.
- [5] T. Banks, W. Fischler, A Model for high-energy scattering in quantum gravity, arXiv:hep-th/9906038v1, 1999.
- [6] S. Dimopoulos, G.L. Landsberg, Phys. Rev. Lett. 87 (2001) 161602.
- [7] S.B. Giddings, S.D. Thomas, Phys. Rev. D 65 (2002) 056010.
- [8] P. Kanti, Int. J. Mod. Phys. A 19 (2004) 4899.
- [9] D.C. Dai, et al., Phys. Rev. D 77 (2008) 076007.
- [10] S. Hawking, Commun. Math. Phys. 43 (1975) 199.
- [11] J. Frost, et al., JHEP 0910 (2009) 014.
- [12] D.C. Dai, et al., arXiv:0902.3577 [hep-ph], 2009.
- [13] The CMS Collaboration, Phys. Lett. B 697 (2011) 434.
- [14] The ATLAS Collaboration, JINST 3 (2008) S08003.
- [15] The ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630.
- [16] The ATLAS Collaboration, ATLAS-CONF-2011-116, <http://cdsweb.cern.ch/record/1376384>, 2011.
- [17] The ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823.
- [18] GEANT4 Collaboration, S. Agostinelli, et al., Nucl. Instr. Meth. A 506 (2003) 250.
- [19] S. Frixione, B. Webber, JHEP 0206 (2002) 029.
- [20] S. Frixione, P. Nason, B. Webber, JHEP 0308 (2003) 007.
- [21] P.M. Nadolsky, Phys. Rev. D 78 (2008) 031004.
- [22] G. Corcella, et al., JHEP 0101 (2001) 010.
- [23] J.M. Butterworth, et al., Z. Phys. C 72 (1996) 637.
- [24] T. Sjöstrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026.
- [25] The ATLAS Collaboration, New J. Phys. 13 (2011) 053033.
- [26] B.P. Kersevan, E. Richter-Was, hep-ph/0405247, 2004.
- [27] A. Sherstnev, R.S. Thorne, arXiv:0711.2473 [hep-ph], 2007.
- [28] M. Mangano, M. Moretti, F. Piccinini, R. Pittau, A. Polosa, JHEP 0307 (2003) 001.
- [29] The ATLAS Collaboration, ATLAS-CONF-2011-021, <http://cdsweb.cern.ch/record/1336750>, 2011.
- [30] The ATLAS Collaboration, ATLAS-CONF-2011-008, <http://cdsweb.cern.ch/record/1330715>, 2011.
- [31] The ATLAS Collaboration, New J. Phys. 13 (2011) 053033.
- [32] The ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1795.
- [33] S. Moch, P. Uwer, Phys. Rev. D 78 (2008) 034003.
- [34] U. Langenfeld, S. Moch, P. Uwer, New results for $t\bar{t}$ production at hadron colliders, arXiv:0907.2527 [hep-ph], 2009.
- [35] M. Aliev, et al., arXiv:1007.1327 [hep-ph], 2010.
- [36] The ATLAS Collaboration, Phys. Lett. B 707 (2012) 459.
- [37] The ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1577.
- [38] P. Nason, JHEP 0411 (2004) 040.
- [39] The ATLAS Collaboration, Phys. Lett. B 707 (2012) 438.
- [40] A.L. Read, J. Phys. G 28 (2002) 2693.
- [41] P. Meade, L. Randall, JHEP 0805 (2008) 003.

ATLAS Collaboration

- G. Aad⁴⁸, B. Abbott¹¹¹, J. Abdallah¹¹, A.A. Abdelalim⁴⁹, A. Abdesselam¹¹⁸, O. Abdinov¹⁰, B. Abi¹¹², M. Abolins⁸⁸, H. Abramowicz¹⁵³, H. Abreu¹¹⁵, E. Acerbi^{89a,89b}, B.S. Acharya^{164a,164b}, D.L. Adams²⁴, T.N. Addy⁵⁶, J. Adelman¹⁷⁵, M. Aderholz⁹⁹, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²², J.A. Aguilar-Saavedra^{124b,a}, M. Aharrouche⁸¹, S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴⁰, G. Aielli^{133a,133b}, T. Akdogan^{18a}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴, A. Akiyama⁶⁷, M.S. Alam¹, M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksa²⁹, I.N. Aleksandrov⁶⁵, F. Alessandria^{89a}, C. Alexa^{25a}, G. Alexander¹⁵³, G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob²⁰, M. Aliev¹⁵, G. Alimonti^{89a}, J. Alison¹²⁰, M. Aliyev¹⁰, P.P. Allport⁷³, S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷¹, A. Alonso⁷⁹, B. Alvarez Gonzalez⁸⁸, M.G. Alviggi^{102a,102b}, K. Amako⁶⁶, P. Amaral²⁹, C. Amelung²², V.V. Ammosov¹²⁸, A. Amorim^{124a,b}, G. Amorós¹⁶⁷, N. Amram¹⁵³, C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁵, T. Andeen³⁴, C.F. Anders²⁰, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{89a,89b}, V. Andrei^{58a}, M.-L. Andrieux⁵⁵, X.S. Anduaga⁷⁰, A. Angerami³⁴, F. Anghinolfi²⁹, N. Anjos^{124a}, A. Annovi⁴⁷, A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a}, S. Aoun⁸³, L. Aperio Bella⁴, R. Apolle^{118,c}, G. Arabidze⁸⁸, I. Aracena¹⁴³, Y. Arai⁶⁶, A.T.H. Arce⁴⁴, J.P. Archambault²⁸, S. Arfaoui⁸³, J.-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²⁰, S. Asai¹⁵⁵, R. Asfandiyarov¹⁷², S. Ask²⁷, B. Åsman^{146a,146b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁶⁹, A. Astvatsatourov⁵², G. Atoian¹⁷⁵, B. Aubert⁴, E. Auge¹¹⁵, K. Augsten¹²⁷, M. Aurousseau^{145a}, G. Avolio¹⁶³, R. Avramidou⁹, D. Axen¹⁶⁸, C. Ay⁵⁴, G. Azuelos^{93,d}, Y. Azuma¹⁵⁵, M.A. Baak²⁹, G. Baccaglioni^{89a}, C. Bacci^{134a,134b}, A.M. Bach¹⁴, H. Bachacou¹³⁶, K. Bachas²⁹, G. Bachy²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁸, T. Bain¹⁵⁸, J.T. Baines¹²⁹, O.K. Baker¹⁷⁵, M.D. Baker²⁴, S. Baker⁷⁷, E. Banas³⁸, P. Banerjee⁹³, Sw. Banerjee¹⁷², D. Banfi²⁹, A. Bangert¹⁵⁰, V. Bansal¹⁶⁹, H.S. Bansil¹⁷, L. Barak¹⁷¹, S.P. Baranov⁹⁴, A. Barashkou⁶⁵, A. Barbaro Galtieri¹⁴, T. Barber²⁷, E.L. Barberio⁸⁶, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁵, T. Barillari⁹⁹, M. Barisonzi¹⁷⁴, T. Barklow¹⁴³, N. Barlow²⁷, B.M. Barnett¹²⁹, R.M. Barnett¹⁴, A. Baroncelli^{134a}, G. Barone⁴⁹, A.J. Barr¹¹⁸, F. Barreiro⁸⁰, J. Barreiro Guimarães da Costa⁵⁷, R. Bartoldus¹⁴³, A.E. Barton⁷¹, V. Bartsch¹⁴⁹, R.L. Bates⁵³, L. Batkova^{144a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, G. Battistoni^{89a}, F. Bauer¹³⁶, H.S. Bawa^{143,e}, B. Beare¹⁵⁸, T. Beau⁷⁸, P.H. Beauchemin¹⁶¹, R. Beccherle^{50a}, P. Bechtle²⁰, H.P. Beck¹⁶, S. Becker⁹⁸, M. Beckingham¹³⁸, K.H. Becks¹⁷⁴, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁵, V.A. Bednyakov⁶⁵, C.P. Bee⁸³, M. Begel²⁴, S. Behar Harpaz¹⁵², P.K. Behera⁶³, M. Beimforde⁹⁹, C. Belanger-Champagne⁸⁵, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵³, L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova¹⁰⁷, K. Belotskiy⁹⁶, O. Beltramello²⁹, S. Ben Ami¹⁵²,

- O. Benary ¹⁵³, D. Benchekroun ^{135a}, C. Benchouk ⁸³, M. Bendel ⁸¹, N. Benekos ¹⁶⁵, Y. Benhammou ¹⁵³, J.A. Benitez Garcia ^{159b}, D.P. Benjamin ⁴⁴, M. Benoit ¹¹⁵, J.R. Bensinger ²², K. Benslama ¹³⁰, S. Bentvelsen ¹⁰⁵, D. Berge ²⁹, E. Bergeaas Kuutmann ⁴¹, N. Berger ⁴, F. Berghaus ¹⁶⁹, E. Berglund ⁴⁹, J. Beringer ¹⁴, P. Bernat ⁷⁷, R. Bernhard ⁴⁸, C. Bernius ²⁴, T. Berry ⁷⁶, A. Bertin ^{19a,19b}, F. Bertinelli ²⁹, F. Bertolucci ^{122a,122b}, M.I. Besana ^{89a,89b}, N. Besson ¹³⁶, S. Bethke ⁹⁹, W. Bhimji ⁴⁵, R.M. Bianchi ²⁹, M. Bianco ^{72a,72b}, O. Biebel ⁹⁸, S.P. Bieniek ⁷⁷, K. Bierwagen ⁵⁴, J. Biesiada ¹⁴, M. Biglietti ^{134a,134b}, H. Bilokon ⁴⁷, M. Bindi ^{19a,19b}, S. Binet ¹¹⁵, A. Bingul ^{18c}, C. Bini ^{132a,132b}, C. Biscarat ¹⁷⁷, U. Bitenc ⁴⁸, K.M. Black ²¹, R.E. Blair ⁵, J.-B. Blanchard ¹¹⁵, G. Blanchot ²⁹, T. Blazek ^{144a}, C. Blocker ²², J. Blocki ³⁸, A. Blondel ⁴⁹, W. Blum ⁸¹, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵, V.B. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁴, C.R. Boddy ¹¹⁸, M. Boehler ⁴¹, J. Boek ¹⁷⁴, N. Boelaert ³⁵, S. Böser ⁷⁷, J.A. Bogaerts ²⁹, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*}, C. Bohm ^{146a}, V. Boisvert ⁷⁶, T. Bold ³⁷, V. Boldea ^{25a}, N.M. Bolnet ¹³⁶, M. Bona ⁷⁵, V.G. Bondarenko ⁹⁶, M. Bondioli ¹⁶³, M. Boonekamp ¹³⁶, G. Boorman ⁷⁶, C.N. Booth ¹³⁹, S. Bordoni ⁷⁸, C. Borer ¹⁶, A. Borisov ¹²⁸, G. Borissov ⁷¹, I. Borjanovic ^{12a}, S. Borroni ⁸⁷, K. Bos ¹⁰⁵, D. Boscherini ^{19a}, M. Bosman ¹¹, H. Boterenbrood ¹⁰⁵, D. Botterill ¹²⁹, J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhova-Thacker ⁷¹, C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³⁰, J. Boyd ²⁹, I.R. Boyko ⁶⁵, N.I. Bozhko ¹²⁸, I. Bozovic-Jelisavcic ^{12b}, J. Bracinik ¹⁷, A. Braem ²⁹, P. Branchini ^{134a}, G.W. Brandenburg ⁵⁷, A. Brandt ⁷, G. Brandt ¹⁵, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴, J.E. Brau ¹¹⁴, H.M. Braun ¹⁷⁴, B. Brelier ¹⁵⁸, J. Bremer ²⁹, R. Brenner ¹⁶⁶, S. Bressler ¹⁵², D. Breton ¹¹⁵, D. Britton ⁵³, F.M. Brochu ²⁷, I. Brock ²⁰, R. Brock ⁸⁸, T.J. Brodbeck ⁷¹, E. Brodet ¹⁵³, F. Broggi ^{89a}, C. Bromberg ⁸⁸, G. Brooijmans ³⁴, W.K. Brooks ^{31b}, G. Brown ⁸², H. Brown ⁷, P.A. Bruckman de Renstrom ³⁸, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, S. Brunet ⁶¹, A. Bruni ^{19a}, G. Bruni ^{19a}, M. Bruschi ^{19a}, T. Buanes ¹³, F. Bucci ⁴⁹, J. Buchanan ¹¹⁸, N.J. Buchanan ², P. Buchholz ¹⁴¹, R.M. Buckingham ¹¹⁸, A.G. Buckley ⁴⁵, S.I. Buda ^{25a}, I.A. Budagov ⁶⁵, B. Budick ¹⁰⁸, V. Büscher ⁸¹, L. Bugge ¹¹⁷, D. Buira-Clark ¹¹⁸, O. Bulekov ⁹⁶, M. Bunse ⁴², T. Buran ¹¹⁷, H. Burckhart ²⁹, S. Burdin ⁷³, T. Burgess ¹³, S. Burke ¹²⁹, E. Busato ³³, P. Bussey ⁵³, C.P. Buszello ¹⁶⁶, F. Butin ²⁹, B. Butler ¹⁴³, J.M. Butler ²¹, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷, W. Buttlinger ²⁷, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{19a,19b}, O. Cakir ^{3a}, P. Calafiura ¹⁴, G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{23a}, R. Caloi ^{132a,132b}, D. Calvet ³³, S. Calvet ³³, R. Camacho Toro ³³, P. Camarri ^{133a,133b}, M. Cambiaghi ^{119a,119b}, D. Cameron ¹¹⁷, L.M. Caminada ¹⁴, S. Campana ²⁹, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ^{30,f}, A. Canepa ^{159a}, J. Cantero ⁸⁰, L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido ²⁹, I. Caprini ^{25a}, M. Caprini ^{25a}, D. Capriotti ⁹⁹, M. Capua ^{36a,36b}, R. Caputo ¹⁴⁸, R. Cardarelli ^{133a}, T. Carli ²⁹, G. Carlino ^{102a}, L. Carminati ^{89a,89b}, B. Caron ^{159a}, S. Caron ⁴⁸, G.D. Carrillo Montoya ¹⁷², A.A. Carter ⁷⁵, J.R. Carter ²⁷, J. Carvalho ^{124a,g}, D. Casadei ¹⁰⁸, M.P. Casado ¹¹, M. Cascella ^{122a,122b}, C. Caso ^{50a,50b,*}, A.M. Castaneda Hernandez ¹⁷², E. Castaneda-Miranda ¹⁷², V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{124a}, G. Cataldi ^{72a}, F. Cataneo ²⁹, A. Catinaccio ²⁹, J.R. Catmore ⁷¹, A. Cattai ²⁹, G. Cattani ^{133a,133b}, S. Caughron ⁸⁸, D. Cauz ^{164a,164c}, P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹¹, V. Cavasinni ^{122a,122b}, F. Ceradini ^{134a,134b}, A.S. Cerqueira ^{23b}, A. Cerri ²⁹, L. Cerrito ⁷⁵, F. Cerutti ⁴⁷, S.A. Cetin ^{18b}, F. Cevenini ^{102a,102b}, A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁶, K. Chan ², B. Chapleau ⁸⁵, J.D. Chapman ²⁷, J.W. Chapman ⁸⁷, E. Chareyre ⁷⁸, D.G. Charlton ¹⁷, V. Chavda ⁸², C.A. Chavez Barajas ²⁹, S. Cheatham ⁸⁵, S. Chekanov ⁵, S.V. Chekulaev ^{159a}, G.A. Chelkov ⁶⁵, M.A. Chelstowska ¹⁰⁴, C. Chen ⁶⁴, H. Chen ²⁴, S. Chen ^{32c}, T. Chen ^{32c}, X. Chen ¹⁷², S. Cheng ^{32a}, A. Cheplakov ⁶⁵, V.F. Chepurnov ⁶⁵, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ²⁴, E. Cheu ⁶, S.L. Cheung ¹⁵⁸, L. Chevalier ¹³⁶, G. Chiefari ^{102a,102b}, L. Chikovani ^{51a}, J.T. Childers ^{58a}, A. Chilingarov ⁷¹, G. Chiodini ^{72a}, M.V. Chizhov ⁶⁵, G. Choudalakis ³⁰, S. Chouridou ¹³⁷, I.A. Christidi ⁷⁷, A. Christov ⁴⁸, D. Chromek-Burckhart ²⁹, M.L. Chu ¹⁵¹, J. Chudoba ¹²⁵, G. Ciapetti ^{132a,132b}, K. Ciba ³⁷, A.K. Ciftci ^{3a}, R. Ciftci ^{3a}, D. Cinca ³³, V. Cindro ⁷⁴, M.D. Ciobotaru ¹⁶³, C. Ciocca ^{19a}, A. Ciocio ¹⁴, M. Cirilli ⁸⁷, M. Ciubancan ^{25a}, A. Clark ⁴⁹, P.J. Clark ⁴⁵, W. Cleland ¹²³, J.C. Clemens ⁸³, B. Clement ⁵⁵, C. Clement ^{146a,146b}, R.W. Cliff ¹²⁹, Y. Coadou ⁸³, M. Cobal ^{164a,164c}, A. Coccaro ^{50a,50b}, J. Cochran ⁶⁴, P. Coe ¹¹⁸, J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵, E. Cogneras ¹⁷⁷, C.D. Cojocaru ²⁸, J. Colas ⁴, A.P. Colijn ¹⁰⁵, C. Collard ¹¹⁵, N.J. Collins ¹⁷, C. Collins-Tooth ⁵³, J. Collot ⁵⁵, G. Colon ⁸⁴, P. Conde Muiño ^{124a}, E. Coniavitis ¹¹⁸, M.C. Conidi ¹¹, M. Consonni ¹⁰⁴, V. Consorti ⁴⁸, S. Constantinescu ^{25a}, C. Conta ^{119a,119b}, F. Conventi ^{102a,h}, J. Cook ²⁹, M. Cooke ¹⁴, B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, K. Copic ³⁴, T. Cornelissen ¹⁷⁴, M. Corradi ^{19a}, F. Corriveau ^{85,i}, A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹, G. Costa ^{89a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, T. Costin ³⁰, D. Côté ²⁹, L. Courneyea ¹⁶⁹, G. Cowan ⁷⁶, C. Cowden ²⁷,

- B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b}, M. Cristinziani ²⁰, G. Crosetti ^{36a,36b}, R. Crupi ^{72a,72b}, S. Crépé-Renaudin ⁵⁵, C.-M. Cuciuc ^{25a}, C. Cuena Almenar ¹⁷⁵, T. Cuhadar Donszelmann ¹³⁹, M. Curatolo ⁴⁷, C.J. Curtis ¹⁷, P. Cwetanski ⁶¹, H. Czirr ¹⁴¹, Z. Czyczula ¹⁷⁵, S. D'Auria ⁵³, M. D'Onofrio ⁷³, A. D'Orazio ^{132a,132b}, P.V.M. Da Silva ^{23a}, C. Da Via ⁸², W. Dabrowski ³⁷, T. Dai ⁸⁷, C. Dallapiccola ⁸⁴, M. Dam ³⁵, M. Dameri ^{50a,50b}, D.S. Damiani ¹³⁷, H.O. Danielsson ²⁹, D. Dannheim ⁹⁹, V. Dao ⁴⁹, G. Darbo ^{50a}, G.L. Darlea ^{25b}, C. Daum ¹⁰⁵, W. Davey ⁸⁶, T. Davidek ¹²⁶, N. Davidson ⁸⁶, R. Davidson ⁷¹, E. Davies ^{118,c}, M. Davies ⁹³, A.R. Davison ⁷⁷, Y. Davygora ^{58a}, E. Dawe ¹⁴², I. Dawson ¹³⁹, J.W. Dawson ^{5,*}, R.K. Daya ³⁹, K. De ⁷, R. de Asmundis ^{102a}, S. De Castro ^{19a,19b}, P.E. De Castro Faria Salgado ²⁴, S. De Cecco ⁷⁸, J. de Graat ⁹⁸, N. De Groot ¹⁰⁴, P. de Jong ¹⁰⁵, C. De La Taille ¹¹⁵, H. De la Torre ⁸⁰, B. De Lotto ^{164a,164c}, L. De Mora ⁷¹, L. De Nooij ¹⁰⁵, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ^{164a,164c}, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁵, S. Dean ⁷⁷, R. Debbe ²⁴, C. Debenedetti ⁴⁵, D.V. Dedovich ⁶⁵, J. Degenhardt ¹²⁰, M. Dehchar ¹¹⁸, C. Del Papa ^{164a,164c}, J. Del Peso ⁸⁰, T. Del Prete ^{122a,122b}, T. Delemontex ⁵⁵, M. Deliyergiyev ⁷⁴, A. Dell'Acqua ²⁹, L. Dell'Asta ²¹, M. Della Pietra ^{102a,h}, D. della Volpe ^{102a,102b}, M. Delmastro ²⁹, N. Delruelle ²⁹, P.A. Delsart ⁵⁵, C. Deluca ¹⁴⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁵, B. Demirkoz ^{11,j}, J. Deng ¹⁶³, S.P. Denisov ¹²⁸, D. Derendarz ³⁸, J.E. Derkaoui ^{135d}, F. Derue ⁷⁸, P. Dervan ⁷³, K. Desch ²⁰, E. Devetak ¹⁴⁸, P.O. Deviveiros ¹⁵⁸, A. Dewhurst ¹²⁹, B. DeWilde ¹⁴⁸, S. Dhaliwal ¹⁵⁸, R. Dhullipudi ^{24,k}, A. Di Caccio ^{133a,133b}, L. Di Caccio ⁴, A. Di Girolamo ²⁹, B. Di Girolamo ²⁹, S. Di Luise ^{134a,134b}, A. Di Mattia ¹⁷², B. Di Micco ²⁹, R. Di Nardo ⁴⁷, A. Di Simone ^{133a,133b}, R. Di Sipio ^{19a,19b}, M.A. Diaz ^{31a}, F. Diblen ^{18c}, E.B. Diehl ⁸⁷, J. Dietrich ⁴¹, T.A. Dietzsch ^{58a}, K. Dindar Yagci ³⁹, J. Dingfelder ²⁰, C. Dionisi ^{132a,132b}, P. Dita ^{25a}, S. Dita ^{25a}, F. Dittus ²⁹, F. Djama ⁸³, T. Djobava ^{51b}, M.A.B. do Vale ^{23a}, A. Do Valle Wemans ^{124a}, T.K.O. Doan ⁴, M. Dobbs ⁸⁵, R. Dobinson ^{29,*}, D. Dobos ²⁹, E. Dobson ²⁹, M. Dobson ¹⁶³, J. Dodd ³⁴, C. Doglioni ¹¹⁸, T. Doherty ⁵³, Y. Doi ^{66,*}, J. Dolejsi ¹²⁶, I. Dolenc ⁷⁴, Z. Dolezal ¹²⁶, B.A. Dolgoshein ^{96,*}, T. Dohmae ¹⁵⁵, M. Donadelli ^{23d}, M. Donega ¹²⁰, J. Donini ⁵⁵, J. Dopke ²⁹, A. Doria ^{102a}, A. Dos Anjos ¹⁷², M. Dosil ¹¹, A. Dotti ^{122a,122b}, M.T. Dova ⁷⁰, J.D. Dowell ¹⁷, A.D. Doxiadis ¹⁰⁵, A.T. Doyle ⁵³, Z. Drasal ¹²⁶, J. Drees ¹⁷⁴, N. Dressnandt ¹²⁰, H. Drevermann ²⁹, C. Driouichi ³⁵, M. Dris ⁹, J. Dubbert ⁹⁹, S. Dube ¹⁴, E. Duchovni ¹⁷¹, G. Duckeck ⁹⁸, A. Dudarev ²⁹, F. Dudziak ⁶⁴, M. Dührssen ²⁹, I.P. Duerdorff ⁸², L. Duflot ¹¹⁵, M.-A. Dufour ⁸⁵, M. Dunford ²⁹, H. Duran Yildiz ^{3b}, R. Duxfield ¹³⁹, M. Dwuznik ³⁷, F. Dydak ²⁹, M. Düren ⁵², W.L. Ebenstein ⁴⁴, J. Ebke ⁹⁸, S. Eckweiler ⁸¹, K. Edmonds ⁸¹, C.A. Edwards ⁷⁶, N.C. Edwards ⁵³, W. Ehrenfeld ⁴¹, T. Ehrich ⁹⁹, T. Eifert ²⁹, G. Eigen ¹³, K. Einsweiler ¹⁴, E. Eisenhandler ⁷⁵, T. Ekelof ¹⁶⁶, M. El Kacimi ^{135c}, M. Ellert ¹⁶⁶, S. Elles ⁴, F. Ellinghaus ⁸¹, K. Ellis ⁷⁵, N. Ellis ²⁹, J. Elmsheuser ⁹⁸, M. Elsing ²⁹, D. Emeliyanov ¹²⁹, R. Engelmann ¹⁴⁸, A. Engl ⁹⁸, B. Epp ⁶², A. Eppig ⁸⁷, J. Erdmann ⁵⁴, A. Ereditato ¹⁶, D. Eriksson ^{146a}, J. Ernst ¹, M. Ernst ²⁴, J. Ernwein ¹³⁶, D. Errede ¹⁶⁵, S. Errede ¹⁶⁵, E. Ertel ⁸¹, M. Escalier ¹¹⁵, C. Escobar ¹²³, X. Espinal Curull ¹¹, B. Esposito ⁴⁷, F. Etienne ⁸³, A.I. Etienvre ¹³⁶, E. Etzion ¹⁵³, D. Evangelakou ⁵⁴, H. Evans ⁶¹, L. Fabbri ^{19a,19b}, C. Fabre ²⁹, R.M. Fakhrutdinov ¹²⁸, S. Falciano ^{132a}, Y. Fang ¹⁷², M. Fanti ^{89a,89b}, A. Farbin ⁷, A. Farilla ^{134a}, J. Farley ¹⁴⁸, T. Farooque ¹⁵⁸, S.M. Farrington ¹¹⁸, P. Farthouat ²⁹, P. Fassnacht ²⁹, D. Fassouliotis ⁸, B. Fatholahzadeh ¹⁵⁸, A. Favareto ^{89a,89b}, L. Fayard ¹¹⁵, S. Fazio ^{36a,36b}, R. Febbraro ³³, P. Federic ^{144a}, O.L. Fedin ¹²¹, W. Fedorko ⁸⁸, M. Fehling-Kaschek ⁴⁸, L. Feligioni ⁸³, C. Feng ^{32d}, E.J. Feng ³⁰, A.B. Fenyuk ¹²⁸, J. Ferencei ^{144b}, J. Ferland ⁹³, W. Fernando ¹⁰⁹, S. Ferrag ⁵³, J. Ferrando ⁵³, V. Ferrara ⁴¹, A. Ferrari ¹⁶⁶, P. Ferrari ¹⁰⁵, R. Ferrari ^{119a}, A. Ferrer ¹⁶⁷, M.L. Ferrer ⁴⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁷, A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³⁰, F. Fiedler ⁸¹, A. Filipčič ⁷⁴, A. Filippas ⁹, F. Filthaut ¹⁰⁴, M. Fincke-Keeler ¹⁶⁹, M.C.N. Fiolhais ^{124a,g}, L. Fiorini ¹⁶⁷, A. Firan ³⁹, G. Fischer ⁴¹, P. Fischer ²⁰, M.J. Fisher ¹⁰⁹, M. Flechl ⁴⁸, I. Fleck ¹⁴¹, J. Fleckner ⁸¹, P. Fleischmann ¹⁷³, S. Fleischmann ¹⁷⁴, T. Flick ¹⁷⁴, L.R. Flores Castillo ¹⁷², M.J. Flowerdew ⁹⁹, M. Fokitis ⁹, T. Fonseca Martin ¹⁶, D.A. Forbush ¹³⁸, A. Formica ¹³⁶, A. Forti ⁸², D. Fortin ^{159a}, J.M. Foster ⁸², D. Fournier ¹¹⁵, A. Foussat ²⁹, A.J. Fowler ⁴⁴, K. Fowler ¹³⁷, H. Fox ⁷¹, P. Francavilla ^{122a,122b}, S. Franchino ^{119a,119b}, D. Francis ²⁹, T. Frank ¹⁷¹, M. Franklin ⁵⁷, S. Franz ²⁹, M. Fraternali ^{119a,119b}, S. Fratina ¹²⁰, S.T. French ²⁷, F. Friedrich ⁴³, R. Froeschl ²⁹, D. Froidevaux ²⁹, J.A. Frost ²⁷, C. Fukunaga ¹⁵⁶, E. Fullana Torregrosa ²⁹, J. Fuster ¹⁶⁷, C. Gabaldon ²⁹, O. Gabizon ¹⁷¹, T. Gadfort ²⁴, S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶¹, C. Galea ⁹⁸, E.J. Gallas ¹¹⁸, V. Gallo ¹⁶, B.J. Gallop ¹²⁹, P. Gallus ¹²⁵, K.K. Gan ¹⁰⁹, Y.S. Gao ^{143,e}, V.A. Gapienko ¹²⁸, A. Gaponenko ¹⁴, F. Garberson ¹⁷⁵, M. Garcia-Sciveres ¹⁴, C. García ¹⁶⁷, J.E. García Navarro ⁴⁹, R.W. Gardner ³⁰, N. Garelli ²⁹, H. Garitaonandia ¹⁰⁵, V. Garonne ²⁹, J. Garvey ¹⁷, C. Gatti ⁴⁷, G. Gaudio ^{119a}, O. Gaumer ⁴⁹, B. Gaur ¹⁴¹,

- L. Gauthier ¹³⁶, I.L. Gavrilenko ⁹⁴, C. Gay ¹⁶⁸, G. Gaycken ²⁰, J.-C. Gayde ²⁹, E.N. Gazis ⁹, P. Ge ^{32d},
 C.N.P. Gee ¹²⁹, D.A.A. Geerts ¹⁰⁵, Ch. Geich-Gimbel ²⁰, K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a},
 A. Gemmell ⁵³, M.H. Genest ⁹⁸, S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁶, P. Gerlach ¹⁷⁴,
 A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, P. Ghez ⁴, N. Ghodbane ³³, B. Giacobbe ^{19a},
 S. Giagu ^{132a,132b}, V. Giakoumopoulou ⁸, V. Giangiobbe ^{122a,122b}, F. Gianotti ²⁹, B. Gibbard ²⁴, A. Gibson ¹⁵⁸,
 S.M. Gibson ²⁹, L.M. Gilbert ¹¹⁸, V. Gilewsky ⁹¹, D. Gillberg ²⁸, A.R. Gillman ¹²⁹, D.M. Gingrich ^{2,d},
 J. Ginzburg ¹⁵³, N. Giokaris ⁸, M.P. Giordani ^{164c}, R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁵, P. Giovannini ⁹⁹,
 P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, P. Giusti ^{19a}, B.K. Gjelsten ¹¹⁷, L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰,
 J. Glatzer ⁴⁸, A. Glazov ⁴¹, K.W. Glitza ¹⁷⁴, G.L. Glonti ⁶⁵, J. Godfrey ¹⁴², J. Godlewski ²⁹, M. Goebel ⁴¹,
 T. Göpfert ⁴³, C. Goeringer ⁸¹, C. Gössling ⁴², T. Göttfert ⁹⁹, S. Goldfarb ⁸⁷, T. Golling ¹⁷⁵, S.N. Golovnia ¹²⁸,
 A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴¹, R. Gonçalo ⁷⁶, J. Goncalves Pinto Firmino Da Costa ⁴¹, L. Gonella ²⁰,
 A. Gonidec ²⁹, S. Gonzalez ¹⁷², S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹¹, M.L. Gonzalez Silva ²⁶,
 S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ²⁹, P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁴, I. Gorelov ¹⁰³,
 G. Gorfine ¹⁷⁴, B. Gorini ²⁹, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁸, S.A. Gorokhov ¹²⁸,
 V.N. Goryachev ¹²⁸, B. Gosdzik ⁴¹, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁵, I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a},
 D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁴, S. Gozpinar ²², I. Grabowska-Bold ³⁷,
 P. Grafström ²⁹, K.-J. Grahn ⁴¹, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁵, V. Grassi ¹⁴⁸, V. Gratchev ¹²¹,
 N. Grau ³⁴, H.M. Gray ²⁹, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³,
 Z.D. Greenwood ^{24,k}, K. Gregersen ³⁵, I.M. Gregor ⁴¹, P. Grenier ¹⁴³, J. Griffiths ¹³⁸, N. Grigalashvili ⁶⁵,
 A.A. Grillo ¹³⁷, S. Grinstein ¹¹, Y.V. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵, M. Groh ⁹⁹, E. Gross ¹⁷¹,
 J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷¹, K. Grybel ¹⁴¹, V.J. Guarino ⁵, D. Guest ¹⁷⁵, C. Guicheney ³³,
 A. Guida ^{72a,72b}, T. Guillemin ⁴, S. Guindon ⁵⁴, H. Guler ^{85,l}, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁴,
 A. Gupta ³⁰, Y. Gusakov ⁶⁵, V.N. Gushchin ¹²⁸, A. Gutierrez ⁹³, P. Gutierrez ¹¹¹, N. Guttmann ¹⁵³,
 O. Gutzwiller ¹⁷², C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁴³, S. Haas ²⁹, C. Haber ¹⁴,
 R. Hackenburg ²⁴, H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ⁹⁹, F. Hahn ²⁹, S. Haider ²⁹, Z. Hajduk ³⁸,
 H. Hakobyan ¹⁷⁶, J. Haller ⁵⁴, K. Hamacher ¹⁷⁴, P. Hamal ¹¹³, M. Hamer ⁵⁴, A. Hamilton ⁴⁹, S. Hamilton ¹⁶¹,
 H. Han ^{32a}, L. Han ^{32b}, K. Hanagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁴, C. Handel ⁸¹, P. Hanke ^{58a},
 J.R. Hansen ³⁵, J.B. Hansen ³⁵, J.D. Hansen ³⁵, P.H. Hansen ³⁵, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷,
 T. Harenberg ¹⁷⁴, S. Harkusha ⁹⁰, D. Harper ⁸⁷, R.D. Harrington ⁴⁵, O.M. Harris ¹³⁸, K. Harrison ¹⁷,
 J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁶, A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶,
 M. Hatch ²⁹, D. Hauff ⁹⁹, S. Haug ¹⁶, M. Hauschild ²⁹, R. Hauser ⁸⁸, M. Havranek ²⁰, B.M. Hawes ¹¹⁸,
 C.M. Hawkes ¹⁷, R.J. Hawkings ²⁹, D. Hawkins ¹⁶³, T. Hayakawa ⁶⁷, T. Hayashi ¹⁶⁰, D. Hayden ⁷⁶,
 H.S. Hayward ⁷³, S.J. Haywood ¹²⁹, E. Hazen ²¹, M. He ^{32d}, S.J. Head ¹⁷, V. Hedberg ⁷⁹, L. Heelan ⁷,
 S. Heim ⁸⁸, B. Heinemann ¹⁴, S. Heisterkamp ³⁵, L. Helary ⁴, S. Hellman ^{146a,146b}, D. Hellmich ²⁰,
 C. Helsens ¹¹, R.C.W. Henderson ⁷¹, M. Henke ^{58a}, A. Henrichs ⁵⁴, A.M. Henriques Correia ²⁹,
 S. Henrot-Versille ¹¹⁵, F. Henry-Couannier ⁸³, C. Hensel ⁵⁴, T. Henß ¹⁷⁴, C.M. Hernandez ⁷,
 Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁵, A.D. Hershenhorn ¹⁵², G. Herten ⁴⁸, R. Hertenberger ⁹⁸,
 L. Hervas ²⁹, N.P. Hessey ¹⁰⁵, E. Higón-Rodriguez ¹⁶⁷, D. Hill ^{5,*}, J.C. Hill ²⁷, N. Hill ⁵, K.H. Hiller ⁴¹,
 S. Hillert ²⁰, S.J. Hillier ¹⁷, I. Hinchliffe ¹⁴, E. Hines ¹²⁰, M. Hirose ¹¹⁶, F. Hirsch ⁴², D. Hirschbuehl ¹⁷⁴,
 J. Hobbs ¹⁴⁸, N. Hod ¹⁵³, M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹, A. Hoecker ²⁹, M.R. Hoeferkamp ¹⁰³,
 J. Hoffman ³⁹, D. Hoffmann ⁸³, M. Hohlfeld ⁸¹, M. Holder ¹⁴¹, S.O. Holmgren ^{146a}, T. Holy ¹²⁷,
 J.L. Holzbauer ⁸⁸, Y. Homma ⁶⁷, T.M. Hong ¹²⁰, L. Hooft van Huysduynen ¹⁰⁸, T. Horazdovsky ¹²⁷,
 C. Horn ¹⁴³, S. Horner ⁴⁸, K. Horton ¹¹⁸, J.-Y. Hostachy ⁵⁵, S. Hou ¹⁵¹, M.A. Houlden ⁷³, A. Hoummada ^{135a},
 J. Howarth ⁸², D.F. Howell ¹¹⁸, I. Hristova ¹⁵, J. Hrivnac ¹¹⁵, I. Hruska ¹²⁵, T. Hrynn'ova ⁴, P.J. Hsu ⁸¹,
 S.-C. Hsu ¹⁴, G.S. Huang ¹¹¹, Z. Hubacek ¹²⁷, F. Hubaut ⁸³, F. Huegging ²⁰, T.B. Huffman ¹¹⁸, E.W. Hughes ³⁴,
 G. Hughes ⁷¹, R.E. Hughes-Jones ⁸², M. Huhtinen ²⁹, P. Hurst ⁵⁷, M. Hurwitz ¹⁴, U. Husemann ⁴¹,
 N. Huseynov ^{65,m}, J. Huston ⁸⁸, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ⁹, M. Ibbotson ⁸², I. Ibragimov ¹⁴¹,
 R. Ichimiya ⁶⁷, L. Iconomidou-Fayard ¹¹⁵, J. Idarraga ¹¹⁵, P. Iengo ^{102a,102b}, O. Igonkina ¹⁰⁵, Y. Ikegami ⁶⁶,
 M. Ikeno ⁶⁶, Y. Ilchenko ³⁹, D. Iliadis ¹⁵⁴, D. Imbault ⁷⁸, M. Imori ¹⁵⁵, T. Ince ²⁰, J. Inigo-Golfin ²⁹,
 P. Ioannou ⁸, M. Iodice ^{134a}, A. Irles Quiles ¹⁶⁷, C. Isaksson ¹⁶⁶, A. Ishikawa ⁶⁷, M. Ishino ⁶⁸,
 R. Ishmukhametov ³⁹, C. Issever ¹¹⁸, S. Istiñ ^{18a}, A.V. Ivashin ¹²⁸, W. Iwanski ³⁸, H. Iwasaki ⁶⁶, J.M. Izen ⁴⁰,
 V. Izzo ^{102a}, B. Jackson ¹²⁰, J.N. Jackson ⁷³, P. Jackson ¹⁴³, M.R. Jaekel ²⁹, V. Jain ⁶¹, K. Jakobs ⁴⁸,

- S. Jakobsen ³⁵, J. Jakubek ¹²⁷, D.K. Jana ¹¹¹, E. Jankowski ¹⁵⁸, E. Jansen ⁷⁷, A. Jantsch ⁹⁹, M. Janus ²⁰, G. Jarlskog ⁷⁹, L. Jeanty ⁵⁷, K. Jelen ³⁷, I. Jen-La Plante ³⁰, P. Jenni ²⁹, A. Jeremie ⁴, P. Jež ³⁵, S. Jézéquel ⁴, M.K. Jha ^{19a}, H. Ji ¹⁷², W. Ji ⁸¹, J. Jia ¹⁴⁸, Y. Jiang ^{32b}, M. Jimenez Belenguer ⁴¹, G. Jin ^{32b}, S. Jin ^{32a}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁵, D. Joffe ³⁹, L.G. Johansen ¹³, M. Johansen ^{146a, 146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴¹, K.A. Johns ⁶, K. Jon-And ^{146a, 146b}, G. Jones ⁸², R.W.L. Jones ⁷¹, T.W. Jones ⁷⁷, T.J. Jones ⁷³, O. Jonsson ²⁹, C. Joram ²⁹, P.M. Jorge ^{124a,b}, J. Joseph ¹⁴, T. Jovin ^{12b}, X. Ju ¹³⁰, C.A. Jung ⁴², V. Juranek ¹²⁵, P. Jussel ⁶², A. Juste Rozas ¹¹, V.V. Kabachenko ¹²⁸, S. Kabana ¹⁶, M. Kaci ¹⁶⁷, A. Kaczmarska ³⁸, P. Kadlecik ³⁵, M. Kado ¹¹⁵, H. Kagan ¹⁰⁹, M. Kagan ⁵⁷, S. Kaiser ⁹⁹, E. Kajomovitz ¹⁵², S. Kalinin ¹⁷⁴, L.V. Kalinovskaya ⁶⁵, S. Kama ³⁹, N. Kanaya ¹⁵⁵, M. Kaneda ²⁹, T. Kanno ¹⁵⁷, V.A. Kantserov ⁹⁶, J. Kanzaki ⁶⁶, B. Kaplan ¹⁷⁵, A. Kapliy ³⁰, J. Kaplon ²⁹, D. Kar ⁴³, M. Karagoz ¹¹⁸, M. Karnevskiy ⁴¹, K. Karr ⁵, V. Kartvelishvili ⁷¹, A.N. Karyukhin ¹²⁸, L. Kashif ¹⁷², G. Kasieczka ^{58b}, A. Kasmi ³⁹, R.D. Kass ¹⁰⁹, A. Kastanas ¹³, M. Kataoka ⁴, Y. Kataoka ¹⁵⁵, E. Katsoufis ⁹, J. Katzy ⁴¹, V. Kaushik ⁶, K. Kawagoe ⁶⁷, T. Kawamoto ¹⁵⁵, G. Kawamura ⁸¹, M.S. Kayl ¹⁰⁵, V.A. Kazanin ¹⁰⁷, M.Y. Kazarinov ⁶⁵, J.R. Keates ⁸², R. Keeler ¹⁶⁹, R. Kehoe ³⁹, M. Keil ⁵⁴, G.D. Kekelidze ⁶⁵, J. Kennedy ⁹⁸, C.J. Kenney ¹⁴³, M. Kenyon ⁵³, O. Kepka ¹²⁵, N. Kerschen ²⁹, B.P. Kerševan ⁷⁴, S. Kersten ¹⁷⁴, K. Kessoku ¹⁵⁵, J. Keung ¹⁵⁸, M. Khakzad ²⁸, F. Khalil-zada ¹⁰, H. Khandanyan ¹⁶⁵, A. Khanov ¹¹², D. Kharchenko ⁶⁵, A. Khodinov ⁹⁶, A.G. Kholodenko ¹²⁸, A. Khomich ^{58a}, T.J. Khoo ²⁷, G. Khoriauli ²⁰, A. Khoroshilov ¹⁷⁴, N. Khovanskiy ⁶⁵, V. Khovanskiy ⁹⁵, E. Khramov ⁶⁵, J. Khubua ^{51b}, H. Kim ^{146a, 146b}, M.S. Kim ², P.C. Kim ¹⁴³, S.H. Kim ¹⁶⁰, N. Kimura ¹⁷⁰, O. Kind ¹⁵, B.T. King ⁷³, M. King ⁶⁷, R.S.B. King ¹¹⁸, J. Kirk ¹²⁹, L.E. Kirsch ²², A.E. Kiryunin ⁹⁹, T. Kishimoto ⁶⁷, D. Kisielewska ³⁷, T. Kittelmann ¹²³, A.M. Kiver ¹²⁸, E. Kladiva ^{144b}, J. Klaiber-Lodewigs ⁴², M. Klein ⁷³, U. Klein ⁷³, K. Kleinknecht ⁸¹, M. Klemetti ⁸⁵, A. Klier ¹⁷¹, A. Klimentov ²⁴, R. Klingenberg ⁴², E.B. Klinkby ³⁵, T. Klioutchnikova ²⁹, P.F. Klok ¹⁰⁴, S. Klous ¹⁰⁵, E.-E. Kluge ^{58a}, T. Kluge ⁷³, P. Kluit ¹⁰⁵, S. Kluth ⁹⁹, N.S. Knecht ¹⁵⁸, E. Kneringer ⁶², J. Knobloch ²⁹, E.B.F.G. Knoops ⁸³, A. Knue ⁵⁴, B.R. Ko ⁴⁴, T. Kobayashi ¹⁵⁵, M. Kobel ⁴³, M. Kocian ¹⁴³, P. Kodys ¹²⁶, K. Köneke ²⁹, A.C. König ¹⁰⁴, S. Koenig ⁸¹, L. Köpke ⁸¹, F. Koetsveld ¹⁰⁴, P. Koevesarki ²⁰, T. Koffas ²⁸, E. Koffeman ¹⁰⁵, F. Kohn ⁵⁴, Z. Kohout ¹²⁷, T. Kohriki ⁶⁶, T. Koi ¹⁴³, T. Kokott ²⁰, G.M. Kolachev ¹⁰⁷, H. Kolanoski ¹⁵, V. Kolesnikov ⁶⁵, I. Koletsou ^{89a}, J. Koll ⁸⁸, D. Kollar ²⁹, M. Kollefrath ⁴⁸, S.D. Kolya ⁸², A.A. Komar ⁹⁴, Y. Komori ¹⁵⁵, T. Kondo ⁶⁶, T. Kono ^{41,n}, A.I. Kononov ⁴⁸, R. Konoplich ^{108,o}, N. Konstantinidis ⁷⁷, A. Kootz ¹⁷⁴, S. Koperny ³⁷, S.V. Kopikov ¹²⁸, K. Korcyl ³⁸, K. Kordas ¹⁵⁴, V. Koreshev ¹²⁸, A. Korn ¹¹⁸, A. Korol ¹⁰⁷, I. Korolkov ¹¹, E.V. Korolkova ¹³⁹, V.A. Korotkov ¹²⁸, O. Kortner ⁹⁹, S. Kortner ⁹⁹, V.V. Kostyukhin ²⁰, M.J. Kotamäki ²⁹, S. Kotov ⁹⁹, V.M. Kotov ⁶⁵, A. Kotwal ⁴⁴, C. Kourkoumelis ⁸, V. Kouskoura ¹⁵⁴, A. Koutsman ^{159a}, R. Kowalewski ¹⁶⁹, T.Z. Kowalski ³⁷, W. Kozanecki ¹³⁶, A.S. Kozhin ¹²⁸, V. Kral ¹²⁷, V.A. Kramarenko ⁹⁷, G. Kramberger ⁷⁴, M.W. Krasny ⁷⁸, A. Krasznahorkay ¹⁰⁸, J. Kraus ⁸⁸, J.K. Kraus ²⁰, A. Kreisel ¹⁵³, F. Krejci ¹²⁷, J. Kretzschmar ⁷³, N. Krieger ⁵⁴, P. Krieger ¹⁵⁸, K. Kroeninger ⁵⁴, H. Kroha ⁹⁹, J. Kroll ¹²⁰, J. Kroseberg ²⁰, J. Krstic ^{12a}, U. Kruchonak ⁶⁵, H. Krüger ²⁰, T. Kruker ¹⁶, Z.V. Krumshteyn ⁶⁵, A. Kruth ²⁰, T. Kubota ⁸⁶, S. Kuehn ⁴⁸, A. Kugel ^{58c}, T. Kuhl ⁴¹, D. Kuhn ⁶², V. Kukhtin ⁶⁵, Y. Kulchitsky ⁹⁰, S. Kuleshov ^{31b}, C. Kummer ⁹⁸, M. Kuna ⁷⁸, N. Kundu ¹¹⁸, J. Kunkle ¹²⁰, A. Kupco ¹²⁵, H. Kurashige ⁶⁷, M. Kurata ¹⁶⁰, Y.A. Kurochkin ⁹⁰, V. Kus ¹²⁵, M. Kuze ¹⁵⁷, J. Kvita ²⁹, R. Kwee ¹⁵, A. La Rosa ⁴⁹, L. La Rotonda ^{36a, 36b}, L. Labarga ⁸⁰, J. Labbe ⁴, S. Lablak ^{135a}, C. Lacasta ¹⁶⁷, F. Lacava ^{132a, 132b}, H. Lacker ¹⁵, D. Lacour ⁷⁸, V.R. Lacuesta ¹⁶⁷, E. Ladygin ⁶⁵, R. Lafaye ⁴, B. Laforge ⁷⁸, T. Lagouri ⁸⁰, S. Lai ⁴⁸, E. Laisne ⁵⁵, M. Lamanna ²⁹, C.L. Lampen ⁶, W. Lampl ⁶, E. Lancon ¹³⁶, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁵, H. Landsman ¹⁵², J.L. Lane ⁸², C. Lange ⁴¹, A.J. Lankford ¹⁶³, F. Lanni ²⁴, K. Lantzsch ¹⁷⁴, S. Laplace ⁷⁸, C. Lapoire ²⁰, J.F. Laporte ¹³⁶, T. Lari ^{89a}, A.V. Larionov ¹²⁸, A. Larner ¹¹⁸, C. Lasseur ²⁹, M. Lassnig ²⁹, P. Laurelli ⁴⁷, W. Lavrijsen ¹⁴, P. Laycock ⁷³, A.B. Lazarev ⁶⁵, O. Le Dortz ⁷⁸, E. Le Guirriec ⁸³, C. Le Maner ¹⁵⁸, E. Le Menedeu ¹³⁶, C. Lebel ⁹³, T. LeCompte ⁵, F. Ledroit-Guillon ⁵⁵, H. Lee ¹⁰⁵, J.S.H. Lee ¹¹⁶, S.C. Lee ¹⁵¹, L. Lee ¹⁷⁵, M. Lefebvre ¹⁶⁹, M. Legendre ¹³⁶, A. Leger ⁴⁹, B.C. LeGeyt ¹²⁰, F. Legger ⁹⁸, C. Leggett ¹⁴, M. Lehmann ²⁰, G. Lehmann Miotto ²⁹, X. Lei ⁶, M.A.L. Leite ^{23d}, R. Leitner ¹²⁶, D. Lellouch ¹⁷¹, M. Leltchouk ³⁴, B. Lemmer ⁵⁴, V. Lendermann ^{58a}, K.J.C. Leney ^{145b}, T. Lenz ¹⁰⁵, G. Lenzen ¹⁷⁴, B. Lenzi ²⁹, K. Leonhardt ⁴³, S. Leontsinis ⁹, C. Leroy ⁹³, J.-R. Lessard ¹⁶⁹, J. Lesser ^{146a}, C.G. Lester ²⁷, A. Leung Fook Cheong ¹⁷², J. Levêque ⁴, D. Levin ⁸⁷, L.J. Levinson ¹⁷¹, M.S. Levitski ¹²⁸, A. Lewis ¹¹⁸, G.H. Lewis ¹⁰⁸, A.M. Leyko ²⁰, M. Leyton ¹⁵, B. Li ⁸³, H. Li ¹⁷², S. Li ^{32b,p}, X. Li ⁸⁷, Z. Liang ³⁹, Z. Liang ^{118,q}, H. Liao ³³, B. Liberti ^{133a}, P. Lichard ²⁹,

- M. Lichtnecker⁹⁸, K. Lie¹⁶⁵, W. Liebig¹³, R. Lifshitz¹⁵², J.N. Lilley¹⁷, C. Limbach²⁰, A. Limosani⁸⁶, M. Limper⁶³, S.C. Lin^{151,r}, F. Linde¹⁰⁵, J.T. Linnemann⁸⁸, E. Lipeles¹²⁰, L. Lipinsky¹²⁵, A. Lipniacka¹³, T.M. Liss¹⁶⁵, D. Lissauer²⁴, A. Lister⁴⁹, A.M. Litke¹³⁷, C. Liu²⁸, D. Liu^{151,s}, H. Liu⁸⁷, J.B. Liu⁸⁷, M. Liu^{32b}, S. Liu², Y. Liu^{32b}, M. Livan^{119a,119b}, S.S.A. Livermore¹¹⁸, A. Lleres⁵⁵, J. Llorente Merino⁸⁰, S.L. Lloyd⁷⁵, E. Lobodzinska⁴¹, P. Loch⁶, W.S. Lockman¹³⁷, T. Loddenkoetter²⁰, F.K. Loebinger⁸², A. Loginov¹⁷⁵, C.W. Loh¹⁶⁸, T. Lohse¹⁵, K. Lohwasser⁴⁸, M. Lokajicek¹²⁵, J. Loken¹¹⁸, V.P. Lombardo⁴, R.E. Long⁷¹, L. Lopes^{124a,b}, D. Lopez Mateos⁵⁷, M. Losada¹⁶², P. Loscutoff¹⁴, F. Lo Sterzo^{132a,132b}, M.J. Losty^{159a}, X. Lou⁴⁰, A. Lounis¹¹⁵, K.F. Loureiro¹⁶², J. Love²¹, P.A. Love⁷¹, A.J. Lowe^{143,e}, F. Lu^{32a}, H.J. Lubatti¹³⁸, C. Luci^{132a,132b}, A. Lucotte⁵⁵, A. Ludwig⁴³, D. Ludwig⁴¹, I. Ludwig⁴⁸, J. Ludwig⁴⁸, F. Luehring⁶¹, G. Luijckx¹⁰⁵, D. Lumb⁴⁸, L. Luminari^{132a}, E. Lund¹¹⁷, B. Lund-Jensen¹⁴⁷, B. Lundberg⁷⁹, J. Lundberg^{146a,146b}, J. Lundquist³⁵, M. Lungwitz⁸¹, G. Lutz⁹⁹, D. Lynn²⁴, J. Lys¹⁴, E. Lytken⁷⁹, H. Ma²⁴, L.L. Ma¹⁷², J.A. Macana Goia⁹³, G. Maccarrone⁴⁷, A. Macchiolo⁹⁹, B. Maček⁷⁴, J. Machado Miguens^{124a}, R. Mackeprang³⁵, R.J. Madaras¹⁴, W.F. Mader⁴³, R. Maenner^{58c}, T. Maeno²⁴, P. Mättig¹⁷⁴, S. Mättig⁴¹, L. Magnoni²⁹, E. Magradze⁵⁴, Y. Mahalalel¹⁵³, K. Mahboubi⁴⁸, G. Mahout¹⁷, C. Maiani^{132a,132b}, C. Maidantchik^{23a}, A. Maio^{124a,b}, S. Majewski²⁴, Y. Makida⁶⁶, N. Makovec¹¹⁵, P. Mal¹³⁶, Pa. Malecki³⁸, P. Malecki³⁸, V.P. Maleev¹²¹, F. Malek⁵⁵, U. Mallik⁶³, D. Malon⁵, C. Malone¹⁴³, S. Maltezos⁹, V. Malyshev¹⁰⁷, S. Malyukov²⁹, R. Mameghani⁹⁸, J. Mamuzic^{12b}, A. Manabe⁶⁶, L. Mandelli^{89a}, I. Mandić⁷⁴, R. Mandrysch¹⁵, J. Maneira^{124a}, P.S. Mangeard⁸⁸, I.D. Manjavizde⁶⁵, A. Mann⁵⁴, P.M. Manning¹³⁷, A. Manousakis-Katsikakis⁸, B. Mansoulie¹³⁶, A. Manz⁹⁹, A. Mapelli²⁹, L. Mapelli²⁹, L. March⁸⁰, J.F. Marchand²⁹, F. Marchese^{133a,133b}, G. Marchiori⁷⁸, M. Marcisovsky¹²⁵, A. Marin^{21,*}, C.P. Marino¹⁶⁹, F. Marroquim^{23a}, R. Marshall⁸², Z. Marshall²⁹, F.K. Martens¹⁵⁸, S. Marti-Garcia¹⁶⁷, A.J. Martin¹⁷⁵, B. Martin²⁹, B. Martin dit Latour⁴⁹, S. Martin-Haugh¹⁴⁹, M. Martinez¹¹, V. Martinez Outschoorn⁵⁷, A.C. Martyniuk⁸², M. Marx⁸², F. Marzano^{132a}, A. Marzin¹¹¹, L. Masetti⁸¹, T. Mashimo¹⁵⁵, R. Mashinistov⁹⁴, J. Masik⁸², A.L. Maslenikov¹⁰⁷, I. Massa^{19a,19b}, G. Massaro¹⁰⁵, N. Massol⁴, P. Mastrandrea^{132a,132b}, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁵, M. Mathes²⁰, H. Matsumoto¹⁵⁵, H. Matsunaga¹⁵⁵, T. Matsushita⁶⁷, C. Mattravers^{118,c}, J.M. Maugain²⁹, J. Maurer⁸³, S.J. Maxfield⁷³, D.A. Maximov¹⁰⁷, E.N. May⁵, A. Mayne¹³⁹, R. Mazini¹⁵¹, M. Mazur²⁰, M. Mazzanti^{89a}, E. Mazzoni^{122a,122b}, S.P. Mc Kee⁸⁷, A. McCarn¹⁶⁵, R.L. McCarthy¹⁴⁸, T.G. McCarthy²⁸, N.A. McCubbin¹²⁹, K.W. McFarlane⁵⁶, J.A. McFayden¹³⁹, H. McGlone⁵³, G. Mchedlidze^{51b}, R.A. McLaren²⁹, T. McLaughlan¹⁷, S.J. McMahon¹²⁹, R.A. McPherson^{169,i}, A. Meade⁸⁴, J. Mechlich¹⁰⁵, M. Mechtel¹⁷⁴, M. Medinnis⁴¹, R. Meera-Lebbai¹¹¹, T. Meguro¹¹⁶, R. Mehdiyev⁹³, S. Mehlhase³⁵, A. Mehta⁷³, K. Meier^{58a}, B. Meirose⁷⁹, C. Melachrinos³⁰, B.R. Mellado Garcia¹⁷², L. Mendoza Navas¹⁶², Z. Meng^{151,s}, A. Mengarelli^{19a,19b}, S. Menke⁹⁹, C. Menot²⁹, E. Meoni¹¹, K.M. Mercurio⁵⁷, P. Mermod¹¹⁸, L. Merola^{102a,102b}, C. Meroni^{89a}, F.S. Merritt³⁰, A. Messina²⁹, J. Metcalfe¹⁰³, A.S. Mete⁶⁴, C. Meyer⁸¹, C. Meyer³⁰, J.-P. Meyer¹³⁶, J. Meyer¹⁷³, J. Meyer⁵⁴, T.C. Meyer²⁹, W.T. Meyer⁶⁴, J. Miao^{32d}, S. Michal²⁹, L. Micu^{25a}, R.P. Middleton¹²⁹, P. Miele²⁹, S. Migas⁷³, L. Mijović⁴¹, G. Mikenberg¹⁷¹, M. Mikestikova¹²⁵, M. Mikuž⁷⁴, D.W. Miller³⁰, R.J. Miller⁸⁸, W.J. Mills¹⁶⁸, C. Mills⁵⁷, A. Milov¹⁷¹, D.A. Milstead^{146a,146b}, D. Milstein¹⁷¹, A.A. Minaenko¹²⁸, M. Miñano¹⁶⁷, I.A. Minashvili⁶⁵, A.I. Mincer¹⁰⁸, B. Mindur³⁷, M. Mineev⁶⁵, Y. Ming¹³⁰, L.M. Mir¹¹, G. Mirabelli^{132a}, L. Miralles Verge¹¹, A. Misiejuk⁷⁶, J. Mitrevski¹³⁷, G.Y. Mitrofanov¹²⁸, V.A. Mitsou¹⁶⁷, S. Mitsui⁶⁶, P.S. Miyagawa¹³⁹, K. Miyazaki⁶⁷, J.U. Mjörnmark⁷⁹, T. Moa^{146a,146b}, P. Mockett¹³⁸, S. Moed⁵⁷, V. Moeller²⁷, K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁸, W. Mohr⁴⁸, S. Mohrdieck-Möck⁹⁹, A.M. Moisseev^{128,*}, R. Moles-Valls¹⁶⁷, J. Molina-Perez²⁹, J. Monk⁷⁷, E. Monnier⁸³, S. Montesano^{89a,89b}, F. Monticelli⁷⁰, S. Monzani^{19a,19b}, R.W. Moore², G.F. Moorhead⁸⁶, C. Mora Herrera⁴⁹, A. Moraes⁵³, N. Morange¹³⁶, J. Morel⁵⁴, G. Morello^{36a,36b}, D. Moreno⁸¹, M. Moreno Llácer¹⁶⁷, P. Morettini^{50a}, M. Morii⁵⁷, J. Morin⁷⁵, A.K. Morley²⁹, G. Mornacchi²⁹, S.V. Morozov⁹⁶, J.D. Morris⁷⁵, L. Morvaj¹⁰¹, H.G. Moser⁹⁹, M. Mosidze^{51b}, J. Moss¹⁰⁹, R. Mount¹⁴³, E. Mountricha¹³⁶, S.V. Mouraviev⁹⁴, E.J.W. Moyse⁸⁴, M. Mudrinic^{12b}, F. Mueller^{58a}, J. Mueller¹²³, K. Mueller²⁰, T.A. Müller⁹⁸, D. Muenstermann²⁹, A. Muir¹⁶⁸, Y. Munwes¹⁵³, W.J. Murray¹²⁹, I. Mussche¹⁰⁵, E. Musto^{102a,102b}, A.G. Myagkov¹²⁸, M. Myska¹²⁵, J. Nadal¹¹, K. Nagai¹⁶⁰, K. Nagano⁶⁶, Y. Nagasaka⁶⁰, A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁵, T. Nakamura¹⁵⁵, I. Nakano¹¹⁰, G. Nanava²⁰, A. Napier¹⁶¹, M. Nash^{77,c}, N.R. Nation²¹, T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶²,

- H.A. Neal ⁸⁷, E. Nebot ⁸⁰, P.Yu. Nechaeva ⁹⁴, A. Negri ^{119a,119b}, G. Negri ²⁹, S. Nektarijevic ⁴⁹, A. Nelson ¹⁶³, S. Nelson ¹⁴³, T.K. Nelson ¹⁴³, S. Nemecek ¹²⁵, P. Nemethy ¹⁰⁸, A.A. Nepomuceno ^{23a}, M. Nessi ^{29,t}, M.S. Neubauer ¹⁶⁵, A. Neusiedl ⁸¹, R.M. Neves ¹⁰⁸, P. Nevski ²⁴, P.R. Newman ¹⁷, V. Nguyen Thi Hong ¹³⁶, R.B. Nickerson ¹¹⁸, R. Nicolaidou ¹³⁶, L. Nicolas ¹³⁹, B. Nicquevert ²⁹, F. Niedercorn ¹¹⁵, J. Nielsen ¹³⁷, T. Niinikoski ²⁹, N. Nikiforou ³⁴, A. Nikiforov ¹⁵, V. Nikolaenko ¹²⁸, K. Nikolaev ⁶⁵, I. Nikolic-Audit ⁷⁸, K. Nikolics ⁴⁹, K. Nikolopoulos ²⁴, H. Nilsen ⁴⁸, P. Nilsson ⁷, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, T. Nishiyama ⁶⁷, R. Nisius ⁹⁹, L. Nodulman ⁵, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴, M. Nordberg ²⁹, B. Nordkvist ^{146a,146b}, P.R. Norton ¹²⁹, J. Novakova ¹²⁶, M. Nozaki ⁶⁶, L. Nozka ¹¹³, I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²⁰, G. Nunes Hanninger ⁸⁶, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷, T. Nyman ²⁹, B.J. O'Brien ⁴⁵, S.W. O'Neale ^{17,*}, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, F.G. Oakham ^{28,d}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸, A. Ochi ⁶⁷, S. Oda ¹⁵⁵, S. Odaka ⁶⁶, J. Odier ⁸³, H. Ogren ⁶¹, A. Oh ⁸², S.H. Oh ⁴⁴, C.C. Ohm ^{146a,146b}, T. Ohshima ¹⁰¹, H. Ohshita ¹⁴⁰, T. Ohsugi ⁵⁹, S. Okada ⁶⁷, H. Okawa ¹⁶³, Y. Okumura ¹⁰¹, T. Okuyama ¹⁵⁵, A. Olariu ^{25a}, M. Olcese ^{50a}, A.G. Olchevski ⁶⁵, M. Oliveira ^{124a,g}, D. Oliveira Damazio ²⁴, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰, A. Olszewski ³⁸, J. Olszowska ³⁸, C. Omachi ⁶⁷, A. Onofre ^{124a,u}, P.U.E. Onyisi ³⁰, C.J. Oram ^{159a}, M.J. Oreglia ³⁰, Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, B. Osculati ^{50a,50b}, R. Ospanov ¹²⁰, C. Osuna ¹¹, G. Otero y Garzon ²⁶, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶, Q. Ouyang ^{32a}, M. Owen ⁸², S. Owen ¹³⁹, V.E. Ozcan ^{18a}, N. Ozturk ⁷, A. Pacheco Pages ¹¹, C. Padilla Aranda ¹¹, S. Pagan Griso ¹⁴, E. Paganis ¹³⁹, F. Paige ²⁴, P. Pais ⁸⁴, K. Pajchel ¹¹⁷, G. Palacino ^{159b}, C.P. Paleari ⁶, S. Palestini ²⁹, D. Pallin ³³, A. Palma ^{124a,b}, J.D. Palmer ¹⁷, Y.B. Pan ¹⁷², E. Panagiotopoulou ⁹, B. Panes ^{31a}, N. Panikashvili ⁸⁷, S. Panitkin ²⁴, D. Pantea ^{25a}, M. Panuskova ¹²⁵, V. Paolone ¹²³, A. Papadelis ^{146a}, Th.D. Papadopoulou ⁹, A. Paramonov ⁵, W. Park ^{24,v}, M.A. Parker ²⁷, F. Parodi ^{50a,50b}, J.A. Parsons ³⁴, U. Parzefall ⁴⁸, E. Pasqualucci ^{132a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b}, Fr. Pastore ⁷⁶, G. Pásztor ^{49,w}, S. Pataraia ¹⁷⁴, N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ²⁹, M. Pecsy ^{144a}, M.I. Pedraza Morales ¹⁷², S.V. Peleganchuk ¹⁰⁷, H. Peng ^{32b}, R. Pengo ²⁹, A. Penson ³⁴, J. Penwell ⁶¹, M. Perantoni ^{23a}, K. Perez ^{34,x}, T. Perez Cavalcanti ⁴¹, E. Perez Codina ¹¹, M.T. Pérez García-Estañ ¹⁶⁷, V. Perez Reale ³⁴, L. Perini ^{89a,89b}, H. Pernegger ²⁹, R. Perrino ^{72a}, P. Perrodo ⁴, S. Perseme ^{3a}, V.D. Peshekhonov ⁶⁵, B.A. Petersen ²⁹, J. Petersen ²⁹, T.C. Petersen ³⁵, E. Petit ⁸³, A. Petridis ¹⁵⁴, C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petrucci ^{134a,134b}, D. Petschull ⁴¹, M. Petteni ¹⁴², R. Pezoa ^{31b}, A. Phan ⁸⁶, A.W. Phillips ²⁷, P.W. Phillips ¹²⁹, G. Piacquadio ²⁹, E. Piccaro ⁷⁵, M. Piccinini ^{19a,19b}, S.M. Piec ⁴¹, R. Piegala ²⁶, J.E. Pilcher ³⁰, A.D. Pilkington ⁸², J. Pina ^{124a,b}, M. Pinamonti ^{164a,164c}, A. Pinder ¹¹⁸, J.L. Pinfold ², J. Ping ^{32c}, B. Pinto ^{124a,b}, O. Pirotte ²⁹, C. Pizio ^{89a,89b}, R. Placakyte ⁴¹, M. Plamondon ¹⁶⁹, M.-A. Pleier ²⁴, A.V. Pleskach ¹²⁸, A. Poblaguev ²⁴, S. Poddar ^{58a}, F. Podlyski ³³, L. Poggiali ¹¹⁵, T. Poghosyan ²⁰, M. Pohl ⁴⁹, F. Polci ⁵⁵, G. Polesello ^{119a}, A. Policicchio ¹³⁸, A. Polini ^{19a}, J. Poll ⁷⁵, V. Polychronakos ²⁴, D.M. Pomareda ¹³⁶, D. Pomeroy ²², K. Pommès ²⁹, L. Pontecorvo ^{132a}, B.G. Pope ⁸⁸, G.A. Popeneciu ^{25a}, D.S. Popovic ^{12a}, A. Poppleton ²⁹, X. Portell Bueso ²⁹, C. Posch ²¹, G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷, I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁴, G. Poulard ²⁹, J. Poveda ¹⁷², R. Prabhu ⁷⁷, P. Pralavorio ⁸³, S. Prasad ⁵⁷, R. Pravahan ⁷, S. Prell ⁶⁴, K. Pretzl ¹⁶, L. Pribyl ²⁹, D. Price ⁶¹, L.E. Price ⁵, M.J. Price ²⁹, D. Prieur ¹²³, M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{31b}, S. Protopopescu ²⁴, J. Proudfoot ⁵, X. Prudent ⁴³, H. Przysiezniak ⁴, S. Psoroulas ²⁰, E. Ptacek ¹¹⁴, E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{24,v}, P. Puzo ¹¹⁵, Y. Pylypcchenko ¹¹⁷, J. Qian ⁸⁷, Z. Qian ⁸³, Z. Qin ⁴¹, A. Quadt ⁵⁴, D.R. Quarrie ¹⁴, W.B. Quayle ¹⁷², F. Quinonez ^{31a}, M. Raas ¹⁰⁴, V. Radescu ^{58b}, B. Radics ²⁰, T. Rador ^{18a}, F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁷, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁴, S. Rajagopalan ²⁴, M. Rammensee ⁴⁸, M. Rammes ¹⁴¹, M. Ramstedt ^{146a,146b}, A.S. Randle-Conde ³⁹, K. Randrianarivony ²⁸, P.N. Ratoff ⁷¹, F. Rauscher ⁹⁸, M. Raymond ²⁹, A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷³, G. Redlinger ²⁴, R. Reece ¹²⁰, K. Reeves ⁴⁰, A. Reichold ¹⁰⁵, E. Reinherz-Aronis ¹⁵³, A. Reinsch ¹¹⁴, I. Reisinger ⁴², D. Reljic ^{12a}, C. Rembser ²⁹, Z.L. Ren ¹⁵¹, A. Renaud ¹¹⁵, P. Renkel ³⁹, M. Rescigno ^{132a}, S. Resconi ^{89a}, B. Resende ¹³⁶, P. Reznicek ⁹⁸, R. Rezvani ¹⁵⁸, A. Richards ⁷⁷, R. Richter ⁹⁹, E. Richter-Was ^{4,y}, M. Ridel ⁷⁸, M. Rijpstra ¹⁰⁵, M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b}, L. Rinaldi ^{19a}, R.R. Rios ³⁹, I. Riu ¹¹, G. Rivoltella ^{89a,89b}, F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,i}, A. Robichaud-Veronneau ¹¹⁸, D. Robinson ²⁷, J.E.M. Robinson ⁷⁷, M. Robinson ¹¹⁴, A. Robson ⁵³, J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a,122b}, D. Roda Dos Santos ²⁹, S. Rodier ⁸⁰, D. Rodriguez ¹⁶², A. Roe ⁵⁴, S. Roe ²⁹, O. Røhne ¹¹⁷, V. Rojo ¹, S. Rolli ¹⁶¹, A. Romanikou ⁹⁶, M. Romano ^{19a,19b}, V.M. Romanov ⁶⁵, G. Romeo ²⁶, L. Roos ⁷⁸, E. Ros ¹⁶⁷,

- S. Rosati 132a, 132b, K. Rosbach 49, A. Rose 149, M. Rose 76, G.A. Rosenbaum 158, E.I. Rosenberg 64, P.L. Rosendahl 13, O. Rosenthal 141, L. Rosselet 49, V. Rossetti 11, E. Rossi 132a, 132b, L.P. Rossi 50a, M. Rotaru 25a, I. Roth 171, J. Rothberg 138, D. Rousseau 115, C.R. Royon 136, A. Rozanov 83, Y. Rozen 152, X. Ruan 115, I. Rubinskiy 41, B. Ruckert 98, N. Ruckstuhl 105, V.I. Rud 97, C. Rudolph 43, G. Rudolph 62, F. Rühr 6, F. Ruggieri 134a, 134b, A. Ruiz-Martinez 64, V. Rumiantsev 91,* L. Rumyantsev 65, K. Runge 48, O. Runolfsson 20, Z. Rurikova 48, N.A. Rusakovich 65, D.R. Rust 61, J.P. Rutherford 6, C. Ruwiedel 14, P. Ruzicka 125, Y.F. Ryabov 121, V. Ryadovikov 128, P. Ryan 88, M. Rybar 126, G. Rybkin 115, N.C. Ryder 118, S. Rzaeva 10, A.F. Saavedra 150, I. Sadeh 153, H.F.-W. Sadrozinski 137, R. Sadykov 65, F. Safai Tehrani 132a, 132b, H. Sakamoto 155, G. Salamanna 75, A. Salamon 133a, M. Saleem 111, D. Salihagic 99, A. Salnikov 143, J. Salt 167, B.M. Salvachua Ferrando 5, D. Salvatore 36a, 36b, F. Salvatore 149, A. Salvucci 104, A. Salzburger 29, D. Sampsonidis 154, B.H. Samset 117, A. Sanchez 102a, 102b, H. Sandaker 13, H.G. Sander 81, M.P. Sanders 98, M. Sandhoff 174, T. Sandoval 27, C. Sandoval 162, R. Sandstroem 99, S. Sandvoss 174, D.P.C. Sankey 129, A. Sansoni 47, C. Santamarina Rios 85, C. Santoni 33, R. Santonico 133a, 133b, H. Santos 124a, J.G. Saraiva 124a,b, T. Sarangi 172, E. Sarkisyan-Grinbaum 7, F. Sarri 122a, 122b, G. Sartisohn 174, O. Sasaki 66, T. Sasaki 66, N. Sasao 68, I. Satsounkevitch 90, G. Sauvage 4, E. Sauvan 4, J.B. Sauvan 115, P. Savard 158,d, V. Savinov 123, D.O. Savu 29, L. Sawyer 24,k, D.H. Saxon 53, L.P. Says 33, C. Sbarra 19a, A. Sbrizzi 19a, 19b, O. Scallion 93, D.A. Scannicchio 163, J. Schaarschmidt 115, P. Schacht 99, U. Schäfer 81, S. Schaepe 20, S. Schaetzl 58b, A.C. Schaffer 115, D. Schaile 98, R.D. Schamberger 148, A.G. Schamov 107, V. Scharf 58a, V.A. Schegelsky 121, D. Scheirich 87, M. Schernau 163, M.I. Scherzer 14, C. Schiavi 50a, 50b, J. Schieck 98, M. Schioppa 36a, 36b, S. Schlenker 29, J.L. Schlereth 5, E. Schmidt 48, K. Schmieden 20, C. Schmitt 81, S. Schmitt 58b, M. Schmitz 20, A. Schöning 58b, M. Schott 29, D. Schouten 159a, J. Schovancova 125, M. Schram 85, C. Schroeder 81, N. Schroer 58c, S. Schuh 29, G. Schuler 29, J. Schultes 174, H.-C. Schultz-Coulon 58a, H. Schulz 15, J.W. Schumacher 20, M. Schumacher 48, B.A. Schumm 137, Ph. Schune 136, C. Schwanenberger 82, A. Schwartzman 143, Ph. Schwemling 78, R. Schwienhorst 88, R. Schwierz 43, J. Schwindling 136, T. Schwindt 20, W.G. Scott 129, J. Searcy 114, G. Sedov 41, E. Sedykh 121, E. Segura 11, S.C. Seidel 103, A. Seiden 137, F. Seifert 43, J.M. Seixas 23a, G. Sekhniaidze 102a, D.M. Seliverstov 121, B. Sellden 146a, G. Sellers 73, M. Seman 144b, N. Semprini-Cesari 19a, 19b, C. Serfon 98, L. Serin 115, R. Seuster 99, H. Severini 111, M.E. Sevior 86, A. Sfyrla 29, E. Shabalina 54, M. Shamim 114, L.Y. Shan 32a, J.T. Shank 21, Q.T. Shao 86, M. Shapiro 14, P.B. Shatalov 95, L. Shaver 6, K. Shaw 164a, 164c, D. Sherman 175, P. Sherwood 77, A. Shibata 108, H. Shichi 101, S. Shimizu 29, M. Shimojima 100, T. Shin 56, M. Shiyakova 65, A. Shmeleva 94, M.J. Shochet 30, D. Short 118, M.A. Shupe 6, P. Sicho 125, A. Sidoti 132a, 132b, A. Siebel 174, F. Siegert 48, Dj. Sijacki 12a, O. Silbert 171, J. Silva 124a,b, Y. Silver 153, D. Silverstein 143, S.B. Silverstein 146a, V. Simak 127, O. Simard 136, Lj. Simic 12a, S. Simion 115, B. Simmons 77, M. Simonyan 35, P. Sinervo 158, N.B. Sinev 114, V. Sipica 141, G. Siragusa 173, A. Sircar 24, A.N. Sisakyan 65, S.Yu. Sivoklokov 97, J. Sjölin 146a, 146b, T.B. Sjursen 13, L.A. Skinnari 14, H.P. Skottowe 57, K. Skovpen 107, P. Skubic 111, N. Skvorodnev 22, M. Slater 17, T. Slavicek 127, K. Sliwa 161, J. Sloper 29, V. Smakhtin 171, S.Yu. Smirnov 96, L.N. Smirnova 97, O. Smirnova 79, B.C. Smith 57, D. Smith 143, K.M. Smith 53, M. Smizanska 71, K. Smolek 127, A.A. Snesarev 94, S.W. Snow 82, J. Snow 111, J. Snuverink 105, S. Snyder 24, M. Soares 124a, R. Sobie 169,i, J. Sodomka 127, A. Soffer 153, C.A. Solans 167, M. Solar 127, J. Solc 127, E. Soldatov 96, U. Soldevila 167, E. Solfaroli Camillocci 132a, 132b, A.A. Solodkov 128, O.V. Solovyanov 128, J. Sondericker 24, N. Soni 2, V. Sopko 127, B. Sopko 127, M. Sosebee 7, R. Soualah 164a, 164c, A. Soukharev 107, S. Spagnolo 72a, 72b, F. Spanò 76, R. Spighi 19a, G. Spigo 29, F. Spila 132a, 132b, R. Spiwoks 29, M. Spousta 126, T. Spreitzer 158, B. Spurlock 7, R.D. St. Denis 53, T. Stahl 141, J. Stahlman 120, R. Stamen 58a, E. Stanecka 38, R.W. Stanek 5, C. Stanescu 134a, S. Stapnes 117, E.A. Starchenko 128, J. Stark 55, P. Staroba 125, P. Starovoitov 91, A. Staude 98, P. Stavina 144a, G. Stavropoulos 14, G. Steele 53, P. Steinbach 43, P. Steinberg 24, I. Stekl 127, B. Stelzer 142, H.J. Stelzer 88, O. Stelzer-Chilton 159a, H. Stenzel 52, K. Stevenson 75, G.A. Stewart 29, J.A. Stillings 20, M.C. Stockton 29, K. Stoerig 48, G. Stoica 25a, S. Stonjek 99, P. Strachota 126, A.R. Stradling 7, A. Straessner 43, J. Strandberg 147, S. Strandberg 146a, 146b, A. Strandlie 117, M. Strang 109, E. Strauss 143, M. Strauss 111, P. Strizenec 144b, R. Ströhmer 173, D.M. Strom 114, J.A. Strong 76,* R. Stroynowski 39, J. Strube 129, B. Stugu 13, I. Stumer 24,* J. Stupak 148, P. Sturm 174, D.A. Soh 151,q, D. Su 143, HS. Subramania 2, A. Succurro 11, Y. Sugaya 116, T. Sugimoto 101, C. Suhr 106, K. Suita 67, M. Suk 126, V.V. Sulin 94, S. Sultansoy 3d, T. Sumida 29, X. Sun 55, J.E. Sundermann 48, K. Suruliz 139, S. Sushkov 11,

- G. Susinno ^{36a,36b}, M.R. Sutton ¹⁴⁹, Y. Suzuki ⁶⁶, Y. Suzuki ⁶⁷, M. Svatos ¹²⁵, Yu.M. Sviridov ¹²⁸,
 S. Swedish ¹⁶⁸, I. Sykora ^{144a}, T. Sykora ¹²⁶, B. Szeless ²⁹, J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵, K. Tackmann ⁴¹,
 A. Taffard ¹⁶³, R. Tafifout ^{159a}, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹, H. Takai ²⁴, R. Takashima ⁶⁹, H. Takeda ⁶⁷,
 T. Takeshita ¹⁴⁰, M. Talby ⁸³, A. Talyshев ¹⁰⁷, M.C. Tamsett ²⁴, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁵, S. Tanaka ¹³¹,
 S. Tanaka ⁶⁶, Y. Tanaka ¹⁰⁰, K. Tani ⁶⁷, N. Tannoury ⁸³, G.P. Tappern ²⁹, S. Tapprogge ⁸¹, D. Tardif ¹⁵⁸,
 S. Tarem ¹⁵², F. Tarrade ²⁸, G.F. Tartarelli ^{89a}, P. Tas ¹²⁶, M. Tasevsky ¹²⁵, E. Tassi ^{36a,36b}, M. Tatarkhanov ¹⁴,
 Y. Tayalati ^{135d}, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b}, M. Teinturier ¹¹⁵,
 M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ²⁹, P.K. Teng ¹⁵¹,
 S. Terada ⁶⁶, K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Terwort ^{41,n}, M. Testa ⁴⁷, R.J. Teuscher ^{158,i}, J. Thadome ¹⁷⁴,
 J. Therhaag ²⁰, T. Theveneaux-Pelzer ⁷⁸, M. Thiolye ¹⁷⁵, S. Thoma ⁴⁸, J.P. Thomas ¹⁷, E.N. Thompson ³⁴,
 P.D. Thompson ¹⁷, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³, E. Thomson ¹²⁰, M. Thomson ²⁷, R.P. Thun ⁸⁷,
 F. Tian ³⁴, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ¹⁰⁷, P. Tipton ¹⁷⁵, F.J. Tique Aires Viegas ²⁹,
 S. Tisserant ⁸³, J. Tobias ⁴⁸, B. Toczek ³⁷, T. Todorov ⁴, S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁶,
 S. Tokár ^{144a}, K. Tokunaga ⁶⁷, K. Tokushuku ⁶⁶, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ³⁰, K. Toms ¹⁰³,
 G. Tong ^{32a}, A. Tonoyan ¹³, C. Topfel ¹⁶, N.D. Topilin ⁶⁵, I. Torchiani ²⁹, E. Torrence ¹¹⁴, H. Torres ⁷⁸,
 E. Torró Pastor ¹⁶⁷, J. Toth ^{83,w}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, D. Traynor ⁷⁵, T. Trefzger ¹⁷³, L. Tremblet ²⁹,
 A. Tricoli ²⁹, I.M. Trigger ^{159a}, S. Trincaz-Duvoid ⁷⁸, T.N. Trinh ⁷⁸, M.F. Tripiana ⁷⁰, W. Trischuk ¹⁵⁸,
 A. Trivedi ^{24,v}, B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², M. Trzebinski ³⁸, A. Trzupek ³⁸,
 C. Tsarouchas ²⁹, J.C.-L. Tseng ¹¹⁸, M. Tsiakiris ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ⁴, G. Tsipolitis ⁹,
 V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁴, J.-W. Tsung ²⁰, S. Tsuno ⁶⁶,
 D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{25a}, V. Tudorache ^{25a}, J.M. Tuggle ³⁰, M. Turala ³⁸, D. Turecek ¹²⁷,
 I. Turk Cakir ^{3e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁴, A. Tykhanov ⁷⁴, M. Tylmad ^{146a,146b},
 M. Tyndel ¹²⁹, H. Tyrvainen ²⁹, G. Tzanakos ⁸, K. Uchida ²⁰, I. Ueda ¹⁵⁵, R. Ueno ²⁸, M. Ugland ¹³,
 M. Uhlenbrock ²⁰, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ²⁹, D.G. Underwood ⁵, A. Undrus ²⁴,
 G. Unel ¹⁶³, Y. Unno ⁶⁶, D. Urbaniec ³⁴, E. Urkovsky ¹⁵³, G. Usai ⁷, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³,
 V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁴, J. Valenta ¹²⁵, P. Valente ^{132a}, S. Valentinietti ^{19a,19b}, S. Valkar ¹²⁶,
 E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, H. van der Graaf ¹⁰⁵, E. van der Kraaij ¹⁰⁵,
 R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ²⁹, N. van Eldik ⁸⁴, P. van Gemmeren ⁵,
 Z. van Kesteren ¹⁰⁵, I. van Vulpen ¹⁰⁵, M. Vanadia ⁹⁹, W. Vandelli ²⁹, G. Vandoni ²⁹, A. Vaniachine ⁵,
 P. Vankov ⁴¹, F. Vannucci ⁷⁸, F. Varela Rodriguez ²⁹, R. Vari ^{132a}, D. Varouchas ¹⁴, A. Vartapetian ⁷,
 K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³³, G. Vegni ^{89a,89b}, J.J. Veillet ¹¹⁵, C. Vellidis ⁸,
 F. Veloso ^{124a}, R. Veness ²⁹, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ¹³⁸, M. Venturi ⁴⁸,
 N. Venturi ¹⁶, V. Vercesi ^{119a}, M. Verducci ¹³⁸, W. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest ⁴³,
 M.C. Vetterli ^{142,d}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,z}, O.E. Vickey Boeriu ^{145b}, G.H.A. Viehhauser ¹¹⁸, S. Viel ¹⁶⁸,
 M. Villa ^{19a,19b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁸, E. Vinek ²⁹, V.B. Vinogradov ⁶⁵,
 M. Virchaux ^{136,*}, J. Virzi ¹⁴, O. Vitells ¹⁷¹, M. Viti ⁴¹, I. Vivarelli ⁴⁸, F. Vives Vaque ², S. Vlachos ⁹,
 D. Vladoiu ⁹⁸, M. Vlasak ¹²⁷, N. Vlasov ²⁰, A. Vogel ²⁰, P. Vokac ¹²⁷, G. Volpi ⁴⁷, M. Volpi ⁸⁶, G. Volpini ^{89a},
 H. von der Schmitt ⁹⁹, J. von Loeben ⁹⁹, H. von Radziewski ⁴⁸, E. von Toerne ²⁰, V. Vorobel ¹²⁶,
 A.P. Vorobiev ¹²⁸, V. Vorwerk ¹¹, M. Vos ¹⁶⁷, R. Voss ²⁹, T.T. Voss ¹⁷⁴, J.H. Vossebeld ⁷³, N. Vranjes ^{12a},
 M. Vranjes Milosavljevic ¹⁰⁵, V. Vrba ¹²⁵, M. Vreeswijk ¹⁰⁵, T. Vu Anh ⁸¹, R. Vuillermet ²⁹, I. Vukotic ¹¹⁵,
 W. Wagner ¹⁷⁴, P. Wagner ¹²⁰, H. Wahlen ¹⁷⁴, J. Wakabayashi ¹⁰¹, J. Walbersloh ⁴², S. Walch ⁸⁷,
 J. Walder ⁷¹, R. Walker ⁹⁸, W. Walkowiak ¹⁴¹, R. Wall ¹⁷⁵, P. Waller ⁷³, C. Wang ⁴⁴, H. Wang ¹⁷²,
 H. Wang ^{32b,aa}, J. Wang ¹⁵¹, J. Wang ^{32d}, J.C. Wang ¹³⁸, R. Wang ¹⁰³, S.M. Wang ¹⁵¹, A. Warburton ⁸⁵,
 C.P. Ward ²⁷, M. Warsinsky ⁴⁸, P.M. Watkins ¹⁷, A.T. Watson ¹⁷, M.F. Watson ¹⁷, G. Watts ¹³⁸, S. Watts ⁸²,
 A.T. Waugh ¹⁵⁰, B.M. Waugh ⁷⁷, J. Weber ⁴², M. Weber ¹²⁹, M.S. Weber ¹⁶, P. Weber ⁵⁴, A.R. Weidberg ¹¹⁸,
 P. Weigell ⁹⁹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Wellenstein ²², P.S. Wells ²⁹, M. Wen ⁴⁷, T. Wenaus ²⁴,
 S. Wendler ¹²³, Z. Weng ^{151,q}, T. Wengler ²⁹, S. Wenig ²⁹, N. Wermes ²⁰, M. Werner ⁴⁸, P. Werner ²⁹,
 M. Werth ¹⁶³, M. Wessels ^{58a}, C. Weydert ⁵⁵, K. Whalen ²⁸, S.J. Wheeler-Ellis ¹⁶³, S.P. Whitaker ²¹,
 A. White ⁷, M.J. White ⁸⁶, S.R. Whitehead ¹¹⁸, D. Whiteson ¹⁶³, D. Whittington ⁶¹, D. Wicke ¹⁷⁴,
 F.J. Wickens ¹²⁹, W. Wiedenmann ¹⁷², M. Wielers ¹²⁹, P. Wienemann ²⁰, C. Wiglesworth ⁷⁵, L.A.M. Wiik ⁴⁸,
 P.A. Wijeratne ⁷⁷, A. Wildauer ¹⁶⁷, M.A. Wildt ^{41,n}, I. Wilhelm ¹²⁶, H.G. Wilkens ²⁹, J.Z. Will ⁹⁸,
 E. Williams ³⁴, H.H. Williams ¹²⁰, W. Willis ³⁴, S. Willocq ⁸⁴, J.A. Wilson ¹⁷, M.G. Wilson ¹⁴³, A. Wilson ⁸⁷,

I. Wingerter-Seez⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴³, M.W. Wolter³⁸, H. Wolters^{124a,g}, W.C. Wong⁴⁰, G. Wooden⁸⁷, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸⁴, K. Wraight⁵³, C. Wright⁵³, M. Wright⁵³, B. Wrona⁷³, S.L. Wu¹⁷², X. Wu⁴⁹, Y. Wu^{32b,ab}, E. Wulf³⁴, R. Wunstorf⁴², B.M. Wynne⁴⁵, S. Xella³⁵, M. Xiao¹³⁶, S. Xie⁴⁸, Y. Xie^{32a}, C. Xu^{32b,ac}, D. Xu¹³⁹, G. Xu^{32a}, B. Yabsley¹⁵⁰, S. Yacoob^{145b}, M. Yamada⁶⁶, H. Yamaguchi¹⁵⁵, A. Yamamoto⁶⁶, K. Yamamoto⁶⁴, S. Yamamoto¹⁵⁵, T. Yamamura¹⁵⁵, T. Yamanaka¹⁵⁵, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁵, Y. Yamazaki⁶⁷, Z. Yan²¹, H. Yang⁸⁷, U.K. Yang⁸², Y. Yang⁶¹, Y. Yang^{32a}, Z. Yang^{146a,146b}, S. Yanush⁹¹, Y. Yasu⁶⁶, G.V. Ybeles Smit¹³⁰, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²³, K. Yorita¹⁷⁰, R. Yoshida⁵, C. Young¹⁴³, S. Youssef²¹, D. Yu²⁴, J. Yu⁷, J. Yu¹¹², L. Yuan^{32a,ad}, A. Yurkewicz¹⁰⁶, V.G. Zaets¹²⁸, R. Zaidan⁶³, A.M. Zaitsev¹²⁸, Z. Zajacova²⁹, Yo.K. Zalite¹²¹, L. Zanello^{132a,132b}, P. Zarzhitsky³⁹, A. Zaytsev¹⁰⁷, C. Zeitnitz¹⁷⁴, M. Zeller¹⁷⁵, M. Zeman¹²⁵, A. Zemla³⁸, C. Zendler²⁰, O. Zenin¹²⁸, T. Ženiš^{144a}, Z. Zenonos^{122a,122b}, S. Zenz¹⁴, D. Zerwas¹¹⁵, G. Zevi della Porta⁵⁷, Z. Zhan^{32d}, D. Zhang^{32b,aa}, H. Zhang⁸⁸, J. Zhang⁵, X. Zhang^{32d}, Z. Zhang¹¹⁵, L. Zhao¹⁰⁸, T. Zhao¹³⁸, Z. Zhao^{32b}, A. Zhemchugov⁶⁵, S. Zheng^{32a}, J. Zhong¹¹⁸, B. Zhou⁸⁷, N. Zhou¹⁶³, Y. Zhou¹⁵¹, C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁷, Y. Zhu^{32b}, X. Zhuang⁹⁸, V. Zhuravlov⁹⁹, D. Ziemińska⁶¹, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁴, L. Živković³⁴, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷², A. Zoccoli^{19a,19b}, Y. Zolnierowski⁴, A. Zsenei²⁹, M. zur Nedden¹⁵, V. Zutshi¹⁰⁶, L. Zwalski²⁹

¹ University at Albany, Albany, NY, United States² Department of Physics, University of Alberta, Edmonton, AB, Canada³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupınar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁵ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁶ Department of Physics, University of Arizona, Tucson, AZ, United States⁷ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁸ Physics Department, University of Athens, Athens, Greece⁹ Physics Department, National Technical University of Athens, Zografou, Greece¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain¹² ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, Belgrade, Serbia¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁵ Department of Physics, Humboldt University, Berlin, Germany¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁸ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep;¹⁹ Department of Physics, Istanbul Technical University, Istanbul, Turkey²⁰ INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy²¹ Physikalisches Institut, University of Bonn, Bonn, Germany²² Department of Physics, Boston University, Boston, MA, United States²³ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁴ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁵ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) University Politehnica Bucharest, Bucharest; ^(c) West University in Timisoara, Timisoara, Romania²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom²⁸ Department of Physics, Carleton University, Ottawa, ON, Canada²⁹ CERN, Geneva, Switzerland³⁰ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³¹ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³² ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui;^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) High Energy Physics Group, Shandong University, Shandong, China³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubière Cedex, France³⁴ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁵ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁶ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy³⁷ Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Krakow, Poland³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland³⁹ Physics Department, Southern Methodist University, Dallas, TX, United States⁴⁰ Physics Department, University of Texas at Dallas, Richardson, TX, United States⁴¹ DESY, Hamburg and Zeuthen, Germany⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany⁴⁴ Department of Physics, Duke University, Durham, NC, United States⁴⁵ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁶ Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3, 2700 Wiener Neustadt, Austria⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland

- 50 ^(a)INFN Sezione di Genova; ^(b)Dipartimento di Fisica, Università di Genova, Genova, Italy
 51 ^(a)E.Andronikashvili Institute of Physics, Georgian Academy of Sciences, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
 52 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
 53 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
 54 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
 55 Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
 56 Department of Physics, Hampton University, Hampton, VA, United States
 57 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
 58 ^(a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;
^(c)ZITI Institut für Technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
 59 Faculty of Science, Hiroshima University, Hiroshima, Japan
 60 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
 61 Department of Physics, Indiana University, Bloomington, IN, United States
 62 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
 63 University of Iowa, Iowa City, IA, United States
 64 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
 65 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
 66 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
 67 Graduate School of Science, Kobe University, Kobe, Japan
 68 Faculty of Science, Kyoto University, Kyoto, Japan
 69 Kyoto University of Education, Kyoto, Japan
 70 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
 71 Physics Department, Lancaster University, Lancaster, United Kingdom
 72 ^(a)INFN Sezione di Lecce; ^(b)Dipartimento di Fisica, Università del Salento, Lecce, Italy
 73 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
 74 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
 75 Department of Physics, Queen Mary University of London, London, United Kingdom
 76 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
 77 Department of Physics and Astronomy, University College London, London, United Kingdom
 78 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
 79 Fysiska Institutionen, Lunds Universitet, Lund, Sweden
 80 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
 81 Institut für Physik, Universität Mainz, Mainz, Germany
 82 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
 83 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
 84 Department of Physics, University of Massachusetts, Amherst, MA, United States
 85 Department of Physics, McGill University, Montreal, QC, Canada
 86 School of Physics, University of Melbourne, Victoria, Australia
 87 Department of Physics, The University of Michigan, Ann Arbor, MI, United States
 88 Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
 89 ^(a)INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano, Italy
 90 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
 91 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
 92 Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
 93 Group of Particle Physics, University of Montreal, Montreal, QC, Canada
 94 P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
 95 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
 96 Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
 97 Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
 98 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
 99 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
 100 Nagasaki Institute of Applied Science, Nagasaki, Japan
 101 Graduate School of Science, Nagoya University, Nagoya, Japan
 102 ^(a)INFN Sezione di Napoli; ^(b)Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
 103 Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
 104 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
 105 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
 106 Department of Physics, Northern Illinois University, DeKalb, IL, United States
 107 Budker Institute of Nuclear Physics (BINP), Novosibirsk, Russia
 108 Department of Physics, New York University, New York, NY, United States
 109 Ohio State University, Columbus, OH, United States
 110 Faculty of Science, Okayama University, Okayama, Japan
 111 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
 112 Department of Physics, Oklahoma State University, Stillwater, OK, United States
 113 Palacký University, RCPTM, Olomouc, Czech Republic
 114 Center for High Energy Physics, University of Oregon, Eugene, OR, United States
 115 LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
 116 Graduate School of Science, Osaka University, Osaka, Japan
 117 Department of Physics, University of Oslo, Oslo, Norway
 118 Department of Physics, Oxford University, Oxford, United Kingdom
 119 ^(a)INFN Sezione di Pavia; ^(b)Dipartimento di Fisica Nucleare e Teorica, Università di Pavia, Pavia, Italy
 120 Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
 121 Petersburg Nuclear Physics Institute, Gatchina, Russia
 122 ^(a)INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
 123 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
 124 ^(a)Laboratorio de Instrumentacao e Física Experimental de Partículas – LIP, Lisboa, Portugal; ^(b)Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
 125 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
 126 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic

- ¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³² ^(a)INFN Sezione di Roma I; ^(b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³³ ^(a)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a)INFN Sezione di Roma Tre; ^(b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b)Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c)Université Cadi Ayyad, Faculté des sciences Semlalia Département de Physique, B.P. 2390 Marrakech 40000; ^(d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e)Faculté des Sciences, Université Mohammed V, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ ^(a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovak Republic
¹⁴⁵ ^(a)Department of Physics, University of Johannesburg, Johannesburg; ^(b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a)Department of Physics, Stockholm University; ^(b)The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Department of Physics and Astronomy, Stony Brook University, Stony Brook, NY, United States
¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia
¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵² Department of Physics, Technion – Israel Inst. of Technology, Haifa, Israel
¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁸ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁵⁹ ^(a)TRIUMF, Vancouver, BC; ^(b)Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁶⁰ Institute of Pure and Applied Sciences, University of Tsukuba, Ibaraki, Japan
¹⁶¹ Science and Technology Center, Tufts University, Medford, MA, United States
¹⁶² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
¹⁶⁴ ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁵ Department of Physics, University of Illinois, Urbana, IL, United States
¹⁶⁶ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
¹⁶⁸ Department of Physics, University of British Columbia, Vancouver, BC, Canada
¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
¹⁷⁰ Waseda University, Tokyo, Japan
¹⁷¹ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷² Department of Physics, University of Wisconsin, Madison, WI, United States
¹⁷³ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁴ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁵ Department of Physics, Yale University, New Haven, CT, United States
¹⁷⁶ Yerevan Physics Institute, Yerevan, Armenia
¹⁷⁷ Domaine Scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics, California State University, Fresno, CA, United States.^f Also at Fermilab, Batavia, IL, United States.^g Also at Department of Physics, University of Coimbra, Coimbra, Portugal.^h Also at Università di Napoli Parthenope, Napoli, Italy.ⁱ Also at Institute of Particle Physics (IPP), Canada.^j Also at Department of Physics, Middle East Technical University, Ankara, Turkey.^k Also at Louisiana Tech University, Ruston, LA, United States.^l Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.^m Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.ⁿ Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.^o Also at Manhattan College, New York, NY, United States.^p Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.^q Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.^r Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.^s Also at High Energy Physics Group, Shandong University, Shandong, China.^t Also at Section de Physique, Université de Genève, Geneva, Switzerland.^u Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.

- ^v Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
^w Also at KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary.
^x Also at California Institute of Technology, Pasadena, CA, United States.
^y Also at Institute of Physics, Jagiellonian University, Krakow, Poland.
^z Also at Department of Physics, Oxford University, Oxford, United Kingdom.
^{aa} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ab} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.
^{ac} Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.
^{ad} Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.
* Deceased.