



Search for long-lived, heavy particles in final states with a muon and multi-track displaced vertex in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector[☆]

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 28 October 2012

Received in revised form 21 December 2012

Accepted 19 January 2013

Available online 26 January 2013

Editor: H. Weerts

ABSTRACT

Many extensions of the Standard Model posit the existence of heavy particles with long lifetimes. In this Letter, results are presented of a search for events containing one or more such particles, which decay at a significant distance from their production point, using a final state containing charged hadrons and an associated muon. This analysis uses a data sample of proton–proton collisions at $\sqrt{s} = 7$ TeV corresponding to an integrated luminosity of 4.4 fb^{-1} collected in 2011 by the ATLAS detector operating at the Large Hadron Collider. Results are interpreted in the context of R -parity violating supersymmetric scenarios. No events in the signal region are observed and limits are set on the production cross section for pair production of supersymmetric particles, multiplied by the square of the branching fraction for a neutralino to decay to charged hadrons and a muon, based on the scenario where both of the produced supersymmetric particles give rise to neutralinos that decay in this way. However, since the search strategy is based on triggering on and reconstructing the decay products of individual long-lived particles, irrespective of the rest of the event, these limits can easily be reinterpreted in scenarios with different numbers of long-lived particles per event. The limits are presented as a function of neutralino lifetime, and for a range of squark and neutralino masses.

© 2013 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Several extensions to the Standard Model predict the production of heavy particles with lifetimes that may be of order picoseconds up to about a nanosecond [1], at the Large Hadron Collider (LHC). One such scenario is gravity-mediated supersymmetry (SUGRA [2]) with R -parity violation (RPV) [3,4]. If the results of R -parity conserving supersymmetry searches at the LHC (see, for example, Refs. [5,6]) continue to disfavour light superpartners, then scenarios in which R -parity is violated may be required if supersymmetry is the solution to the hierarchy problem [7]. The present (largely indirect) constraints on RPV couplings [3,4] would allow the decay of the lightest supersymmetric particle as it traverses a particle detector at the LHC. Signatures of heavy, long-lived particles also feature in models of gauge-mediated supersymmetry breaking [8], split-supersymmetry [9], hidden-valley [10], dark-sector gauge bosons [11] and stealth supersymmetry [12] though some of these models are disfavoured [13] by the recent results on the search for the Higgs boson [14,15].

This Letter presents the results of a search for the decay of a heavy particle, producing a multi-track vertex that contains

a muon with high transverse momentum (p_T) at a distance between millimetres and tens of centimetres from the pp interaction point. As in the earlier ATLAS work [16], the results are interpreted in the context of an R -parity violating supersymmetric scenario. In this model, the signature under consideration corresponds to the decay of the lightest supersymmetric particle, resulting in a muon and many high- p_T charged tracks originating from a single displaced vertex (DV). This can arise from a diagram such as that shown in Fig. 1, where the decay occurs due to the non-zero RPV coupling λ'_{2ij} .

The CMS Collaboration has performed a search for a related signature, where a long-lived neutral particle decays to a final state containing two leptons, using 5 pb^{-1} of pp collisions at $\sqrt{s} = 7$ TeV [17].¹ Similar searches have also been performed by the DØ Collaboration at the Tevatron with $\sqrt{s} = 1.96$ TeV $p\bar{p}$ collisions [18], who also study decays to a $b\bar{b}$ pair [19], and at LEP [20]. The result reported here improves on the previous ATLAS search for this signature [16] in several ways. The dataset is around 100 times larger, corresponding to an integrated luminosity of 4.4 fb^{-1} [21]. Furthermore, the signal efficiency is increased by improving the reconstruction efficiency for reconstructing tracks

* © CERN for the benefit of the ATLAS Collaboration.

* E-mail address: atlas.publications@cern.ch.

¹ Following submission of our Letter, this paper was submitted addressing the same physics, but for a different final state.




Fig. 1. Diagram of the massive lightest neutralino $\tilde{\chi}^0$ decaying into a muon and two jets via a virtual smuon, with lepton-number and R -parity violating coupling λ'_{2ij} .

that do not originate from the primary vertex. The dependence on simulation to estimate background levels is also removed. Finally, while the previous analysis did not require muons to be associated vertices, this association requirement is now imposed, which greatly simplifies both the analysis itself, and also the re-interpretation of these results for scenarios containing different numbers of long-lived particles.

2. The ATLAS detector

The ATLAS detector [22] is a multipurpose apparatus at the LHC. The detector consists of several layers of subdetectors. From the interaction point (IP) outwards there is an inner detector (ID), measuring the tracks of charged particles, electromagnetic and hadronic calorimeters, and an outer muon spectrometer (MS).

The ID is immersed in a 2 T axial magnetic field, and extends from a radius² of about 45 mm to 1100 mm and to $|z|$ of about 3100 mm. It provides tracking and vertex information for charged particles within the pseudorapidity region $|\eta| < 2.5$. At small radii, silicon pixel layers and stereo pairs of silicon microstrip detectors provide high resolution pattern recognition. The pixel system consists of three barrel layers, and three forward disks on either side of the interaction point (the beam pipe envelope is at a radius of about 30 mm). The barrel pixel layers, which are positioned at radii of 50.5 mm, 88.5 mm, and 122.5 mm are of particular relevance to this work. The silicon microstrip tracker (SCT) comprises four double layers in the barrel, and nine forward disks on either side. A further tracking system, a transition-radiation tracker (TRT), is positioned at larger radii. This device is made of straw-tube elements interleaved with transition-radiation material; it provides coverage within the region $|\eta| < 2.0$.

The calorimeter provides coverage over the pseudorapidity range $|\eta| < 4.9$. It consists of a lead/liquid-argon electromagnetic calorimeter, a hadronic calorimeter comprising a steel and scintillator-tile system in the barrel region and a liquid-argon system with copper and tungsten absorbers in the end-caps.

Muon identification and momentum measurement is provided by the MS. This device has a coverage in pseudorapidity of $|\eta| < 2.7$ and is a three-layer system of gas-filled precision-tracking chambers. The pseudorapidity region $|\eta| < 2.4$ is additionally covered by separate trigger chambers, used by the hardware trigger for the first level of triggering (level-1). The MS is immersed in a magnetic field which is produced by a set of toroid magnets, one for the barrel and one each for the two end-caps. Online event selection is performed with a three-level trigger system. It comprises a hardware-based level-1 trigger, which uses information from the MS trigger chambers and the calorimeters, followed by two software-based trigger levels.

² ATLAS uses a right-handed coordinate system with its origin at the nominal IP in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Table 1

The parameter values for the three signal MC samples used in this work: the assumed squark mass, production cross section (calculated with PROSPINO), neutralino mass, average value of the Lorentz boost factor (from PYTHIA), average proper decay length, and value of λ'_{211} coupling used in the generation of the signal MC samples.

Sample	$m_{\tilde{q}}$ [GeV]	σ [fb]	$m_{\tilde{\chi}_1^0}$ [GeV]	$\langle \gamma \beta \rangle_{\tilde{\chi}_1^0}$	$c\tau_{\text{MC}}$ [mm]	$\lambda'_{211} \times 10^{-5}$
MH	700	66.4	494	1.0	78	0.3
ML	700	66.4	108	3.1	101	1.5
HH	1500	0.2	494	1.9	82	1.5

3. Data and simulation

The data used in this analysis were collected between March and October, 2011. After the application of beam, detector, and data-quality requirements, the integrated luminosity considered corresponds to 4.4 fb^{-1} , with an uncertainty of $\pm 3.9\%$ [21].

Signal Monte Carlo (MC) events are generated with PYTHIA 6 [23], using the MRST LO** [24] set of parton distribution functions (PDFs). Processes are simulated in which a $\tilde{q}\tilde{q}$, $\tilde{q}\bar{q}$, or $\tilde{q}\bar{q}$ pair is produced in the pp collision, with each squark (antisquark) decaying into a long-lived lightest neutralino and a quark (antiquark). Degeneracy of the first and second generations and for the left-handed and right-handed squarks is assumed. The masses of the gluino, sleptons and third-generation squarks are set at such a high value (5 TeV) that they are not directly produced in the supersymmetry scenario considered here.

The parameter settings for the samples of signal MC events are summarised in Table 1. The chosen values of squark and neutralino masses correspond to a wide range in the quantities to which the signal efficiency is most sensitive: neutralino speed and final-state multiplicities (see Section 5). The Higgsino-gaugino mixing determines the neutralino mass values. The signal MC samples are labelled in Table 1 according to the squark mass and neutralino mass, respectively: MH (medium-mass squark, heavy neutralino), ML (medium-mass squark, light neutralino), and HH (heavy squark and heavy neutralino). It is assumed that all RPV couplings other than λ'_{211} are zero. This leads to each neutralino decaying to $\mu^- u\bar{d}$ (or the charge-conjugate state). Decays of neutralinos to a neutrino and jets final state, which would also occur via a non-zero λ'_{211} , are not considered in this work.

The PROSPINO [25] program is used to calculate the signal cross section (hereafter referred to as the supersymmetry production cross section) at next-to-leading order; cross section values are listed in Table 1. The CTEQ6.6 PDF set [26] is used. Owing to differences in the predicted cross sections for the $\tilde{q}\tilde{q}$ and $\tilde{q}\bar{q}$ processes from PYTHIA and PROSPINO, and the possible sensitivity of the neutralino-speed distribution to the assumed process, signal samples are generated for each process separately with PYTHIA and reweighted according to the relative cross sections of the two processes as estimated with PROSPINO. The reweighting procedure, however, has a minimal effect on the distributions of physical quantities used in this work and typically leads to changes of much less than 1%.

Each generated event in the signal samples is processed with the GEANT4-based [27] ATLAS detector simulation [28] and treated in the same way as the collision data. The samples include a realistic modelling of the effects of multiple pp collision per bunch crossing (pile-up) observed in the data, obtained by overlaying simulated Minimum Bias events generated using PYTHIA, on top of the hard scattering events, and reweighting events such that the distribution of the number of interactions per bunch crossing matches that in the data.

4. Vertex reconstruction and event selection

It is required that the trigger identifies a muon candidate with transverse momentum $p_T > 40$ GeV and $|\eta| < 1.05$, i.e., in the barrel region of the MS. The latter selection is necessary since there is no ID track requirement in the trigger, and the trigger rate arising from muons with badly measured momenta in the (larger $|\eta|$) end-cap region, where the magnetic field is highly complex, would have consumed too much bandwidth to be viable in the 2011 running conditions.

Owing to the higher instantaneous luminosity of the LHC in 2011 compared to that in 2010, most events contain more than one primary vertex (PV). The PV with the highest sum of p_T^2 of the tracks associated to it is required to have at least five tracks and a z position in the range $|z_{\text{PV}}| < 200$ mm. In order to reduce cosmic-ray background, events are rejected if they contain two muons which appear back-to-back. A selection $\sqrt{(\pi - (\phi_1 - \phi_2))^2 - (\eta_1 + \eta_2)^2} > 0.1$ is applied where ϕ_1 , ϕ_2 , η_1 and η_2 are the azimuthal angles and pseudorapidities of the two reconstructed muons.

A muon candidate is required to have been reconstructed in both the MS and the ID with transverse momentum $p_T > 50$ GeV (which is well into the region where the trigger efficiency is approximately independent of the muon momentum) and $|\eta| < 1.07$. The impact parameter relative to the transverse position of the primary vertex (d_0) is required to satisfy $|d_0| > 1.5$ mm. To ensure that the muon candidate is associated with the muon that satisfied the trigger requirement, the selection $\sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} < 0.15$ is imposed, where $\Delta\phi$ ($\Delta\eta$) is the difference between the azimuthal angle (pseudorapidity) of the reconstructed muon and that of the muon identified by the trigger. The ID track associated with the muon candidate is required to have at least six SCT hits, and at most one SCT hit that is expected but not found i.e. in an active detector element with no known read-out problems. Furthermore, the track must satisfy an $|\eta|$ -dependent requirement on the number of TRT hits. No pixel-hit requirements are applied to the muon track. The combination of requirements described above is referred to as the muon-selection criteria.

In order to reconstruct a DV it is first necessary to select high quality tracks. This is done by requiring that candidate tracks have two or more associated SCT hits and a value of $|d_0|$ greater than 2 mm. Studies made with the MC simulation show that 98% of all tracks originating from the primary pp interaction are rejected by the selection on $|d_0|$. Standard ATLAS tracking [22] is based on three passes in which the initial track candidates are formed in different ways: initially found in the silicon detectors, initially found in the TRT detector, and only found in the TRT detector. The algorithms all assume that tracks originate from close to the PV, and hence have reduced reconstruction efficiency for signal tracks which originate at a DV. To counter this problem and recover some of these lost tracks, the silicon-seeded tracking algorithm is re-run with looser requirements on the radial and z impact parameters, and on the number of detector hits that can be shared among more than one seed track. To reduce the rate of false seed tracks, it is required that these additional tracks have $p_T > 1$ GeV, which is greater than the standard-tracking requirement of $p_T > 400$ MeV. This procedure is termed “re-tracking”. Fig. 2 shows the efficiency for vertex reconstruction (described later) as a function of the radial position of the vertex r_{DV} when using standard tracking and re-tracking for sample MH. As can be seen, there is a substantial improvement due to re-tracking at values of r_{DV} greater than about 10 mm. The dips in the plot correspond to losses in efficiency for decays immediately before a pixel layer, where many tracks from the vertex have shared pixel hits and therefore fail the selection.




Fig. 2. The vertex reconstruction efficiency as a function of r_{DV} for the MH sample, with and without re-tracking. All selection criteria, except for the material veto, have been applied.

Using an algorithm based on the incompatibility-graph approach [29], DVs are sought with the selected tracks. The method adopted is similar to that used in Ref. [30]. The algorithm starts by finding two-track seed vertices from all pairs of tracks; those that have a vertex-fit χ^2 of less than 5.0 per degree of freedom are retained. A seed vertex is rejected if at least one of its tracks has hits between the vertex and the PV. Multi-track vertices are formed from combinations of seed vertices in an iterative process. The following method is used to do this. If a track is assigned to two different vertices, the action taken depends on the distance D between the vertices. If $D < 3\sigma_D$, where σ_D is the estimated uncertainty on D , a single vertex is formed from the tracks of the two vertices. Otherwise, a track is associated with that vertex for which the track has the smaller χ^2 value. In the event of the χ^2 of a track relative to the resulting vertex exceeding 3.0 per degree of freedom, the track is removed from the vertex, and the vertex is refitted. This process continues until no track is associated with more than one vertex. Finally, vertices are combined and refitted if they are separated by less than 1 mm.

To ensure a good quality DV fit, the χ^2 per degree of freedom of the fit must be less than 5. Furthermore, the DV position is required to be in the fiducial region, defined as $|z_{\text{DV}}| < 300$ mm and $r_{\text{DV}} < 180$ mm, where r_{DV} and z_{DV} are the radial and longitudinal vertex positions with respect to the origin. To minimise background coming from the PVs, the transverse distance $\sqrt{(x_{\text{DV}} - x_{\text{PV}})^2 + (y_{\text{DV}} - y_{\text{PV}})^2}$ between any of the PVs and the DV must be at least 4 mm. Here x and y are the transverse coordinates of a given vertex, with the subscripts PV and DV denoting the type of vertex. The number of tracks $N_{\text{DV}}^{\text{trk}}$ associated with the DV is required to be at least five. This reduces background from random combinations of tracks and from material interactions. Background due to particle interactions with material is suppressed by requiring $m_{\text{DV}} > 10$ GeV. Here, m_{DV} is the invariant mass of the set of tracks associated with the DV, using the charged-pion mass hypothesis for each track. Candidate vertices which pass (fail) the $m_{\text{DV}} > 10$ GeV requirement are hereafter referred to as being high- m_{DV} (low- m_{DV}) vertices.

The typical position resolution of the DV in the signal MC samples is tens of microns for r_{DV} and about 200 μm for z_{DV} near the interaction point. For vertices beyond the outermost pixel layer, which is located at a radius of 122.5 mm, the typical resolution is several hundred microns for both coordinates.

Low- m_{DV} ($m_{\text{DV}} < 4$ GeV) vertices from particle–material interactions are abundant in regions in which the detector material is dense. High- m_{DV} background may arise from the random

spatial coincidence of a material-interaction vertex with a high- p_T track, especially when this track and the particle that initiated the material-interaction vertex originate from different primary interactions, resulting in a large angle between their momentum vectors.

To reduce this source of background, vertices that are reconstructed in regions of high-density material are removed. The high-density material was mapped using low- m_{DV} material-interaction candidate vertices in data and true material-interaction vertices in minimum-bias MC events. The z_{DV} and r_{DV} positions of these vertices are used to make a two-dimensional material-density distribution with a bin size of 4 mm in z_{DV} and 1 mm in r_{DV} . It has been demonstrated [30] that the detector simulation describes the positions of pixel layers and associated material reasonably well, while the simulated position of the beampipe is shifted with respect to the actual position. The use of data events to construct the material map therefore ensures that the beampipe material is correctly mapped, while the use of the simulation provides a high granularity of the map at the outer pixel layers, where material-interaction vertices in the data are comparatively rare. Material-map bins with vertex density greater than an r_{DV} - and z_{DV} -dependent density criterion are characterised as high-density-material regions. These make up 34% of the volume at $|z_{DV}| < 300$ mm, $r_{DV} < 180$ mm.

To ensure that the muon candidate is associated with the reconstructed DV, the distance of closest approach of the muon with respect to the DV is required to be less than 0.5 mm. This requirement ensures that the vertex that we reconstruct gave rise to the muon that triggered the event, and so the selection efficiency for each neutralino decay is independent of the rest of the event. This facilitates a straightforward calculation of the event selection efficiency for scenarios with different numbers of long-lived neutralinos in the event. The aforementioned selections are collectively referred to as the vertex-selection criteria. Events containing one or more vertices passing these criteria are accepted.

5. Signal efficiency

The signal efficiency depends strongly on the efficiencies for track reconstruction and track selection, which are affected by several factors: (1) The number of tracks originating from the DV and their total invariant mass increase with the neutralino mass. (2) More tracks fail the $|d_0| > 2$ mm requirement for small r_{DV} or if a neutralino with large p_T has a small decay length, thereby leaving its daughters pointing back closer to the PV. (3) The efficiency for reconstructing tracks decreases with increasing values of $|d_0|$. Because the MH and HH samples have the same neutralino mass, but different boosts, a cross-check of the efficiency estimation procedure can be made. The HH sample is reweighted vertex-by-vertex such that the $\beta\gamma$ versus η distributions match the MH sample. It was checked that they have the same efficiency as a function of decay position.

The total efficiency for each of the signal MC samples is shown in Fig. 3 as a function of $c\tau$. This is an overall event efficiency, derived from the determination of (the single) vertex efficiency, and is based on having two displaced vertices per event in the signal MC. This efficiency as a function of $c\tau$ is calculated from the samples generated with a single- $c\tau$ value (see Table 1) using a two-dimensional map in ($|z_{DV}|, r_{DV}$) (Fig. 4) and distributions of decay positions for different values of $c\tau$. Events are reweighted according to their probability of being found at different positions in the map, where the probability depends on $c\tau$. Fig. 3 includes systematic corrections and uncertainties that are discussed in Section 7.




Fig. 3. The event selection efficiency as a function of $c\tau$ for the three signal samples. The total uncertainties on the efficiency are shown as bands; the estimation of the uncertainties is discussed in Section 7.




Fig. 4. The efficiency as a function of r_{DV} and $|z_{DV}|$ for vertices in the signal MC sample MH. The blank areas represent regions of dense material which are not considered when looking for DVs. Bin-to-bin fluctuations due to limited MC sample size are compensated for by recalculating this map many times, varying each bin content within its statistical uncertainty.

6. Background estimation

Spurious high- m_{DV} , high-multiplicity vertices in non-material regions could come from one of two sources: (1) Purely random combinations of tracks (real or fake). This type of background is expected to form the largest contribution at small radii where the track density is highest. (2) Vertices from real hadronic interactions with gas molecules. Although most of these events will have masses below the 10 GeV requirement, the high-mass tail of the distribution indicates a potential background, in particular if the vertex is crossed by a random track (real or fake) at large crossing angle.

The first source of background mentioned above gives rise to displaced vertices inside the beampipe (where there are few real hadronic interactions due to the good vacuum, but where random combinations are expected to dominate). The expected contribution from this source of background is evaluated using a large sample of jet-triggered events, and examining the ratio of the number of vertices with $m_{DV} > 10$ GeV to the number in a mass control region, $4 \text{ GeV} < m_{DV} < 10 \text{ GeV}$. Since the number of random combinations of tracks depends primarily on the pile-up conditions, and is therefore independent of the type of event that fired the trigger, this ratio can also be applied to the number of vertices in

the mass control region in muon-triggered events. All of this information is used as input to a simple maximum likelihood fit, which yields a background expectation of $0.00^{+0.06}_{-0}$ vertices passing our cuts, that arise from random combinations of tracks.

To estimate the second source of background i.e. vertices arising from real hadronic interactions, including those crossed by tracks from different PVs, two m_{DV} -distributions are constructed. One distribution is formed from vertices which do not include a so-called large-angle track, i.e. the average angle between a constituent track and the rest of the tracks in the vertex must be less than one radian. The four-momentum of a randomly-selected track in the event is added to the vertex to build the second distribution. Both of these distributions are taken from a large control sample of jet-triggered events. The relative normalisations of these distributions are determined using an estimate of the “crossing probability”. This is obtained by fitting a function representing a K_S mass peak to the invariant mass distribution of all two-track combinations within three-track vertices, and comparing the integral of this function (which is a measure of how many real K_S were crossed by a random track to form a three-track vertex), to the number of two-track K_S mesons observed.

With the shape of the m_{DV} -distribution determined in this manner, the absolute normalisation for the muon-triggered sample can be found. It is extracted from a maximum likelihood fit, which takes as input the numbers of vertices in each material layer (i.e., the beam pipe and three pixel detector layers³), and the numbers of low-track-multiplicity vertices in the regions in which there is no material, which are termed “air gaps”. It has been empirically observed that in each material layer or air gap, the relation between the numbers of n -track, $(n+1)$ -track, $(n+2)$ -track vertices etc., is well modelled by an exponential function. Furthermore, the ratio of the number of n -track vertices in a material layer to the number in the air gap immediately outside it, is consistent between several different control samples. These relations can therefore be used in the fit to predict the number of vertices with at least five tracks in the air gaps. This procedure was tested on various control samples, giving consistent results for the $m_{\text{DV}} < 10$ GeV control region in all cases. For instance, in events that fail the muon trigger requirement, the fit predicted 105.4 ± 5.7 events, whereas 110 events were observed. The m_{DV} distribution, scaled by the prediction, is then integrated to obtain an estimate of the number of vertices with $m_{\text{DV}} > 10$ GeV, and a final scale factor is applied, based on the fraction of events in our muon-triggered sample that pass the offline muon requirements. Systematic uncertainties are evaluated by varying the relevant input parameters (the crossing probability, the parameters of the exponential function and material-to-airgap ratio, and the final scale factor) within their respective uncertainties, and taking the largest deviation. Finally, the background from hadronic interactions in the air gaps is estimated to be $3.7^{+4.4}_{-3.7} \times 10^{-3}$ vertices. Note that this is somewhat conservative, as the “crossing probability” used here is derived from tracks crossing K_S vertices, which have worse position resolution than vertices with four or more tracks.

The total background estimate is therefore taken to be $4^{+60}_{-4} \times 10^{-3}$ vertices.

7. Systematic corrections and uncertainties

Several categories of uncertainties and corrections are considered. The values of the uncertainties depend on the neutralino

lifetime and the signal sample under investigation. However, they can be ordered in approximately decreasing size. Uncertainties on the muon reconstruction efficiency are largest (typically $\approx 7\%$), followed by trigger ($\approx 6\%$) and tracking ($\approx 4\%$) efficiency uncertainties. The relative luminosity uncertainty is 3.9%, while the uncertainty due to limited numbers of events in the signal samples is around 1.5%. Other systematic effects, such as the uncertainty on the modelling of pile-up, contribute less than 1% to the total uncertainty. The effect on the efficiency associated with PDF uncertainties is negligible.

To estimate the uncertainty on the efficiency as a function of $c\tau$ (Fig. 3) from finite MC sample size, the efficiency in each bin of the two-dimensional efficiency map (Fig. 4) was varied randomly within its statistical uncertainty and the total efficiency was repeatedly re-measured. The spread in those results is taken as the contribution to the systematic uncertainty on the efficiency at each $c\tau$ value.

To compensate for the different z -distributions of the primary vertices in data and MC simulation, a weight is applied to each simulated event such that the reweighted z_{PV} distribution matches that in data. This weight is applied to both the numerator and denominator in the efficiency calculation.

Similarly, a weight is applied to each simulated event such that the distribution of $\langle \mu \rangle$, the average number of interactions per bunch-crossing, matches that in data. An uncertainty associated with this procedure is estimated by scaling the $\langle \mu \rangle$ values used as input to this correction calculation by a factor 0.9 (motivated by taking the difference between scaling the MC simulation by $\langle \mu \rangle$ calculated from luminosity measurements and by using the number of reconstructed PVs in data and MC simulation). The difference in the efficiency is evaluated as a function of $c\tau$, and is applied as a symmetric systematic uncertainty.

A trigger efficiency correction and its associated systematic uncertainty are derived from a study of $Z \rightarrow \mu^+\mu^-$ events in which at least one of the muons was selected with a single-muon trigger. The trigger efficiency for selecting a signal event is about 90%. The ratio of the trigger efficiencies in data and simulation is applied as a correction factor. Furthermore, the statistical uncertainty on this ratio is added in quadrature to the differences in trigger efficiency between the $Z \rightarrow \mu^+\mu^-$ sample and the signal samples to estimate a systematic uncertainty.

The modelling of track reconstruction efficiency for prompt tracks has been extensively studied in ATLAS [31]. In order to estimate the systematic uncertainty on the track reconstruction for secondary tracks, a study is performed where the number of K_S vertices in data and simulation are compared over a range of radii and η -values. Based on the outcome of this study, some fraction of tracks in the signal MC are randomly removed from the input to the vertexing algorithm, and the same procedure is used to obtain efficiency-vs- $c\tau$ is performed. The difference between this and the nominal efficiency at each $c\tau$ point is taken as the systematic uncertainty.

Since the distribution of the true values of d_0 for cosmic-ray muons is flat over the limited d_0 range considered here, as predicted by cosmic-ray simulation, the shapes of the measured (and simulated) d_0 -spectra of such muons are used to determine the accuracy to which the simulation reproduces the muon-finding efficiency as a function of d_0 . The ratio of the number of observed cosmic-ray muons (recorded during 2011) and the simulated muon-finding efficiency is studied as a function of d_0 . The degree to which the distribution is not flat is used to estimate the d_0 -dependent muon-finding efficiency, which is used for the results in Figs. 3 and 4. The uncertainties on the efficiency (largely due to the limited statistical precision of the cosmic-ray background sample) are propagated to uncertainties of between $\pm 3.5\%$

³ A detailed study of the material distribution within the ID is provided in Ref. [30].




Fig. 5. Vertex mass (m_{DV}) vs. vertex track multiplicity ($N_{\text{DV}}^{\text{trk}}$) for DVs in events with no muon requirements other than the trigger, and all other selection criteria except the m_{DV} and $N_{\text{DV}}^{\text{trk}}$ requirements. Shaded bins show the distribution for the signal MC MH sample (see Table 1), and data are shown as filled ellipses, with the area of the ellipse proportional to the number of vertices in the corresponding bin.

(MH) and $\pm 8\%$ (ML) on the signal reconstruction efficiency, depending on the signal sample.

8. Results

Fig. 5 shows the distribution of m_{DV} vs. $N_{\text{DV}}^{\text{trk}}$ for vertices in the selected data events, including vertices that are rejected by the selection on m_{DV} and $N_{\text{DV}}^{\text{trk}}$. The signal distribution for the MH sample is also indicated. The signal region, corresponding to a minimum number of five tracks in a vertex and a minimum vertex mass of 10 GeV, is also shown. No events are observed in the signal region.

Given the lack of candidate events in data, upper limits are evaluated on the supersymmetry production cross section (σ) times the square of the branching ratio (BR^2) for produced squarks to decay via long-lived neutralinos to muons and quarks. The limits are presented for different assumed values of squark and neutralino mass and $c\tau$, where τ is the neutralino lifetime. Based on the efficiency, background estimate, and luminosity of 4.4 fb^{-1} (with the uncertainties on each of these treated as nuisance parameters), the CL_s method [32] is used to set limits on the plane of $\sigma \cdot \text{BR}^2$ versus $c\tau$. The resulting limits are shown in Fig. 6, with the PROSPINO-calculated cross sections for squark masses of 700 GeV and 1500 GeV. The PROSPINO predictions are shown as a band which represents the variation in predicted cross section when using two different sets of PDFs (CTEQ6.6 and MSTW2008NLO [33]) and varying the factorisation and renormalisation scales each up and down by a factor of two. Since essentially no background is expected and no events are observed, the expected and observed limits are indistinguishable. Based on the observation of no signal events in a data sample of 4.4 fb^{-1} , a 95% confidence-level upper limit of 0.68 fb is set on $\sigma \cdot \text{BR}^2$ multiplied by the detector acceptance and the reconstruction efficiency for any signal vertex.

9. Summary and conclusions

An improved search is presented for new, heavy particles that decay at radial distances between 4 mm and 180 mm from the pp interaction point, in association with a high-transverse-momentum muon. This search is based on data collected by the ATLAS detector at the LHC at a centre-of-mass energy of 7 TeV. Fewer than 0.06 background events are expected in the data sample of 4.4 fb^{-1} , and no events are observed. Limits are derived on the product of di-squark production cross section and decay chain branching frac-




Fig. 6. Upper limits at 95% confidence level on $\sigma \cdot \text{BR}^2$ vs. the neutralino lifetime for different combinations of squark and neutralino masses, based on the observation of zero events satisfying all criteria in a 4.4 fb^{-1} data sample. The shaded areas around these curves represent the $\pm 1\sigma$ uncertainty bands on the expected limits. The horizontal lines show the cross sections calculated from PROSPINO for squark masses of 700 GeV and 1500 GeV. The shaded regions around these lines represent the uncertainties on the cross sections obtained from the procedure described in the text.

tion squared, in a SUGRA scenario where the lightest neutralino produced in the primary-squark decay undergoes an R -parity violating decay into a muon and two quarks. The limits are reported as a function of the neutralino lifetime and for a range of neutralino masses and velocities, which are the factors with greatest impact on the reconstruction efficiency. Limits for a variety of other models can thus be approximated from these results, based on the neutralino mass and velocity distribution in a given model. Comparing to the results of the previous analysis reported in [16], for lifetimes $c\tau < 100 \text{ mm}$, the limits presented here are somewhat less stringent than could be expected from the factor ≈ 130 increase in integrated luminosity, as a result of tighter trigger and offline muon selection requirements. For longer lifetimes, these factors are more than outweighed by the increase in efficiency afforded by re-tracking, so the limits are somewhat better than would be expected by simple scaling according to the integrated luminosity of the data samples.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFL, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNR, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] M. Fairbairn, A.C. Kraan, D.A. Milstead, T. Sjöstrand, P.Z. Skands, T. Sloan, Phys. Rept. 438 (2007) 1, hep-ph/0611040.
- [2] A.H. Chamseddine, R.L. Arnowitt, P. Nath, Phys. Rev. Lett. 49 (1982) 970; R. Barbieri, S. Ferrara, C.A. Savoy, Phys. Lett. B 119 (1982) 343; L.E. Ibanez, Phys. Lett. B 118 (1982) 73; L.J. Hall, J.D. Lykken, S. Weinberg, Phys. Rev. D 27 (1983) 2359; N. Ohta, Prog. Theor. Phys. 70 (1983) 542.
- [3] R. Barbier, et al., Phys. Rept. 420 (2005) 1, hep-ph/0406039.
- [4] B.C. Allanach, M.A. Bernhardt, H.K. Dreiner, C.H. Kom, P. Richardson, Phys. Rev. D 75 (2007) 035002, hep-ph/0609263.
- [5] ATLAS Collaboration, Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector, arXiv:1207.4686 [hep-ex]; ATLAS Collaboration, JHEP 1207 (2012) 167, arXiv:1206.1760 [hep-ex].
- [6] CMS Collaboration, Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV, arXiv:1206.3949 [hep-ex]; CMS Collaboration, Search for new physics in the multijet and missing transverse momentum final state in proton–proton collisions at $\sqrt{s} = 7$ TeV, arXiv:1207.1898 [hep-ex].
- [7] P.W. Graham, D.E. Kaplan, S. Rajendran, P. Saraswat, JHEP 1207 (2012) 149, arXiv:1204.6038 [hep-ph].
- [8] S. Dimopoulos, M. Dine, S. Raby, S.D. Thomas, Phys. Rev. Lett. 76 (1996) 3494, hep-ph/9601367.
- [9] J.L. Hewett, B. Lillie, M. Masip, T.G. Rizzo, JHEP 0409 (2004) 070, hep-ph/0408248.
- [10] M.J. Strassler, K.M. Zurek, Phys. Lett. B 651 (2007) 374, hep-ph/0604261.
- [11] P. Schuster, N. Toro, I. Yavin, Phys. Rev. D 81 (2010) 016002, arXiv:0910.1602 [hep-ph].
- [12] J. Fan, M. Reece, J.T. Ruderman, JHEP 1111 (2011) 012, arXiv:1105.5135 [hep-ph].
- [13] A. Arbey, M. Battaglia, A. Djouadi, F. Mahmoudi, J. Quevillon, Phys. Lett. B 708 (2012) 162, arXiv:1112.3028 [hep-ph].
- [14] ATLAS Collaboration, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [15] CMS Collaboration, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [16] ATLAS Collaboration, Phys. Lett. B 707 (2012) 478, arXiv:1109.2242 [hep-ex].
- [17] CMS Collaboration, Search in leptonic channels for heavy resonances decaying to long-lived neutral particles, arXiv:1211.2472.
- [18] D0 Collaboration, V.M. Abazov, et al., Phys. Rev. Lett. 97 (2006) 161802, hep-ex/0607028.
- [19] D0 Collaboration, V.M. Abazov, et al., Phys. Rev. Lett. 103 (2009) 071801, arXiv:0906.1787 [hep-ex].
- [20] ALEPH Collaboration, A. Heister, et al., Eur. Phys. J. C 25 (2002) 339, hep-ex/0203024.
- [21] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011, in: ATLAS-CONF-2011-116, 2011, URL: <http://cdsweb.cern.ch/record/1376384>.
- [22] ATLAS Collaboration, JINST 3 (2008) S08003.
- [23] T. Sjöstrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026, hep-ph/0603175.
- [24] A. Sherstnev, R.S. Thorne, Eur. Phys. J. C 55 (2008) 553, arXiv:0711.2473 [hep-ph].
- [25] W. Beenakker, R. Hopker, M. Spira, PROSPINO: A program for the production of supersymmetric particles in next-to-leading order QCD, hep-ph/9611232.
- [26] P.M. Nadolsky, H.-L. Lai, Q.-H. Cao, J. Huston, J. Pumplin, D. Stump, W.-K. Tung, C.-P. Yuan, Phys. Rev. D 78 (2008) 013004, arXiv:0802.0007 [hep-ph].
- [27] S. Agostinelli, et al., GEANT4 Collaboration, Nucl. Instrum. Meth. A 506 (2003) 250.
- [28] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [29] S.R. Das, IEEE Trans. Comput. 22 (2) (1973) 187.
- [30] ATLAS Collaboration, JINST 7 (2012) P01013, arXiv:1110.6191 [hep-ex].
- [31] ATLAS Collaboration, Measurement of charged-particle event shape variables in $\sqrt{s} = 7$ TeV proton–proton interactions with the ATLAS detector, arXiv:1207.6915 [hep-ex].
- [32] A.L. Read, J. Phys. G 28 (2002) 2693.
- [33] A.D. Martin, W.J. Stirling, R.S. Thorne, G. Watt, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].

ATLAS Collaboration

- G. Aad⁴⁸, T. Abajyan²¹, B. Abbott¹¹¹, J. Abdallah¹², S. Abdel Khalek¹¹⁵, A.A. Abdelalim⁴⁹, O. Abdinov¹¹, R. Aben¹⁰⁵, B. Abi¹¹², M. Abolins⁸⁸, O.S. AbouZeid¹⁵⁸, H. Abramowicz¹⁵³, H. Abreu¹³⁶, B.S. Acharya^{164a,164b}, L. Adamczyk³⁸, D.L. Adams²⁵, T.N. Addy⁵⁶, J. Adelman¹⁷⁶, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²³, J.A. Aguilar-Saavedra^{124b,a}, M. Agustoni¹⁷, M. Aharrouche⁸¹, S.P. Ahlen²², F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴¹, G. Aielli^{133a,133b}, T. Akdogan^{19a}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴, M.S. Alam², M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksa³⁰, I.N. Aleksandrov⁶⁴, F. Alessandria^{89a}, C. Alexa^{26a}, G. Alexander¹⁵³, G. Alexandre⁴⁹, T. Alexopoulos¹⁰, M. Alhoob^{164a,164c}, M. Aliev¹⁶, G. Alimonti^{89a}, J. Alison¹²⁰, B.M.M. Allbrooke¹⁸, P.P. Allport⁷³, S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷², A. Alonso⁷⁹, F. Alonso⁷⁰, A. Altheimer³⁵, B. Alvarez Gonzalez⁸⁸, M.G. Alviggi^{102a,102b}, K. Amako⁶⁵, C. Amelung²³, V.V. Ammosov^{128,*}, S.P. Amor Dos Santos^{124a}, A. Amorim^{124a,b}, N. Amram¹⁵³, C. Anastopoulos³⁰, L.S. Ancu¹⁷, N. Andari¹¹⁵, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders^{58a}, K.J. Anderson³¹, A. Andreazza^{89a,89b}, V. Andrei^{58a}, M.-L. Andrieux⁵⁵, X.S. Anduaga⁷⁰, S. Angelidakis⁹, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A. Anisenkov¹⁰⁷, N. Anjos^{124a}, A. Annovi⁴⁷, A. Antonaki⁹, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a}, M. Aoki¹⁰¹, S. Aoun⁸³, L. Aperio Bella⁵, R. Apolle^{118,c}, G. Arabidze⁸⁸, I. Aracena¹⁴³, Y. Arai⁶⁵, A.T.H. Arce⁴⁵, S. Arfaoui¹⁴⁸, J.-F. Arguin⁹³, E. Arik^{19a,*}, M. Arik^{19a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, V. Arnal⁸⁰, C. Arnault¹¹⁵, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²¹, S. Asai¹⁵⁵, S. Ask²⁸, B. Åsman^{146a,146b}, L. Asquith⁶, K. Assamagan²⁵, A. Astbury¹⁶⁹, M. Atkinson¹⁶⁵, B. Aubert⁵, E. Auge¹¹⁵, K. Augsten¹²⁷, M. Aurousseau^{145a}, G. Avolio³⁰, R. Avramidou¹⁰, D. Axen¹⁶⁸, G. Azuelos^{93,d}, Y. Azuma¹⁵⁵, M.A. Baak³⁰, G. Baccaglioni^{89a},

- C. Bacci 134a,134b, A.M. Bach 15, H. Bachacou 136, K. Bachas 30, M. Backes 49, M. Backhaus 21, J. Backus Mayes 143, E. Badescu 26a, P. Bagnaia 132a,132b, S. Bahinipati 3, Y. Bai 33a, D.C. Bailey 158, T. Bain 158, J.T. Baines 129, O.K. Baker 176, M.D. Baker 25, S. Baker 77, P. Balek 126, E. Banas 39, P. Banerjee 93, Sw. Banerjee 173, D. Banfi 30, A. Bangert 150, V. Bansal 169, H.S. Bansil 18, L. Barak 172, S.P. Baranov 94, A. Barbaro Galtieri 15, T. Barber 48, E.L. Barberio 86, D. Barberis 50a,50b, M. Barbero 21, D.Y. Bardin 64, T. Barillari 99, M. Barisonzi 175, T. Barklow 143, N. Barlow 28, B.M. Barnett 129, R.M. Barnett 15, A. Baroncelli 134a, G. Barone 49, A.J. Barr 118, F. Barreiro 80, J. Barreiro Guimaraes da Costa 57, P. Barrillon 115, R. Bartoldus 143, A.E. Barton 71, V. Bartsch 149, A. Basye 165, R.L. Bates 53, L. Batkova 144a, J.R. Batley 28, A. Battaglia 17, M. Battistin 30, F. Bauer 136, H.S. Bawa 143,e, S. Beale 98, T. Beau 78, P.H. Beauchemin 161, R. Beccherle 50a, P. Bechtle 21, H.P. Beck 17, A.K. Becker 175, S. Becker 98, M. Beckingham 138, K.H. Becks 175, A.J. Beddall 19c, A. Beddall 19c, S. Bedikian 176, V.A. Bednyakov 64, C.P. Bee 83, L.J. Beemster 105, M. Begel 25, S. Behar Harpaz 152, P.K. Behera 62, M. Beimforde 99, C. Belanger-Champagne 85, P.J. Bell 49, W.H. Bell 49, G. Bella 153, L. Bellagamba 20a, M. Bellomo 30, A. Belloni 57, O. Beloborodova 107,f, K. Belotskiy 96, O. Beltramello 30, O. Benary 153, D. Benchekroun 135a, K. Bendtz 146a,146b, N. Benekos 165, Y. Benhammou 153, E. Benhar Noccioli 49, J.A. Benitez Garcia 159b, D.P. Benjamin 45, M. Benoit 115, J.R. Bensinger 23, K. Benslama 130, S. Bentvelsen 105, D. Berge 30, E. Bergeaas Kuutmann 42, N. Berger 5, F. Berghaus 169, E. Berglund 105, J. Beringer 15, P. Bernat 77, R. Bernhard 48, C. Bernius 25, T. Berry 76, C. Bertella 83, A. Bertin 20a,20b, F. Bertolucci 122a,122b, M.I. Besana 89a,89b, G.J. Besjes 104, N. Besson 136, S. Bethke 99, W. Bhimji 46, R.M. Bianchi 30, L. Bianchini 23, M. Bianco 72a,72b, O. Biebel 98, S.P. Bieniek 77, K. Bierwagen 54, J. Biesiada 15, M. Biglietti 134a, H. Bilokon 47, M. Bindi 20a,20b, S. Binet 115, A. Bingul 19c, C. Bini 132a,132b, C. Biscarat 178, B. Bittner 99, K.M. Black 22, R.E. Blair 6, J.-B. Blanchard 136, G. Blanchot 30, T. Blazek 144a, I. Bloch 42, C. Blocker 23, J. Blocki 39, A. Blondel 49, W. Blum 81, U. Blumenschein 54, G.J. Bobbink 105, V.B. Bobrovnikov 107, S.S. Bocchetta 79, A. Bocci 45, C.R. Boddy 118, M. Boehler 48, J. Boek 175, N. Boelaert 36, J.A. Bogaerts 30, A. Bogdanchikov 107, A. Bogouch 90,* C. Bohm 146a, J. Bohm 125, V. Boisvert 76, T. Bold 38, V. Boldea 26a, N.M. Bolnet 136, M. Bomben 78, M. Bona 75, M. Boonekamp 136, S. Bordoni 78, C. Borer 17, A. Borisov 128, G. Borissov 71, I. Borjanovic 13a, M. Borri 82, S. Borroni 87, J. Bortfeldt 98, V. Bortolotto 134a,134b, K. Bos 105, D. Boscherini 20a, M. Bosman 12, H. Boterenbrood 105, J. Bouchami 93, J. Boudreau 123, E.V. Bouhouva-Thacker 71, D. Boumediene 34, C. Bourdarios 115, N. Bousson 83, A. Boveia 31, J. Boyd 30, I.R. Boyko 64, I. Bozovic-Jelisavcic 13b, J. Bracinik 18, P. Branchini 134a, A. Brandt 8, G. Brandt 118, O. Brandt 54, U. Bratzler 156, B. Brau 84, J.E. Brau 114, H.M. Braun 175,* S.F. Brazzale 164a,164c, B. Brelier 158, J. Bremer 30, K. Brendlinger 120, R. Brenner 166, S. Bressler 172, D. Britton 53, F.M. Brochu 28, I. Brock 21, R. Brock 88, F. Broggi 89a, C. Bromberg 88, J. Bronner 99, G. Brooijmans 35, T. Brooks 76, W.K. Brooks 32b, G. Brown 82, H. Brown 8, P.A. Bruckman de Renstrom 39, D. Bruncko 144b, R. Bruneliere 48, S. Brunet 60, A. Bruni 20a, G. Bruni 20a, M. Bruschi 20a, T. Buanes 14, Q. Buat 55, F. Bucci 49, J. Buchanan 118, P. Buchholz 141, R.M. Buckingham 118, A.G. Buckley 46, S.I. Buda 26a, I.A. Budagov 64, B. Budick 108, V. Büscher 81, L. Bugge 117, O. Bulekov 96, A.C. Bundock 73, M. Bunse 43, T. Buran 117, H. Burckhart 30, S. Burdin 73, T. Burgess 14, S. Burke 129, E. Busato 34, P. Bussey 53, C.P. Buszello 166, B. Butler 143, J.M. Butler 22, C.M. Buttar 53, J.M. Butterworth 77, W. Buttlinger 28, M. Byszewski 30, S. Cabrera Urbán 167, D. Caforio 20a,20b, O. Cakir 4a, P. Calafiura 15, G. Calderini 78, P. Calfayan 98, R. Calkins 106, L.P. Caloba 24a, R. Caloi 132a,132b, D. Calvet 34, S. Calvet 34, R. Camacho Toro 34, P. Camarri 133a,133b, D. Cameron 117, L.M. Caminada 15, R. Caminal Armadans 12, S. Campana 30, M. Campanelli 77, V. Canale 102a,102b, F. Canelli 31, A. Canepa 159a, J. Cantero 80, R. Cantrill 76, L. Capasso 102a,102b, M.D.M. Capeans Garrido 30, I. Caprini 26a, M. Caprini 26a, D. Capriotti 99, M. Capua 37a,37b, R. Caputo 81, R. Cardarelli 133a, T. Carli 30, G. Carlino 102a, L. Carminati 89a,89b, B. Caron 85, S. Caron 104, E. Carquin 32b, G.D. Carrillo-Montoya 173, A.A. Carter 75, J.R. Carter 28, J. Carvalho 124a,g, D. Casadei 108, M.P. Casado 12, M. Cascella 122a,122b, C. Caso 50a,50b,* A.M. Castaneda Hernandez 173,h, E. Castaneda-Miranda 173, V. Castillo Gimenez 167, N.F. Castro 124a, G. Cataldi 72a, P. Catastini 57, A. Catinaccio 30, J.R. Catmore 30, A. Cattai 30, G. Cattani 133a,133b, S. Caughron 88, V. Cavalieri 165, P. Cavalleri 78, D. Cavalli 89a, M. Cavalli-Sforza 12, V. Cavasinni 122a,122b, F. Ceradini 134a,134b, A.S. Cerqueira 24b, A. Cerri 30, L. Cerrito 75, F. Cerutti 47, S.A. Cetin 19b, A. Chafaq 135a, D. Chakraborty 106, I. Chalupkova 126, K. Chan 3, P. Chang 165, B. Chapleau 85, J.D. Chapman 28, J.W. Chapman 87, E. Chareyre 78, D.G. Charlton 18, V. Chavda 82, C.A. Chavez Barajas 30,

- S. Cheatham 85, S. Chekanov 6, S.V. Chekulaev 159a, G.A. Chelkov 64, M.A. Chelstowska 104, C. Chen 63,
 H. Chen 25, S. Chen 33c, X. Chen 173, Y. Chen 35, Y. Cheng 31, A. Cheplakov 64, R. Cherkaoui El Moursli 135e,
 V. Chernyatin 25, E. Cheu 7, S.L. Cheung 158, L. Chevalier 136, G. Chiefari 102a, 102b, L. Chikovani 51a,*
 J.T. Childers 30, A. Chilingarov 71, G. Chiodini 72a, A.S. Chisholm 18, R.T. Chislett 77, A. Chitan 26a,
 M.V. Chizhov 64, G. Choudalakis 31, S. Chouridou 137, I.A. Christidi 77, A. Christov 48
 D. Chromek-Burckhart 30, M.L. Chu 151, J. Chudoba 125, G. Ciapetti 132a, 132b, A.K. Ciftci 4a, R. Ciftci 4a,
 D. Cinca 34, V. Cindro 74, C. Ciocca 20a, 20b, A. Ciocio 15, M. Cirilli 87, P. Cirkovic 13b, Z.H. Citron 172,
 M. Citterio 89a, M. Ciubancan 26a, A. Clark 49, P.J. Clark 46, R.N. Clarke 15, W. Cleland 123, J.C. Clemens 83,
 B. Clement 55, C. Clement 146a, 146b, Y. Coadou 83, M. Cobal 164a, 164c, A. Coccaro 138, J. Cochran 63,
 L. Coffey 23, J.G. Cogan 143, J. Coggeshall 165, E. Cogneras 178, J. Colas 5, S. Cole 106, A.P. Colijn 105,
 N.J. Collins 18, C. Collins-Tooth 53, J. Collot 55, T. Colombo 119a, 119b, G. Colon 84, G. Compostella 99,
 P. Conde Muiño 124a, E. Coniavitis 166, M.C. Conidi 12, S.M. Consonni 89a, 89b, V. Consorti 48,
 S. Constantinescu 26a, C. Conta 119a, 119b, G. Conti 57, F. Conventi 102a, i, M. Cooke 15, B.D. Cooper 77,
 A.M. Cooper-Sarkar 118, K. Copic 15, T. Cornelissen 175, M. Corradi 20a, F. Corriveau 85,j,
 A. Cortes-Gonzalez 165, G. Cortiana 99, G. Costa 89a, M.J. Costa 167, D. Costanzo 139, D. Côté 30,
 L. Courneyea 169, G. Cowan 76, C. Cowden 28, B.E. Cox 82, K. Cranmer 108, F. Crescioli 122a, 122b,
 M. Cristinziani 21, G. Crosetti 37a, 37b, S. Crépé-Renaudin 55, C.-M. Cuciuc 26a, C. Cuenca Almenar 176,
 T. Cuhadar Donszelmann 139, J. Cummings 176, M. Curatolo 47, C.J. Curtis 18, C. Cuthbert 150,
 P. Cwetanski 60, H. Czirr 141, P. Czodrowski 44, Z. Czyczula 176, S. D'Auria 53, M. D'Onofrio 73,
 A. D'Orazio 132a, 132b, M.J. Da Cunha Sargedas De Sousa 124a, C. Da Via 82, W. Dabrowski 38, A. Dafinca 118,
 T. Dai 87, C. Dallapiccola 84, M. Dam 36, M. Dameri 50a, 50b, D.S. Damiani 137, H.O. Danielsson 30, V. Dao 49,
 G. Darbo 50a, G.L. Darlea 26b, J.A. Dassoulas 42, W. Davey 21, T. Davidek 126, N. Davidson 86, R. Davidson 71,
 E. Davies 118,c, M. Davies 93, O. Davignon 78, A.R. Davison 77, Y. Davygora 58a, E. Dawe 142, I. Dawson 139,
 R.K. Daya-Ishmukhametova 23, K. De 8, R. de Asmundis 102a, S. De Castro 20a, 20b, S. De Cecco 78,
 J. de Graat 98, N. De Groot 104, P. de Jong 105, C. De La Taille 115, H. De la Torre 80, F. De Lorenzi 63,
 L. de Mora 71, L. De Nooij 105, D. De Pedis 132a, A. De Salvo 132a, U. De Sanctis 164a, 164c, A. De Santo 149,
 J.B. De Vivie De Regie 115, G. De Zorzi 132a, 132b, W.J. Dearnaley 71, R. Debbe 25, C. Debenedetti 46,
 B. Dechenaux 55, D.V. Dedovich 64, J. Degenhardt 120, J. Del Peso 80, T. Del Prete 122a, 122b, T. Delemontex 55,
 M. Deliyergiyev 74, A. Dell'Acqua 30, L. Dell'Asta 22, M. Della Pietra 102a, i, D. della Volpe 102a, 102b,
 M. Delmastro 5, P.A. Delsart 55, C. Deluca 105, S. Demers 176, M. Demichev 64, B. Demirkoz 12, k, J. Deng 163,
 S.P. Denisov 128, D. Derendarz 39, J.E. Derkaoui 135d, F. Derue 78, P. Dervan 73, K. Desch 21, E. Devetak 148,
 P.O. Deviveiros 105, A. Dewhurst 129, B. DeWilde 148, S. Dhaliwal 158, R. Dhullipudi 25, l,
 A. Di Ciaccio 133a, 133b, L. Di Ciaccio 5, C. Di Donato 102a, 102b, A. Di Girolamo 30, B. Di Girolamo 30,
 S. Di Luise 134a, 134b, A. Di Mattia 173, B. Di Micco 30, R. Di Nardo 47, A. Di Simone 133a, 133b,
 R. Di Sipio 20a, 20b, M.A. Diaz 32a, E.B. Diehl 87, J. Dietrich 42, T.A. Dietzscht 58a, S. Diglio 86,
 K. Dindar Yagci 40, J. Dingfelder 21, F. Dinut 26a, C. Dionisi 132a, 132b, P. Dita 26a, S. Dita 26a, F. Dittus 30,
 F. Djama 83, T. Djobava 51b, M.A.B. do Vale 24c, A. Do Valle Wemans 124a, m, T.K.O. Doan 5, M. Dobbs 85,
 D. Dobos 30, E. Dobson 30, n, J. Dodd 35, C. Doglioni 49, T. Doherty 53, Y. Doi 65, *, J. Dolejsi 126, I. Dolenc 74,
 Z. Dolezal 126, B.A. Dolgoshein 96, *, T. Dohmae 155, M. Donadelli 24d, J. Donini 34, J. Dopke 30, A. Doria 102a,
 A. Dos Anjos 173, A. Dotti 122a, 122b, M.T. Dova 70, A.D. Doxiadis 105, A.T. Doyle 53, N. Dressnandt 120,
 M. Dris 10, J. Dubbert 99, S. Dube 15, E. Duchovni 172, G. Duckeck 98, D. Duda 175, A. Dudarev 30,
 F. Dudziak 63, M. Dührssen 30, I.P. Duerdorff 82, L. Duflot 115, M-A. Dufour 85, L. Duguid 76, M. Dunford 58a,
 H. Duran Yildiz 4a, R. Duxfield 139, M. Dwuznik 38, F. Dydak 30, M. Düren 52, W.L. Ebenstein 45, J. Ebke 98,
 S. Eckweiler 81, K. Edmonds 81, W. Edson 2, C.A. Edwards 76, N.C. Edwards 53, W. Ehrenfeld 42, T. Eifert 143,
 G. Eigen 14, K. Einsweiler 15, E. Eisenhandler 75, T. Ekelof 166, M. El Kacimi 135c, M. Ellert 166, S. Elles 5,
 F. Ellinghaus 81, K. Ellis 75, N. Ellis 30, J. Elmsheuser 98, M. Elsing 30, D. Emeliyanov 129, R. Engelmann 148,
 A. Engl 98, B. Epp 61, J. Erdmann 54, A. Ereditato 17, D. Eriksson 146a, J. Ernst 2, M. Ernst 25, J. Ernwein 136,
 D. Errede 165, S. Errede 165, E. Ertel 81, M. Escalier 115, H. Esch 43, C. Escobar 123, X. Espinal Curull 12,
 B. Esposito 47, F. Etienne 83, A.I. Etienvre 136, E. Etzion 153, D. Evangelakou 54, H. Evans 60, L. Fabbri 20a, 20b,
 C. Fabre 30, R.M. Fakhrutdinov 128, S. Falciano 132a, Y. Fang 173, M. Fanti 89a, 89b, A. Farbin 8, A. Farilla 134a,
 J. Farley 148, T. Farooque 158, S. Farrell 163, S.M. Farrington 170, P. Farthouat 30, F. Fassi 167, P. Fassnacht 30,
 D. Fassouliotis 9, B. Fatholahzadeh 158, A. Favareto 89a, 89b, L. Fayard 115, S. Fazio 37a, 37b, R. Febbraro 34,

- P. Federic ^{144a}, O.L. Fedin ¹²¹, W. Fedorko ⁸⁸, M. Fehling-Kaschek ⁴⁸, L. Feligioni ⁸³, D. Fellmann ⁶, C. Feng ^{33d}, E.J. Feng ⁶, A.B. Fenyuk ¹²⁸, J. Ferencei ^{144b}, W. Fernando ⁶, S. Ferrag ⁵³, J. Ferrando ⁵³, V. Ferrara ⁴², A. Ferrari ¹⁶⁶, P. Ferrari ¹⁰⁵, R. Ferrari ^{119a}, D.E. Ferreira de Lima ⁵³, A. Ferrer ¹⁶⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁷, A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³¹, F. Fiedler ⁸¹, A. Filipčič ⁷⁴, F. Filthaut ¹⁰⁴, M. Fincke-Keeler ¹⁶⁹, M.C.N. Fiolhais ^{124a,g}, L. Fiorini ¹⁶⁷, A. Firan ⁴⁰, G. Fischer ⁴², M.J. Fisher ¹⁰⁹, M. Flechl ⁴⁸, I. Fleck ¹⁴¹, J. Fleckner ⁸¹, P. Fleischmann ¹⁷⁴, S. Fleischmann ¹⁷⁵, T. Flick ¹⁷⁵, A. Floderus ⁷⁹, L.R. Flores Castillo ¹⁷³, M.J. Flowerdew ⁹⁹, T. Fonseca Martin ¹⁷, A. Formica ¹³⁶, A. Forti ⁸², D. Fortin ^{159a}, D. Fournier ¹¹⁵, A.J. Fowler ⁴⁵, H. Fox ⁷¹, P. Francavilla ¹², M. Franchini ^{20a,20b}, S. Franchino ^{119a,119b}, D. Francis ³⁰, T. Frank ¹⁷², M. Franklin ⁵⁷, S. Franz ³⁰, M. Fraternali ^{119a,119b}, S. Fratina ¹²⁰, S.T. French ²⁸, C. Friedrich ⁴², F. Friedrich ⁴⁴, R. Froeschl ³⁰, D. Froidevaux ³⁰, J.A. Frost ²⁸, C. Fukunaga ¹⁵⁶, E. Fullana Torregrosa ³⁰, B.G. Fulsom ¹⁴³, J. Fuster ¹⁶⁷, C. Gabaldon ³⁰, O. Gabizon ¹⁷², T. Gadfort ²⁵, S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶⁰, C. Galea ⁹⁸, B. Galhardo ^{124a}, E.J. Gallas ¹¹⁸, V. Gallo ¹⁷, B.J. Gallop ¹²⁹, P. Gallus ¹²⁵, K.K. Gan ¹⁰⁹, Y.S. Gao ^{143,e}, A. Gaponenko ¹⁵, F. Garberson ¹⁷⁶, M. Garcia-Sciveres ¹⁵, C. García ¹⁶⁷, J.E. García Navarro ¹⁶⁷, R.W. Gardner ³¹, N. Garelli ³⁰, H. Garitaonandia ¹⁰⁵, V. Garonne ³⁰, C. Gatti ⁴⁷, G. Gaudio ^{119a}, B. Gaur ¹⁴¹, L. Gauthier ¹³⁶, P. Gauzzi ^{132a,132b}, I.L. Gavrilenko ⁹⁴, C. Gay ¹⁶⁸, G. Gaycken ²¹, E.N. Gazis ¹⁰, P. Ge ^{33d}, Z. Gecse ¹⁶⁸, C.N.P. Gee ¹²⁹, D.A.A. Geerts ¹⁰⁵, Ch. Geich-Gimbel ²¹, K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a}, A. Gemmell ⁵³, M.H. Genest ⁵⁵, S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁶, P. Gerlach ¹⁷⁵, A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, N. Ghodbane ³⁴, B. Giacobbe ^{20a}, S. Giagu ^{132a,132b}, V. Giakoumopoulou ⁹, V. Giangiobbe ¹², F. Gianotti ³⁰, B. Gibbard ²⁵, A. Gibson ¹⁵⁸, S.M. Gibson ³⁰, M. Gilchriese ¹⁵, D. Gillberg ²⁹, A.R. Gillman ¹²⁹, D.M. Gingrich ^{3,d}, J. Ginzburg ¹⁵³, N. Giokaris ⁹, M.P. Giordani ^{164c}, R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁶, P. Giovannini ⁹⁹, P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, P. Giusti ^{20a}, B.K. Gjelsten ¹¹⁷, L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ²¹, A. Glazov ⁴², K.W. Glitz ¹⁷⁵, G.L. Glonti ⁶⁴, J.R. Goddard ⁷⁵, J. Godfrey ¹⁴², J. Godlewski ³⁰, M. Goebel ⁴², T. Göpfert ⁴⁴, C. Goeringer ⁸¹, C. Gössling ⁴³, S. Goldfarb ⁸⁷, T. Golling ¹⁷⁶, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴², R. Gonçalo ⁷⁶, J. Goncalves Pinto Firmino Da Costa ⁴², L. Gonella ²¹, S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹², M.L. Gonzalez Silva ²⁷, S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ³⁰, P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁵, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁵, B. Gorini ³⁰, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁹, B. Gosdzik ⁴², A.T. Goshaw ⁶, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁴, I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a}, D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁵, S. Gozpinar ²³, I. Grabowska-Bold ³⁸, P. Grafström ^{20a,20b}, K.-J. Grahn ⁴², E. Gramstad ¹¹⁷, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁶, V. Grassi ¹⁴⁸, V. Gratchev ¹²¹, N. Grau ³⁵, H.M. Gray ³⁰, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³, Z.D. Greenwood ^{25,l}, K. Gregersen ³⁶, I.M. Gregor ⁴², P. Grenier ¹⁴³, J. Griffiths ⁸, N. Grigalashvili ⁶⁴, A.A. Grillo ¹³⁷, S. Grinstein ¹², Ph. Gris ³⁴, Y.V. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵, E. Gross ¹⁷², J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷², K. Grybel ¹⁴¹, D. Guest ¹⁷⁶, C. Guicheney ³⁴, S. Guindon ⁵⁴, U. Gul ⁵³, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁵, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³, O. Gutzwiller ¹⁷³, C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁰⁸, S. Haas ³⁰, C. Haber ¹⁵, H.K. Hadavand ⁸, D.R. Hadley ¹⁸, P. Haefner ²¹, F. Hahn ³⁰, S. Haider ³⁰, Z. Hajduk ³⁹, H. Hakobyan ¹⁷⁷, D. Hall ¹¹⁸, K. Hamacher ¹⁷⁵, P. Hamal ¹¹³, K. Hamano ⁸⁶, M. Hamer ⁵⁴, A. Hamilton ^{145b,o}, S. Hamilton ¹⁶¹, L. Han ^{33b}, K. Hanagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁵, C. Handel ⁸¹, P. Hanke ^{58a}, J.R. Hansen ³⁶, J.B. Hansen ³⁶, J.D. Hansen ³⁶, P.H. Hansen ³⁶, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷, T. Harenberg ¹⁷⁵, S. Harkusha ⁹⁰, D. Harper ⁸⁷, R.D. Harrington ⁴⁶, O.M. Harris ¹³⁸, J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁵, A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, S. Haug ¹⁷, M. Hauschild ³⁰, R. Hauser ⁸⁸, M. Havranek ²¹, C.M. Hawkes ¹⁸, R.J. Hawkings ³⁰, A.D. Hawkins ⁷⁹, T. Hayakawa ⁶⁶, T. Hayashi ¹⁶⁰, D. Hayden ⁷⁶, C.P. Hays ¹¹⁸, H.S. Hayward ⁷³, S.J. Haywood ¹²⁹, S.J. Head ¹⁸, V. Hedberg ⁷⁹, L. Heelan ⁸, S. Heim ¹²⁰, B. Heinemann ¹⁵, S. Heisterkamp ³⁶, L. Helary ²², C. Heller ⁹⁸, M. Heller ³⁰, S. Hellman ^{146a,146b}, D. Hellmich ²¹, C. Helsens ¹², R.C.W. Henderson ⁷¹, M. Henke ^{58a}, A. Henrichs ¹⁷⁶, A.M. Henriques Correia ³⁰, S. Henrot-Versille ¹¹⁵, C. Hensel ⁵⁴, T. Henß ¹⁷⁵, C.M. Hernandez ⁸, Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁶, G. Herten ⁴⁸, R. Hertenberger ⁹⁸, L. Hervas ³⁰, G.G. Hesketh ⁷⁷, N.P. Hessey ¹⁰⁵, E. Higón-Rodriguez ¹⁶⁷, J.C. Hill ²⁸, K.H. Hiller ⁴², S. Hillert ²¹, S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵, E. Hines ¹²⁰, M. Hirose ¹¹⁶, F. Hirsch ⁴³, D. Hirschbuehl ¹⁷⁵, J. Hobbs ¹⁴⁸, N. Hod ¹⁵³, M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹, A. Hoecker ³⁰, M.R. Hoeferkamp ¹⁰³, J. Hoffman ⁴⁰,

- D. Hoffmann 83, M. Hohlfeld 81, M. Holder 141, S.O. Holmgren 146a, T. Holy 127, J.L. Holzbauer 88, T.M. Hong 120, L. Hooft van Huysduyven 108, S. Horner 48, J-Y. Hostachy 55, S. Hou 151, A. Hoummada 135a, J. Howard 118, J. Howarth 82, I. Hristova 16, J. Hrivnac 115, T. Hrynn'ova 5, P.J. Hsu 81, S.-C. Hsu 15, D. Hu 35, Z. Hubacek 127, F. Hubaut 83, F. Huegging 21, A. Huettmann 42, T.B. Huffman 118, E.W. Hughes 35, G. Hughes 71, M. Huhtinen 30, M. Hurwitz 15, N. Huseynov 64p, J. Huston 88, J. Huth 57, G. Iacobucci 49, G. Iakovidis 10, M. Ibbotson 82, I. Ibragimov 141, L. Iconomidou-Fayard 115, J. Idarraga 115, P. Iengo 102a, O. Igonkina 105, Y. Ikegami 65, M. Ikeno 65, D. Iliadis 154, N. Ilic 158, T. Ince 99, J. Inigo-Golfin 30, P. Ioannou 9, M. Iodice 134a, K. Iordanidou 9, V. Ippolito 132a,132b, A. Irles Quiles 167, C. Isaksson 166, M. Ishino 67, M. Ishitsuka 157, R. Ishmukhametov 109, C. Issever 118, S. Istin 19a, A.V. Ivashin 128, W. Iwanski 39, H. Iwasaki 65, J.M. Izen 41, V. Izzo 102a, B. Jackson 120, J.N. Jackson 73, P. Jackson 1, M.R. Jaekel 30, V. Jain 60, K. Jakobs 48, S. Jakobsen 36, T. Jakoubek 125, J. Jakubek 127, D.O. Jamin 151, D.K. Jana 111, E. Jansen 77, H. Jansen 30, A. Jantsch 99, M. Janus 48, R.C. Jared 173, G. Jarlskog 79, L. Jeanty 57, I. Jen-La Plante 31, D. Jennens 86, P. Jenni 30, A.E. Loevschall-Jensen 36, P. Jež 36, S. Jézéquel 5, M.K. Jha 20a, H. Ji 173, W. Ji 81, J. Jia 148, Y. Jiang 33b, M. Jimenez Belenguer 42, S. Jin 33a, O. Jinnouchi 157, M.D. Joergensen 36, D. Joffe 40, M. Johansen 146a,146b, K.E. Johansson 146a, P. Johansson 139, S. Johnert 42, K.A. Johns 7, K. Jon-And 146a,146b, G. Jones 170, R.W.L. Jones 71, T.J. Jones 73, C. Joram 30, P.M. Jorge 124a, K.D. Joshi 82, J. Jovicevic 147, T. Jovin 13b, X. Ju 173, C.A. Jung 43, R.M. Jungst 30, V. Juranek 125, P. Jussel 61, A. Juste Rozas 12, S. Kabana 17, M. Kaci 167, A. Kaczmarśka 39, P. Kadlecik 36, M. Kado 115, H. Kagan 109, M. Kagan 57, E. Kajomovitz 152, S. Kalinin 175, L.V. Kalinovskaya 64, S. Kama 40, N. Kanaya 155, M. Kaneda 30, S. Kaneti 28, T. Kanno 157, V.A. Kantserov 96, J. Kanzaki 65, B. Kaplan 108, A. Kapliy 31, J. Kaplon 30, D. Kar 53, M. Karagounis 21, K. Karakostas 10, M. Karnevskiy 42, V. Kartvelishvili 71, A.N. Karyukhin 128, L. Kashif 173, G. Kasieczka 58b, R.D. Kass 109, A. Kastanas 14, M. Kataoka 5, Y. Kataoka 155, E. Katsoufis 10, J. Katzy 42, V. Kaushik 7, K. Kawagoe 69, T. Kawamoto 155, G. Kawamura 81, M.S. Kayl 105, S. Kazama 155, V.A. Kazanin 107, M.Y. Kazarinov 64, R. Keeler 169, P.T. Keener 120, R. Kehoe 40, M. Keil 54, G.D. Kekelidze 64, J.S. Keller 138, M. Kenyon 53, O. Kepka 125, N. Kerschen 30, B.P. Kerševan 74, S. Kersten 175, K. Kessoku 155, J. Keung 158, F. Khalil-zada 11, H. Khandanyan 146a,146b, A. Khanov 112, D. Kharchenko 64, A. Khodinov 96, A. Khomich 58a, T.J. Khoo 28, G. Khoriauli 21, A. Khoroshilov 175, V. Khovanskiy 95, E. Khramov 64, J. Khubua 51b, H. Kim 146a,146b, S.H. Kim 160, N. Kimura 171, O. Kind 16, B.T. King 73, M. King 66, R.S.B. King 118, J. Kirk 129, A.E. Kiryunin 99, T. Kishimoto 66, D. Kisielewska 38, T. Kitamura 66, T. Kittelmann 123, K. Kiuchi 160, E. Kladiva 144b, M. Klein 73, U. Klein 73, K. Kleinknecht 81, M. Klemetti 85, A. Klier 172, P. Klimek 146a,146b, A. Klimentov 25, R. Klingenberg 43, J.A. Klinger 82, E.B. Klinkby 36, T. Klioutchnikova 30, P.F. Klok 104, S. Klous 105, E.-E. Kluge 58a, T. Kluge 73, P. Kluit 105, S. Kluth 99, E. Kneringer 61, E.B.F.G. Knoops 83, A. Knue 54, B.R. Ko 45, T. Kobayashi 155, M. Kobel 44, M. Kocian 143, P. Kodys 126, K. Köneke 30, A.C. König 104, S. Koenig 81, L. Köpke 81, F. Koetsveld 104, P. Koevesarki 21, T. Koffas 29, E. Koffeman 105, L.A. Kogan 118, S. Kohlmann 175, F. Kohn 54, Z. Kohout 127, T. Kohriki 65, T. Koi 143, G.M. Kolachev 107,* , H. Kolanoski 16, V. Kolesnikov 64, I. Koletsou 89a, J. Koll 88, A.A. Komar 94, Y. Komori 155, T. Kondo 65, T. Kono 42,q, A.I. Kononov 48, R. Konoplich 108,r, N. Konstantinidis 77, R. Kopeliansky 152, S. Koperny 38, K. Korcyl 39, K. Kordas 154, A. Korn 118, A. Korol 107, I. Korolkov 12, E.V. Korolkova 139, V.A. Korotkov 128, O. Kortner 99, S. Kortner 99, V.V. Kostyukhin 21, S. Kotov 99, V.M. Kotov 64, A. Kotwal 45, C. Kourkoumelis 9, V. Kouskoura 154, A. Koutsman 159a, R. Kowalewski 169, T.Z. Kowalski 38, W. Kozanecki 136, A.S. Kozhin 128, V. Kral 127, V.A. Kramarenko 97, G. Kramberger 74, M.W. Krasny 78, A. Krasznahorkay 108, J.K. Kraus 21, S. Kreiss 108, F. Krejci 127, J. Kretzschmar 73, N. Krieger 54, P. Krieger 158, K. Kroeninger 54, H. Kroha 99, J. Kroll 120, J. Kroseberg 21, J. Krstic 13a, U. Kruchonak 64, H. Krüger 21, T. Kruker 17, N. Krumnack 63, Z.V. Krumshtejn 64, M.K. Kruse 45, T. Kubota 86, S. Kuday 4a, S. Kuehn 48, A. Kugel 58c, T. Kuhl 42, D. Kuhn 61, V. Kukhtin 64, Y. Kulchitsky 90, S. Kuleshov 32b, C. Kummer 98, M. Kuna 78, J. Kunkle 120, A. Kupco 125, H. Kurashige 66, M. Kurata 160, Y.A. Kurochkin 90, V. Kus 125, E.S. Kuwertz 147, M. Kuze 157, J. Kvita 142, R. Kwee 16, A. La Rosa 49, L. La Rotonda 37a,37b, L. Labarga 80, J. Labbe 5, S. Lablak 135a, C. Lacasta 167, F. Lacava 132a,132b, J. Lacey 29, H. Lacker 16, D. Lacour 78, V.R. Lacuesta 167, E. Ladygin 64, R. Lafaye 5, B. Laforge 78, T. Lagouri 176, S. Lai 48, E. Laisne 55, M. Lamanna 30, L. Lambourne 77, C.L. Lampen 7, W. Lampl 7, E. Lancon 136, U. Landgraf 48, M.P.J. Landon 75, V.S. Lang 58a, C. Lange 42, A.J. Lankford 163, F. Lanni 25, K. Lantzsch 175, S. Laplace 78, C. Lapoire 21, J.F. Laporte 136, T. Lari 89a, A. Larner 118, M. Lassnig 30, P. Laurelli 47, V. Lavorini 37a,37b,

- W. Lavrijsen ¹⁵, P. Laycock ⁷³, O. Le Dortz ⁷⁸, E. Le Guirriec ⁸³, E. Le Menedeu ¹², T. LeCompte ⁶,
 F. Ledroit-Guillon ⁵⁵, H. Lee ¹⁰⁵, J.S.H. Lee ¹¹⁶, S.C. Lee ¹⁵¹, L. Lee ¹⁷⁶, M. Lefebvre ¹⁶⁹, M. Legendre ¹³⁶,
 F. Legger ⁹⁸, C. Leggett ¹⁵, M. Lehacher ²¹, G. Lehmann Miotto ³⁰, M.A.L. Leite ^{24d}, R. Leitner ¹²⁶,
 D. Lellouch ¹⁷², B. Lemmer ⁵⁴, V. Lendermann ^{58a}, K.J.C. Leney ^{145b}, T. Lenz ¹⁰⁵, G. Lenzen ¹⁷⁵, B. Lenzi ³⁰,
 K. Leonhardt ⁴⁴, S. Leontsinis ¹⁰, F. Lepold ^{58a}, C. Leroy ⁹³, J.-R. Lessard ¹⁶⁹, C.G. Lester ²⁸, C.M. Lester ¹²⁰,
 J. Levêque ⁵, D. Levin ⁸⁷, L.J. Levinson ¹⁷², A. Lewis ¹¹⁸, G.H. Lewis ¹⁰⁸, A.M. Leyko ²¹, M. Leyton ¹⁶, B. Li ⁸³,
 H. Li ¹⁴⁸, H.L. Li ³¹, S. Li ^{33b,s}, X. Li ⁸⁷, Z. Liang ^{118,t}, H. Liao ³⁴, B. Liberti ^{133a}, P. Lichard ³⁰,
 M. Lichtnecker ⁹⁸, K. Lie ¹⁶⁵, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ⁸⁶, M. Limper ⁶², S.C. Lin ^{151,u},
 F. Linde ¹⁰⁵, J.T. Linnemann ⁸⁸, E. Lipeles ¹²⁰, A. Lipniacka ¹⁴, T.M. Liss ¹⁶⁵, D. Lissauer ²⁵, A. Lister ⁴⁹,
 A.M. Litke ¹³⁷, C. Liu ²⁹, D. Liu ¹⁵¹, H. Liu ⁸⁷, J.B. Liu ⁸⁷, L. Liu ⁸⁷, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{119a,119b},
 S.S.A. Livermore ¹¹⁸, A. Lleres ⁵⁵, J. Llorente Merino ⁸⁰, S.L. Lloyd ⁷⁵, E. Lobodzinska ⁴², P. Loch ⁷,
 W.S. Lockman ¹³⁷, T. Loddenkoetter ²¹, F.K. Loebinger ⁸², A. Loginov ¹⁷⁶, C.W. Loh ¹⁶⁸, T. Lohse ¹⁶,
 K. Lohwasser ⁴⁸, M. Lokajicek ¹²⁵, V.P. Lombardo ⁵, R.E. Long ⁷¹, L. Lopes ^{124a}, D. Lopez Mateos ⁵⁷,
 J. Lorenz ⁹⁸, N. Lorenzo Martinez ¹¹⁵, M. Losada ¹⁶², P. Loscutoff ¹⁵, F. Lo Sterzo ^{132a,132b}, M.J. Losty ^{159a,*},
 X. Lou ⁴¹, A. Lounis ¹¹⁵, K.F. Loureiro ¹⁶², J. Love ⁶, P.A. Love ⁷¹, A.J. Lowe ^{143,e}, F. Lu ^{33a}, H.J. Lubatti ¹³⁸,
 C. Luci ^{132a,132b}, A. Lucotte ⁵⁵, A. Ludwig ⁴⁴, D. Ludwig ⁴², I. Ludwig ⁴⁸, J. Ludwig ⁴⁸, F. Luehring ⁶⁰,
 G. Luijckx ¹⁰⁵, W. Lukas ⁶¹, L. Luminari ^{132a}, E. Lund ¹¹⁷, B. Lund-Jensen ¹⁴⁷, B. Lundberg ⁷⁹,
 J. Lundberg ^{146a,146b}, O. Lundberg ^{146a,146b}, J. Lundquist ³⁶, M. Lungwitz ⁸¹, D. Lynn ²⁵, E. Lytken ⁷⁹,
 H. Ma ²⁵, L.L. Ma ¹⁷³, G. Maccarrone ⁴⁷, A. Macchiolo ⁹⁹, B. Maček ⁷⁴, J. Machado Miguens ^{124a},
 R. Mackeprang ³⁶, R.J. Madaras ¹⁵, H.J. Maddocks ⁷¹, W.F. Mader ⁴⁴, R. Maenner ^{58c}, T. Maeno ²⁵,
 P. Mättig ¹⁷⁵, S. Mättig ⁸¹, L. Magnoni ¹⁶³, E. Magradze ⁵⁴, K. Mahboubi ⁴⁸, J. Mahlstedt ¹⁰⁵,
 S. Mahmoud ⁷³, G. Mahout ¹⁸, C. Maiani ¹³⁶, C. Maidantchik ^{24a}, A. Maio ^{124a,b}, S. Majewski ²⁵,
 Y. Makida ⁶⁵, N. Makovec ¹¹⁵, P. Mal ¹³⁶, B. Malaescu ³⁰, Pa. Malecki ³⁹, P. Malecki ³⁹, V.P. Maleev ¹²¹,
 F. Malek ⁵⁵, U. Mallik ⁶², D. Malon ⁶, C. Malone ¹⁴³, S. Maltezos ¹⁰, V. Malyshev ¹⁰⁷, S. Malyukov ³⁰,
 R. Mameghani ⁹⁸, J. Mamuzic ^{13b}, A. Manabe ⁶⁵, L. Mandelli ^{89a}, I. Mandić ⁷⁴, R. Mandrysch ¹⁶,
 J. Maneira ^{124a}, A. Manfredini ⁹⁹, P.S. Mangeard ⁸⁸, L. Manhaes de Andrade Filho ^{24b},
 J.A. Manjarres Ramos ¹³⁶, A. Mann ⁵⁴, P.M. Manning ¹³⁷, A. Manousakis-Katsikakis ⁹, B. Mansoulie ¹³⁶,
 A. Mapelli ³⁰, L. Mapelli ³⁰, L. March ¹⁶⁷, J.F. Marchand ²⁹, F. Marchese ^{133a,133b}, G. Marchiori ⁷⁸,
 M. Marcisovsky ¹²⁵, C.P. Marino ¹⁶⁹, F. Marroquim ^{24a}, Z. Marshall ³⁰, F.K. Martens ¹⁵⁸, L.F. Marti ¹⁷,
 S. Marti-Garcia ¹⁶⁷, B. Martin ³⁰, B. Martin ⁸⁸, J.P. Martin ⁹³, T.A. Martin ¹⁸, V.J. Martin ⁴⁶,
 B. Martin dit Latour ⁴⁹, S. Martin-Haugh ¹⁴⁹, M. Martinez ¹², V. Martinez Outschoorn ⁵⁷,
 A.C. Martyniuk ¹⁶⁹, M. Marx ⁸², F. Marzano ^{132a}, A. Marzin ¹¹¹, L. Masetti ⁸¹, T. Mashimo ¹⁵⁵,
 R. Mashinistov ⁹⁴, J. Masik ⁸², A.L. Maslennikov ¹⁰⁷, I. Massa ^{20a,20b}, G. Massaro ¹⁰⁵, N. Massol ⁵,
 P. Mastrandrea ¹⁴⁸, A. Mastroberardino ^{37a,37b}, T. Masubuchi ¹⁵⁵, P. Matricon ¹¹⁵, H. Matsunaga ¹⁵⁵,
 T. Matsushita ⁶⁶, C. Mattravers ^{118,c}, J. Maurer ⁸³, S.J. Maxfield ⁷³, D.A. Maximov ^{107,f}, A. Mayne ¹³⁹,
 R. Mazini ¹⁵¹, M. Mazur ²¹, L. Mazzaferro ^{133a,133b}, M. Mazzanti ^{89a}, J. Mc Donald ⁸⁵, S.P. Mc Kee ⁸⁷,
 A. McCarn ¹⁶⁵, R.L. McCarthy ¹⁴⁸, T.G. McCarthy ²⁹, N.A. McCubbin ¹²⁹, K.W. McFarlane ^{56,*},
 J.A. McFayden ¹³⁹, G. Mchedlidze ^{51b}, T. McLaughlan ¹⁸, S.J. McMahon ¹²⁹, R.A. McPherson ^{169,j},
 A. Meade ⁸⁴, J. Mechnick ¹⁰⁵, M. Mechtel ¹⁷⁵, M. Medinnis ⁴², R. Meera-Lebbai ¹¹¹, T. Meguro ¹¹⁶,
 S. Mehlhase ³⁶, A. Mehta ⁷³, K. Meier ^{58a}, B. Meirose ⁷⁹, C. Melachrinos ³¹, B.R. Mellado Garcia ¹⁷³,
 F. Meloni ^{89a,89b}, L. Mendoza Navas ¹⁶², Z. Meng ^{151,v}, A. Mengarelli ^{20a,20b}, S. Menke ⁹⁹, E. Meoni ¹⁶¹,
 K.M. Mercurio ⁵⁷, P. Mermod ⁴⁹, L. Merola ^{102a,102b}, C. Meroni ^{89a}, F.S. Merritt ³¹, H. Merritt ¹⁰⁹,
 A. Messina ^{30,w}, J. Metcalfe ²⁵, A.S. Mete ¹⁶³, C. Meyer ⁸¹, C. Meyer ³¹, J.-P. Meyer ¹³⁶, J. Meyer ¹⁷⁴,
 J. Meyer ⁵⁴, T.C. Meyer ³⁰, S. Michal ³⁰, L. Micu ^{26a}, R.P. Middleton ¹²⁹, S. Migas ⁷³, L. Mijović ¹³⁶,
 G. Mikenberg ¹⁷², M. Mikestikova ¹²⁵, M. Mikuž ⁷⁴, D.W. Miller ³¹, R.J. Miller ⁸⁸, W.J. Mills ¹⁶⁸, C. Mills ⁵⁷,
 A. Milov ¹⁷², D.A. Milstead ^{146a,146b}, D. Milstein ¹⁷², A.A. Minaenko ¹²⁸, M. Miñano Moya ¹⁶⁷,
 I.A. Minashvili ⁶⁴, A.I. Mincer ¹⁰⁸, B. Mindur ³⁸, M. Mineev ⁶⁴, Y. Ming ¹⁷³, L.M. Mir ¹², G. Mirabelli ^{132a},
 J. Mitrevski ¹³⁷, V.A. Mitsou ¹⁶⁷, S. Mitsui ⁶⁵, P.S. Miyagawa ¹³⁹, J.U. Mjörnmark ⁷⁹, T. Moa ^{146a,146b},
 V. Moeller ²⁸, K. Möning ⁴², N. Möser ²¹, S. Mohapatra ¹⁴⁸, W. Mohr ⁴⁸, R. Moles-Valls ¹⁶⁷, A. Molfetas ³⁰,
 J. Monk ⁷⁷, E. Monnier ⁸³, J. Montejano Berlingen ¹², F. Monticelli ⁷⁰, S. Monzani ^{20a,20b}, R.W. Moore ³,
 G.F. Moorhead ⁸⁶, C. Mora Herrera ⁴⁹, A. Moraes ⁵³, N. Morange ¹³⁶, J. Morel ⁵⁴, G. Morello ^{37a,37b},
 D. Moreno ⁸¹, M. Moreno Llácer ¹⁶⁷, P. Morettini ^{50a}, M. Morgenstern ⁴⁴, M. Morii ⁵⁷, A.K. Morley ³⁰,

- G. Mornacchi ³⁰, J.D. Morris ⁷⁵, L. Morvaj ¹⁰¹, H.G. Moser ⁹⁹, M. Mosidze ^{51b}, J. Moss ¹⁰⁹, R. Mount ¹⁴³, E. Mountricha ^{10,x}, S.V. Mouraviev ^{94,*}, E.J.W. Moyse ⁸⁴, F. Mueller ^{58a}, J. Mueller ¹²³, K. Mueller ²¹, T.A. Müller ⁹⁸, T. Mueller ⁸¹, D. Muenstermann ³⁰, Y. Munwes ¹⁵³, W.J. Murray ¹²⁹, I. Mussche ¹⁰⁵, E. Musto ^{102a,102b}, A.G. Myagkov ¹²⁸, M. Myska ¹²⁵, O. Nackenhorst ⁵⁴, J. Nadal ¹², K. Nagai ¹⁶⁰, R. Nagai ¹⁵⁷, K. Nagano ⁶⁵, A. Nagarkar ¹⁰⁹, Y. Nagasaka ⁵⁹, M. Nagel ⁹⁹, A.M. Nairz ³⁰, Y. Nakahama ³⁰, K. Nakamura ¹⁵⁵, T. Nakamura ¹⁵⁵, I. Nakano ¹¹⁰, G. Nanava ²¹, A. Napier ¹⁶¹, R. Narayan ^{58b}, M. Nash ^{77,c}, T. Nattermann ²¹, T. Naumann ⁴², G. Navarro ¹⁶², H.A. Neal ⁸⁷, P.Yu. Nechaeva ⁹⁴, T.J. Neep ⁸², A. Negri ^{119a,119b}, G. Negri ³⁰, M. Negrini ^{20a}, S. Nektarijevic ⁴⁹, A. Nelson ¹⁶³, T.K. Nelson ¹⁴³, S. Nemecek ¹²⁵, P. Nemethy ¹⁰⁸, A.A. Nepomuceno ^{24a}, M. Nessi ^{30,y}, M.S. Neubauer ¹⁶⁵, M. Neumann ¹⁷⁵, A. Neusiedl ⁸¹, R.M. Neves ¹⁰⁸, P. Nevski ²⁵, F.M. Newcomer ¹²⁰, P.R. Newman ¹⁸, V. Nguyen Thi Hong ¹³⁶, R.B. Nickerson ¹¹⁸, R. Nicolaïdou ¹³⁶, B. Nicquevert ³⁰, F. Niedercorn ¹¹⁵, J. Nielsen ¹³⁷, N. Nikiforou ³⁵, A. Nikiforov ¹⁶, V. Nikolaenko ¹²⁸, I. Nikolic-Audit ⁷⁸, K. Nikolics ⁴⁹, K. Nikolopoulos ¹⁸, H. Nilsen ⁴⁸, P. Nilsson ⁸, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, R. Nisius ⁹⁹, T. Nobe ¹⁵⁷, L. Nodulman ⁶, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴, S. Norberg ¹¹¹, M. Nordberg ³⁰, P.R. Norton ¹²⁹, J. Novakova ¹²⁶, M. Nozaki ⁶⁵, L. Nozka ¹¹³, I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²¹, G. Nunes Hanninger ⁸⁶, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷, B.J. O'Brien ⁴⁶, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, L.B. Oakes ⁹⁸, F.G. Oakham ^{29,d}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸, A. Ochi ⁶⁶, S. Oda ⁶⁹, S. Odaka ⁶⁵, J. Odier ⁸³, H. Ogren ⁶⁰, A. Oh ⁸², S.H. Oh ⁴⁵, C.C. Ohm ³⁰, T. Ohshima ¹⁰¹, W. Okamura ¹¹⁶, H. Okawa ²⁵, Y. Okumura ³¹, T. Okuyama ¹⁵⁵, A. Olariu ^{26a}, A.G. Olchevski ⁶⁴, S.A. Olivares Pino ^{32a}, M. Oliveira ^{124a,g}, D. Oliveira Damazio ²⁵, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰, A. Olszewski ³⁹, J. Olszowska ³⁹, A. Onofre ^{124a,z}, P.U.E. Onyisi ³¹, C.J. Oram ^{159a}, M.J. Oreglia ³¹, Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, N. Orlando ^{72a,72b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, B. Osculati ^{50a,50b}, R. Ospanov ¹²⁰, C. Osuna ¹², G. Otero y Garzon ²⁷, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d}, E.A. Ouellette ¹⁶⁹, F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶, Q. Ouyang ^{33a}, A. Ovcharova ¹⁵, M. Owen ⁸², S. Owen ¹³⁹, V.E. Ozcan ^{19a}, N. Ozturk ⁸, A. Pacheco Pages ¹², C. Padilla Aranda ¹², S. Pagan Griso ¹⁵, E. Paganis ¹³⁹, C. Pahl ⁹⁹, F. Paige ²⁵, P. Pais ⁸⁴, K. Pajchel ¹¹⁷, G. Palacino ^{159b}, C.P. Paleari ⁷, S. Palestini ³⁰, D. Pallin ³⁴, A. Palma ^{124a}, J.D. Palmer ¹⁸, Y.B. Pan ¹⁷³, E. Panagiotopoulou ¹⁰, J.G. Panduro Vazquez ⁷⁶, P. Pani ¹⁰⁵, N. Panikashvili ⁸⁷, S. Panitkin ²⁵, D. Pantea ^{26a}, A. Papadelis ^{146a}, Th.D. Papadopoulou ¹⁰, A. Paramonov ⁶, D. Paredes Hernandez ³⁴, W. Park ^{25,aa}, M.A. Parker ²⁸, F. Parodi ^{50a,50b}, J.A. Parsons ³⁵, U. Parzefall ⁴⁸, S. Pashapour ⁵⁴, E. Pasqualucci ^{132a}, S. Passaggio ^{50a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b,*}, Fr. Pastore ⁷⁶, G. Pásztor ^{49,ab}, S. Pataraia ¹⁷⁵, N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ³⁰, M. Pecsy ^{144a}, S. Pedraza Lopez ¹⁶⁷, M.I. Pedraza Morales ¹⁷³, S.V. Peleganchuk ¹⁰⁷, D. Pelikan ¹⁶⁶, H. Peng ^{33b}, B. Penning ³¹, A. Penson ³⁵, J. Penwell ⁶⁰, M. Perantoni ^{24a}, K. Perez ^{35,ac}, T. Perez Cavalcanti ⁴², E. Perez Codina ^{159a}, M.T. Pérez García-Estañ ¹⁶⁷, V. Perez Reale ³⁵, L. Perini ^{89a,89b}, H. Pernegger ³⁰, R. Perrino ^{72a}, P. Perrodo ⁵, V.D. Peshekhonov ⁶⁴, K. Peters ³⁰, B.A. Petersen ³⁰, J. Petersen ³⁰, T.C. Petersen ³⁶, E. Petit ⁵, A. Petridis ¹⁵⁴, C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petrucci ^{134a,134b}, D. Petschull ⁴², M. Petteni ¹⁴², R. Pezoa ^{32b}, A. Phan ⁸⁶, P.W. Phillips ¹²⁹, G. Piacquadio ³⁰, A. Picazio ⁴⁹, E. Piccaro ⁷⁵, M. Piccinini ^{20a,20b}, S.M. Piec ⁴², R. Piegala ²⁷, D.T. Pignotti ¹⁰⁹, J.E. Pilcher ³¹, A.D. Pilkington ⁸², J. Pina ^{124a,b}, M. Pinamonti ^{164a,164c}, A. Pinder ¹¹⁸, J.L. Pinfold ³, B. Pinto ^{124a}, C. Pizio ^{89a,89b}, M. Plamondon ¹⁶⁹, M.-A. Pleier ²⁵, E. Plotnikova ⁶⁴, A. Poblaguev ²⁵, S. Poddar ^{58a}, F. Podlaski ³⁴, L. Poggiali ¹¹⁵, D. Pohl ²¹, M. Pohl ⁴⁹, G. Polesello ^{119a}, A. Policicchio ^{37a,37b}, A. Polini ^{20a}, J. Poll ⁷⁵, V. Polychronakos ²⁵, D. Pomeroy ²³, K. Pommès ³⁰, L. Pontecorvo ^{132a}, B.G. Pope ⁸⁸, G.A. Popeneciu ^{26a}, D.S. Popovic ^{13a}, A. Poppleton ³⁰, X. Portell Bueso ³⁰, G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷, I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁴, G. Poulard ³⁰, J. Poveda ⁶⁰, V. Pozdnyakov ⁶⁴, R. Prabhu ⁷⁷, P. Pralavorio ⁸³, A. Pranko ¹⁵, S. Prasad ³⁰, R. Pravahan ²⁵, S. Prell ⁶³, K. Pretzl ¹⁷, D. Price ⁶⁰, J. Price ⁷³, L.E. Price ⁶, D. Prieur ¹²³, M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{32b}, S. Protopopescu ²⁵, J. Proudfoot ⁶, X. Prudent ⁴⁴, M. Przybycien ³⁸, H. Przysiezniak ⁵, S. Psoroulas ²¹, E. Ptacek ¹¹⁴, E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{25,aa}, P. Puzo ¹¹⁵, Y. Pylypchenko ⁶², J. Qian ⁸⁷, A. Quadt ⁵⁴, D.R. Quarrie ¹⁵, W.B. Quayle ¹⁷³, F. Quinonez ^{32a}, M. Raas ¹⁰⁴, V. Radeka ²⁵, V. Radescu ⁴², P. Radloff ¹¹⁴, T. Rador ^{19a}, F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁸, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁵, S. Rajagopalan ²⁵, M. Rammensee ⁴⁸, M. Rammies ¹⁴¹, A.S. Randle-Conde ⁴⁰, K. Randrianarivony ²⁹, F. Rauscher ⁹⁸, T.C. Rave ⁴⁸, M. Raymond ³⁰, A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁵, R. Reece ¹²⁰, K. Reeves ⁴¹, E. Reinherz-Aronis ¹⁵³, A. Reinsch ¹¹⁴, I. Reisinger ⁴³, C. Rembser ³⁰, Z.L. Ren ¹⁵¹,

- A. Renaud 115, M. Rescigno 132a, S. Resconi 89a, B. Resende 136, P. Reznicek 98, R. Rezvani 158, R. Richter 99, E. Richter-Was 5,ad, M. Ridel 78, M. Rijpstra 105, M. Rijssenbeek 148, A. Rimoldi 119a,119b, L. Rinaldi 20a, R.R. Rios 40, I. Riu 12, G. Rivoltella 89a,89b, F. Rizatdinova 112, E. Rizvi 75, S.H. Robertson 85,j, A. Robichaud-Veronneau 118, D. Robinson 28, J.E.M. Robinson 82, A. Robson 53, J.G. Rocha de Lima 106, C. Roda 122a,122b, D. Roda Dos Santos 30, A. Roe 54, S. Roe 30, O. Røhne 117, S. Rolli 161, A. Romaniouk 96, M. Romano 20a,20b, G. Romeo 27, E. Romero Adam 167, N. Rompotis 138, L. Roos 78, E. Ros 167, S. Rosati 132a, K. Rosbach 49, A. Rose 149, M. Rose 76, G.A. Rosenbaum 158, E.I. Rosenberg 63, P.L. Rosendahl 14, O. Rosenthal 141, L. Rosselet 49, V. Rossetti 12, E. Rossi 132a,132b, L.P. Rossi 50a, M. Rotaru 26a, I. Roth 172, J. Rothberg 138, D. Rousseau 115, C.R. Royon 136, A. Rozanov 83, Y. Rozen 152, X. Ruan 33a,ae, F. Rubbo 12, I. Rubinskiy 42, N. Ruckstuhl 105, V.I. Rud 97, C. Rudolph 44, G. Rudolph 61, F. Rühr 7, A. Ruiz-Martinez 63, L. Rumyantsev 64, Z. Rurikova 48, N.A. Rusakovich 64, A. Ruschke 98, J.P. Rutherford 7, P. Ruzicka 125, Y.F. Ryabov 121, M. Rybar 126, G. Rybkin 115, N.C. Ryder 118, A.F. Saavedra 150, I. Sadeh 153, H.F-W. Sadrozinski 137, R. Sadykov 64, F. Safai Tehrani 132a, H. Sakamoto 155, G. Salamanna 75, A. Salamon 133a, M. Saleem 111, D. Salek 30, D. Salihagic 99, A. Salnikov 143, J. Salt 167, B.M. Salvachua Ferrando 6, D. Salvatore 37a,37b, F. Salvatore 149, A. Salvucci 104, A. Salzburger 30, D. Sampsonidis 154, B.H. Samset 117, A. Sanchez 102a,102b, V. Sanchez Martinez 167, H. Sandaker 14, H.G. Sander 81, M.P. Sanders 98, M. Sandhoff 175, T. Sandoval 28, C. Sandoval 162, R. Sandstroem 99, D.P.C. Sankey 129, A. Sansoni 47, C. Santamarina Rios 85, C. Santoni 34, R. Santonicco 133a,133b, H. Santos 124a, J.G. Saraiva 124a, T. Sarangi 173, E. Sarkisyan-Grinbaum 8, F. Sarri 122a,122b, G. Sartisohn 175, O. Sasaki 65, Y. Sasaki 155, N. Sasao 67, I. Satsounkevitch 90, G. Sauvage 5,* , E. Sauvan 5, J.B. Sauvan 115, P. Savard 158,d, V. Savinov 123, D.O. Savu 30, L. Sawyer 25,l, D.H. Saxon 53, J. Saxon 120, C. Sbarra 20a, A. Sbrizzi 20a,20b, D.A. Scannicchio 163, M. Scarcella 150, J. Schaarschmidt 115, P. Schacht 99, D. Schaefer 120, U. Schäfer 81, A. Schaelicke 46, S. Schaepe 21, S. Schatzel 58b, A.C. Schaffer 115, D. Schiale 98, R.D. Schamberger 148, A.G. Schamov 107, V. Scharf 58a, V.A. Schegelsky 121, D. Scheirich 87, M. Schernau 163, M.I. Scherzer 35, C. Schiavi 50a,50b, J. Schieck 98, M. Schioppa 37a,37b, S. Schlenker 30, E. Schmidt 48, K. Schmieden 21, C. Schmitt 81, S. Schmitt 58b, M. Schmitz 21, B. Schneider 17, U. Schnoor 44, L. Schoeffel 136, A. Schoening 58b, A.L.S. Schorlemmer 54, M. Schott 30, D. Schouten 159a, J. Schovancova 125, M. Schram 85, C. Schroeder 81, N. Schroer 58c, M.J. Schultens 21, J. Schultes 175, H.-C. Schultz-Coulon 58a, H. Schulz 16, M. Schumacher 48, B.A. Schumm 137, Ph. Schune 136, C. Schwanenberger 82, A. Schwartzman 143, Ph. Schwegler 99, Ph. Schwemling 78, R. Schwienhorst 88, R. Schwierz 44, J. Schwindling 136, T. Schwindt 21, M. Schwoerer 5, G. Sciolla 23, W.G. Scott 129, J. Searcy 114, G. Sedov 42, E. Sedykh 121, S.C. Seidel 103, A. Seiden 137, F. Seifert 44, J.M. Seixas 24a, G. Sekhniaidze 102a, S.J. Sekula 40, K.E. Selbach 46, D.M. Seliverstov 121, B. Sellden 146a, G. Sellers 73, M. Seman 144b, N. Semprini-Cesari 20a,20b, C. Serfon 98, L. Serin 115, L. Serkin 54, R. Seuster 159a, H. Severini 111, A. Sfyrla 30, E. Shabalina 54, M. Shamim 114, L.Y. Shan 33a, J.T. Shank 22, Q.T. Shao 86, M. Shapiro 15, P.B. Shatalov 95, K. Shaw 164a,164c, D. Sherman 176, P. Sherwood 77, S. Shimizu 101, M. Shimojima 100, T. Shin 56, M. Shiyakova 64, A. Shmeleva 94, M.J. Shochet 31, D. Short 118, S. Shrestha 63, E. Shulga 96, M.A. Shupe 7, P. Sicho 125, A. Sidoti 132a, F. Siegert 48, Dj. Sijacki 13a, O. Silbert 172, J. Silva 124a, Y. Silver 153, D. Silverstein 143, S.B. Silverstein 146a, V. Simak 127, O. Simard 136, Lj. Simic 13a, S. Simion 115, E. Simioni 81, B. Simmons 77, R. Simoniello 89a,89b, M. Simonyan 36, P. Sinervo 158, N.B. Sinev 114, V. Sipica 141, G. Siragusa 174, A. Sircar 25, A.N. Sisakyan 64,* , S.Yu. Sivoklokov 97, J. Sjölin 146a,146b, T.B. Sjursen 14, L.A. Skinnari 15, H.P. Skottowe 57, K. Skovpen 107, P. Skubic 111, M. Slater 18, T. Slavicek 127, K. Sliwa 161, V. Smakhtin 172, B.H. Smart 46, L. Smestad 117, S.Yu. Smirnov 96, Y. Smirnov 96, L.N. Smirnova 97, O. Smirnova 79, B.C. Smith 57, D. Smith 143, K.M. Smith 53, M. Smizanska 71, K. Smolek 127, A.A. Snescarev 94, S.W. Snow 82, J. Snow 111, S. Snyder 25, R. Sobie 169,j, J. Sodomka 127, A. Soffer 153, C.A. Solans 167, M. Solar 127, J. Solc 127, E.Yu. Soldatov 96, U. Soldevila 167, E. Solfaroli Camillocci 132a,132b, A.A. Solodkov 128, O.V. Solovyev 128, V. Solovyev 121, N. Soni 1, V. Sopko 127, B. Sopko 127, M. Sosebee 8, R. Soualah 164a,164c, A. Soukharev 107, S. Spagnolo 72a,72b, F. Spanò 76, R. Spighi 20a, G. Spigo 30, R. Spiwoks 30, M. Spousta 126,af, T. Spreitzer 158, B. Spurlock 8, R.D. St. Denis 53, J. Stahlman 120, R. Stamen 58a, E. Stancka 39, R.W. Stanek 6, C. Stanescu 134a, M. Stanescu-Bellu 42, M.M. Stanitzki 42, S. Stapnes 117, E.A. Starchenko 128, J. Stark 55, P. Staroba 125, P. Starovoitov 42, R. Staszewski 39, A. Staude 98, P. Stavina 144a,* , G. Steele 53, P. Steinbach 44, P. Steinberg 25, I. Stekl 127, B. Stelzer 142, H.J. Stelzer 88, O. Stelzer-Chilton 159a, H. Stenzel 52, S. Stern 99,

- G.A. Stewart ³⁰, J.A. Stillings ²¹, M.C. Stockton ⁸⁵, K. Stoerig ⁴⁸, G. Stoicea ^{26a}, S. Stonjek ⁹⁹, P. Strachota ¹²⁶, A.R. Stradling ⁸, A. Straessner ⁴⁴, J. Strandberg ¹⁴⁷, S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁷, M. Strang ¹⁰⁹, E. Strauss ¹⁴³, M. Strauss ¹¹¹, P. Strizenec ^{144b}, R. Ströhmer ¹⁷⁴, D.M. Strom ¹¹⁴, J.A. Strong ^{76,*}, R. Stroynowski ⁴⁰, B. Stugu ¹⁴, I. Stumer ^{25,*}, J. Stupak ¹⁴⁸, P. Sturm ¹⁷⁵, N.A. Styles ⁴², D.A. Soh ^{151,t}, D. Su ¹⁴³, HS. Subramania ³, R. Subramaniam ²⁵, A. Succurro ¹², Y. Sugaya ¹¹⁶, C. Suhr ¹⁰⁶, M. Suk ¹²⁶, V.V. Sulin ⁹⁴, S. Sultansoy ^{4d}, T. Sumida ⁶⁷, X. Sun ⁵⁵, J.E. Sundermann ⁴⁸, K. Suruliz ¹³⁹, G. Susinno ^{37a,37b}, M.R. Sutton ¹⁴⁹, Y. Suzuki ⁶⁵, Y. Suzuki ⁶⁶, M. Svatos ¹²⁵, S. Swedish ¹⁶⁸, I. Sykora ^{144a}, T. Sykora ¹²⁶, J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵, K. Tackmann ⁴², A. Taffard ¹⁶³, R. Tafirout ^{159a}, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹, H. Takai ²⁵, R. Takashima ⁶⁸, H. Takeda ⁶⁶, T. Takeshita ¹⁴⁰, Y. Takubo ⁶⁵, M. Talby ⁸³, A. Talyshov ^{107,f}, M.C. Tamsett ²⁵, K.G. Tan ⁸⁶, J. Tanaka ¹⁵⁵, R. Tanaka ¹¹⁵, S. Tanaka ¹³¹, S. Tanaka ⁶⁵, A.J. Tanasijczuk ¹⁴², K. Tani ⁶⁶, N. Tannoury ⁸³, S. Tapprogge ⁸¹, D. Tardif ¹⁵⁸, S. Tarem ¹⁵², F. Tarrade ²⁹, G.F. Tartarelli ^{89a}, P. Tas ¹²⁶, M. Tasevsky ¹²⁵, E. Tassi ^{37a,37b}, M. Tatarkhanov ¹⁵, Y. Tayalati ^{135d}, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b}, M. Teinturier ¹¹⁵, F.A. Teischinger ³⁰, M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ³⁰, P.K. Teng ¹⁵¹, S. Terada ⁶⁵, K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Testa ⁴⁷, R.J. Teuscher ^{158,j}, J. Therhaag ²¹, T. Theveneaux-Pelzer ⁷⁸, S. Thoma ⁴⁸, J.P. Thomas ¹⁸, E.N. Thompson ³⁵, P.D. Thompson ¹⁸, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³, L.A. Thomsen ³⁶, E. Thomson ¹²⁰, M. Thomson ²⁸, W.M. Thong ⁸⁶, R.P. Thun ⁸⁷, F. Tian ³⁵, M.J. Tibbetts ¹⁵, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ^{107,f}, S. Timoshenko ⁹⁶, E. Tiouchichine ⁸³, P. Tipton ¹⁷⁶, S. Tisserant ⁸³, T. Todorov ⁵, S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁹, S. Tokár ^{144a}, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ³¹, K. Toms ¹⁰³, A. Tonoyan ¹⁴, C. Topfel ¹⁷, N.D. Topilin ⁶⁴, I. Torchiani ³⁰, E. Torrence ¹¹⁴, H. Torres ⁷⁸, E. Torró Pastor ¹⁶⁷, J. Toth ^{83,ab}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁷⁸, M.F. Tripiana ⁷⁰, N. Triplett ²⁵, W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², P. True ⁸⁸, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.-C.L. Tseng ¹¹⁸, M. Tsiakiris ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ^{5,ag}, G. Tsipolitis ¹⁰, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁵, J.-W. Tsung ²¹, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{26a}, V. Tudorache ^{26a}, J.M. Tuggle ³¹, M. Turala ³⁹, D. Turecek ¹²⁷, I. Turk Cakir ^{4e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁵, A. Tykhonov ⁷⁴, M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, G. Tzanakos ⁹, K. Uchida ²¹, I. Ueda ¹⁵⁵, R. Ueno ²⁹, M. Ugland ¹⁴, M. Uhlenbrock ²¹, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶³, Y. Unno ⁶⁵, D. Urbaniec ³⁵, P. Urquijo ²¹, G. Usai ⁸, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³, V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁵, J. Valenta ¹²⁵, S. Valentinetti ^{20a,20b}, A. Valero ¹⁶⁷, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, R. Van Berg ¹²⁰, P.C. Van Der Deijl ¹⁰⁵, R. van der Geer ¹⁰⁵, H. van der Graaf ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ³⁰, N. van Eldik ³⁰, P. van Gemmeren ⁶, I. van Vulpen ¹⁰⁵, M. Vanadia ⁹⁹, W. Vandelli ³⁰, A. Vaniachine ⁶, P. Vankov ⁴², F. Vannucci ⁷⁸, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁸⁴, D. Varouchas ¹⁵, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³⁴, T. Vazquez Schroeder ⁵⁴, G. Vegni ^{89a,89b}, JJ. Veillet ¹¹⁵, F. Veloso ^{124a}, R. Veness ³⁰, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ⁸⁴, M. Venturi ⁴⁸, N. Venturi ¹⁵⁸, V. Vercesi ^{119a}, M. Verducci ¹³⁸, W. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest ⁴⁴, M.C. Vetterli ^{142,d}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,ah}, O.E. Vickey Boeriu ^{145b}, G.H.A. Viehhauser ¹¹⁸, S. Viel ¹⁶⁸, M. Villa ^{20a,20b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁹, E. Vinek ³⁰, V.B. Vinogradov ⁶⁴, M. Virchaux ^{136,*}, J. Virzi ¹⁵, O. Vitells ¹⁷², M. Viti ⁴², I. Vivarelli ⁴⁸, F. Vives Vaque ³, S. Vlachos ¹⁰, D. Vladoiu ⁹⁸, M. Vlasak ¹²⁷, A. Vogel ²¹, P. Vokac ¹²⁷, G. Volpi ⁴⁷, M. Volpi ⁸⁶, G. Volpini ^{89a}, H. von der Schmitt ⁹⁹, H. von Radziewski ⁴⁸, E. von Toerne ²¹, V. Vorobel ¹²⁶, V. Vorwerk ¹², M. Vos ¹⁶⁷, R. Voss ³⁰, T.T. Voss ¹⁷⁵, J.H. Vossebeld ⁷³, N. Vranjes ¹³⁶, M. Vranjes Milosavljevic ¹⁰⁵, V. Vrba ¹²⁵, M. Vreeswijk ¹⁰⁵, T. Vu Anh ⁴⁸, R. Vuillermet ³⁰, I. Vukotic ³¹, W. Wagner ¹⁷⁵, P. Wagner ¹²⁰, H. Wahnen ¹⁷⁵, S. Wahr mund ⁴⁴, J. Wakabayashi ¹⁰¹, S. Walch ⁸⁷, J. Walder ⁷¹, R. Walker ⁹⁸, W. Walkowiak ¹⁴¹, R. Wall ¹⁷⁶, P. Waller ⁷³, B. Walsh ¹⁷⁶, C. Wang ⁴⁵, H. Wang ¹⁷³, H. Wang ^{33b,ai}, J. Wang ¹⁵¹, J. Wang ⁵⁵, R. Wang ¹⁰³, S.M. Wang ¹⁵¹, T. Wang ²¹, A. Warburton ⁸⁵, C.P. Ward ²⁸, D.R. Wardrope ⁷⁷, M. Warsinsky ⁴⁸, A. Washbrook ⁴⁶, C. Wasicki ⁴², I. Watanabe ⁶⁶, P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵⁰, M.F. Watson ¹⁸, G. Watts ¹³⁸, S. Watts ⁸², A.T. Waugh ¹⁵⁰, B.M. Waugh ⁷⁷, M.S. Weber ¹⁷, P. Weber ⁵⁴, J.S. Webster ³¹, A.R. Weidberg ¹¹⁸, P. Weigell ⁹⁹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, P.S. Wells ³⁰, T. Wenaus ²⁵, D. Wendland ¹⁶, Z. Weng ^{151,t}, T. Wengler ³⁰, S. Wenig ³⁰, N. Wermes ²¹, M. Werner ⁴⁸, P. Werner ³⁰,

M. Werth¹⁶³, M. Wessels^{58a}, J. Wetter¹⁶¹, C. Weydert⁵⁵, K. Whalen²⁹, A. White⁸, M.J. White⁸⁶, S. White^{122a,122b}, S.R. Whitehead¹¹⁸, D. Whiteson¹⁶³, D. Whittington⁶⁰, F. Wicek¹¹⁵, D. Wicke¹⁷⁵, F.J. Wickens¹²⁹, W. Wiedenmann¹⁷³, M. Wielers¹²⁹, P. Wienemann²¹, C. Wiglesworth⁷⁵, L.A.M. Wiik-Fuchs²¹, P.A. Wijeratne⁷⁷, A. Wildauer⁹⁹, M.A. Wildt^{42,q}, I. Wilhelm¹²⁶, H.G. Wilkens³⁰, J.Z. Will⁹⁸, E. Williams³⁵, H.H. Williams¹²⁰, W. Willis³⁵, S. Willocq⁸⁴, J.A. Wilson¹⁸, M.G. Wilson¹⁴³, A. Wilson⁸⁷, I. Wingerter-Seez⁵, S. Winkelmann⁴⁸, F. Winklmeier³⁰, M. Wittgen¹⁴³, S.J. Wollstadt⁸¹, M.W. Wolter³⁹, H. Wolters^{124a,g}, W.C. Wong⁴¹, G. Wooden⁸⁷, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸², K.W. Wozniak³⁹, K. Wright⁵³, M. Wright⁵³, B. Wrona⁷³, S.L. Wu¹⁷³, X. Wu⁴⁹, Y. Wu^{33b,aj}, E. Wulf³⁵, B.M. Wynne⁴⁶, S. Xella³⁶, M. Xiao¹³⁶, S. Xie⁴⁸, C. Xu^{33b,x}, D. Xu¹³⁹, B. Yabsley¹⁵⁰, S. Yacoob^{145a,ak}, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁵, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁵, T. Yamamura¹⁵⁵, T. Yamanaka¹⁵⁵, T. Yamazaki¹⁵⁵, Y. Yamazaki⁶⁶, Z. Yan²², H. Yang⁸⁷, U.K. Yang⁸², Y. Yang¹⁰⁹, Z. Yang^{146a,146b}, S. Yanush⁹¹, L. Yao^{33a}, Y. Yao¹⁵, Y. Yasu⁶⁵, G.V. Ybeles Smit¹³⁰, J. Ye⁴⁰, S. Ye²⁵, M. Yilmaz^{4c}, R. Yoosoofmiya¹²³, K. Yorita¹⁷¹, R. Yoshida⁶, K. Yoshihara¹⁵⁵, C. Young¹⁴³, C.J. Young¹¹⁸, S. Youssef²², D. Yu²⁵, J. Yu⁸, J. Yu¹¹², L. Yuan⁶⁶, A. Yurkewicz¹⁰⁶, B. Zabinski³⁹, R. Zaidan⁶², A.M. Zaitsev¹²⁸, Z. Zajacova³⁰, L. Zanello^{132a,132b}, D. Zanzi⁹⁹, A. Zaytsev²⁵, C. Zeitnitz¹⁷⁵, M. Zeman¹²⁵, A. Zemla³⁹, C. Zendler²¹, O. Zenin¹²⁸, T. Ženiš^{144a}, Z. Zinonos^{122a,122b}, S. Zenz¹⁵, D. Zerwas¹¹⁵, G. Zevi della Porta⁵⁷, D. Zhang^{33b,ai}, H. Zhang⁸⁸, J. Zhang⁶, X. Zhang^{33d}, Z. Zhang¹¹⁵, L. Zhao¹⁰⁸, Z. Zhao^{33b}, A. Zhemchugov⁶⁴, J. Zhong¹¹⁸, B. Zhou⁸⁷, N. Zhou¹⁶³, Y. Zhou¹⁵¹, C.G. Zhu^{33d}, H. Zhu⁴², J. Zhu⁸⁷, Y. Zhu^{33b}, X. Zhuang⁹⁸, V. Zhuravlov⁹⁹, A. Zibell⁹⁸, D. Ziemska⁶⁰, N.I. Zimin⁶⁴, R. Zimmermann²¹, S. Zimmermann²¹, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁵, L. Živković³⁵, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷³, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, V. Zutshi¹⁰⁶, L. Zwalinski³⁰

¹ School of Chemistry and Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Dumluipinar University, Kutahya; (c) Department of Physics, Gazi University, Ankara; (d) Division of Physics, TOBB University of Economics and Technology, Ankara; (e) Turkish Atomic Energy Authority, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain¹³ (a) Institute of Physics, University of Belgrade, Belgrade; (b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ (a) Department of Physics, Bogazici University, Istanbul; (b) Division of Physics, Dogus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep;²⁰ (d) Department of Physics, Istanbul Technical University, Istanbul, Turkey²¹ (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy²² Physikalisches Institut, University of Bonn, Bonn, Germany²³ Department of Physics, Boston University, Boston, MA, United States²⁴ Department of Physics, Brandeis University, Waltham, MA, United States²⁵ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of São João del Rei (UFSJ), São João del Rei; (d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁶ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁷ (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) University Politehnica Bucharest, Bucharest; (c) West University in Timisoara, Timisoara, Romania²⁸ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³⁰ Department of Physics, Carleton University, Ottawa, ON, Canada³¹ CERN, Geneva, Switzerland³² Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³³ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³⁴ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui; (c) Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong, China³⁵ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁶ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁷ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁸ INFN Gruppo Collegato di Cosenza; (b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy³⁹ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland⁴⁰ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland⁴¹ Physics Department, Southern Methodist University, Dallas, TX, United States⁴² DESY, Hamburg and Zeuthen, Germany

- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
⁴⁴ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
⁴⁵ Department of Physics, Duke University, Durham, NC, United States
⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States
⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States
⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶² University of Iowa, Iowa City, IA, United States
⁶³ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁸ Kyoto University of Education, Kyoto, Japan
⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁷⁹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁰ Departamento de Física Teorica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸³ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁴ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁵ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
⁸⁷ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁸⁹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹³ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁷ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰¹ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰² ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York, NY, United States
¹⁰⁹ Ohio State University, Columbus, OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹³ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁵ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States

- ¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²² ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁴ ^(a) Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal; ^(b) Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³² ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁵ ^(a) Department of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia
¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵² Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁸ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁵⁹ ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁶⁰ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶¹ Department of Physics and Astronomy, Tufts University, Medford, MA, United States
¹⁶² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
¹⁶⁴ ^(a) INFN Gruppo Collegato di Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁵ Department of Physics, University of Illinois, Urbana, IL, United States
¹⁶⁶ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁷ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
¹⁶⁸ Department of Physics, University of British Columbia, Vancouver, BC, Canada
¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷¹ Waseda University, Tokyo, Japan
¹⁷² Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
¹⁷³ Department of Physics, University of Wisconsin, Madison, WI, United States
¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
¹⁷⁵ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁷⁶ Department of Physics, Yale University, New Haven, CT, United States
¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia
¹⁷⁸ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics, California State University, Fresno, CA, United States.^f Also at Novosibirsk State University, Novosibirsk, Russia.^g Also at Department of Physics, University of Coimbra, Coimbra, Portugal.^h Also at Department of Physics, UASLP, San Luis Potosi, Mexico.ⁱ Also at Università di Napoli Parthenope, Napoli, Italy.^j Also at Institute of Particle Physics (IPP), Canada.^k Also at Department of Physics, Middle East Technical University, Ankara, Turkey.^l Also at Louisiana Tech University, Ruston, LA, United States.^m Also at Dep Fisica and CEFITEC de Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

- ⁿ Also at Department of Physics and Astronomy, University College London, London, United Kingdom.
- ^o Also at Department of Physics, University of Cape Town, Cape Town, South Africa.
- ^p Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
- ^q Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
- ^r Also at Manhattan College, New York, NY, United States.
- ^s Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- ^t Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
- ^u Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^v Also at School of Physics, Shandong University, Shandong, China.
- ^w Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.
- ^x Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.
- ^y Also at Section de Physique, Université de Genève, Geneva, Switzerland.
- ^z Also at Departamento de Física, Universidade de Minho, Braga, Portugal.
- ^{aa} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.
- ^{ab} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{ac} Also at California Institute of Technology, Pasadena, CA, United States.
- ^{ad} Also at Institute of Physics, Jagiellonian University, Krakow, Poland.
- ^{ae} Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.
- ^{af} Also at Nevis Laboratory, Columbia University, Irvington, NY, United States.
- ^{ag} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.
- ^{ah} Also at Department of Physics, Oxford University, Oxford, United Kingdom.
- ^{ai} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^{aj} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.
- ^{ak} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.
- * Deceased.