



Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in final states with missing transverse momentum and b -jets[☆]

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 23 March 2011

Received in revised form 25 May 2011

Accepted 7 June 2011

Available online 16 June 2011

Editor: H. Weerts

Keywords:

Supersymmetry

ATLAS

LHC

Sbottom

Stop

Gluino

ABSTRACT

Results are presented of a search for supersymmetric particles in events with large missing transverse momentum and at least one heavy flavour jet candidate in $\sqrt{s} = 7$ TeV proton–proton collisions. In a data sample corresponding to an integrated luminosity of 35 pb^{-1} recorded by the ATLAS experiment at the Large Hadron Collider, no significant excess is observed with respect to the prediction for Standard Model processes. For R -parity conserving models in which sbottoms (stops) are the only squarks to appear in the gluino decay cascade, gluino masses below 590 GeV (520 GeV) are excluded at the 95% C.L. The results are also interpreted in an MSUGRA/CMSSM supersymmetry breaking scenario with $\tan\beta = 40$ and in an SO(10) model framework.

© 2011 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Supersymmetry (SUSY) [1] is one of the most compelling theories to describe physics beyond the Standard Model (SM). It naturally solves the hierarchy problem and provides a possible candidate for dark matter. SUSY is a symmetry that relates fermionic and bosonic degrees of freedom, and postulates the existence of superpartners for the SM particles. Experimental data imply that supersymmetry is broken and that the superpartners are expected to be heavier than the SM partners. In the framework of a generic R -parity conserving minimal supersymmetric extension of the SM, the MSSM [2], SUSY particles are produced in pairs and the lightest supersymmetric particle (LSP) is stable. In a large variety of models, the LSP is the lightest neutralino, $\tilde{\chi}_1^0$, which is only weakly interacting.

If supersymmetric particles exist at the TeV energy scale, the coloured superpartners of quarks and gluons, the squarks (\tilde{q}) and gluinos (\tilde{g}), are expected to be copiously produced via the strong interaction at the Large Hadron Collider (LHC) [3,4]. Their decays via cascades ending with the LSP produce striking experimental signatures leading to final states containing multi-jets, missing transverse momentum (its magnitude is referred to as E_T^{miss} in the following) – resulting from the undetected neutralinos – and possibly leptons. First searches for the production of SUSY particles at the LHC have been published recently [5–7].

In the MSSM, the scalar partners of right-handed and left-handed quarks, \tilde{q}_R and \tilde{q}_L , can mix to form two mass eigenstates. These mixing effects are proportional to the corresponding fermion masses and therefore become important for the third generation. In particular, large mixing can yield sbottom (\tilde{b}_1) and stop (\tilde{t}_1) mass eigenstates which are significantly lighter than other squarks. Consequently, \tilde{b}_1 and \tilde{t}_1 could be produced with large cross sections at the LHC, either via direct pair production or, if kinematically allowed, through $\tilde{g}\tilde{g}$ production with subsequent $\tilde{g} \rightarrow \tilde{b}_1 b$ or $\tilde{g} \rightarrow \tilde{t}_1 t$ decays. Depending on the SUSY particle mass spectrum, the cascade decays of gluino-mediated and pair-produced sbottoms or stops result in complex final states consisting of E_T^{miss} , several jets, among which b -quark jets (b -jets) are expected, and possibly leptons.

In this Letter, a search for final states involving E_T^{miss} and b -quark jets is discussed. Results on searches for direct sbottom [8, 9], stop [10,11] and gluino mediated production [12] have been previously reported by the Tevatron experiments, placing exclusion limits on the mass of these particles in several MSSM scenarios.

The search described here is based on pp collision data at a centre-of-mass energy of 7 TeV recorded by the ATLAS experiment at the LHC in 2010. The total data set corresponds to an integrated luminosity of 35 pb^{-1} [13]. To enhance the sensitivity to different SUSY models, the search was performed using two mutually exclusive final states, characterised by the presence of leptons. They are referred to as zero-lepton and one-lepton analyses in the following.

In the zero-lepton analysis, events are required to contain energetic jets, of which one must be identified as a b -jet, large E_T^{miss} and no isolated leptons (e or μ). The zero-lepton analysis

[☆] © CERN, for the benefit of the ATLAS Collaboration.

* E-mail address: atlas.publications@cern.ch.

is employed to search for gluinos and sbottoms in MSSM scenarios where the \tilde{b}_1 is the lightest squark, all other squarks are heavier than the gluino, and $m_{\tilde{g}} > m_{\tilde{b}_1} > m_{\tilde{\chi}_1^0}$, such that the branching ratio for $\tilde{g} \rightarrow \tilde{b}_1 b$ decays is 100%. Sbottoms are produced via gluino-mediated processes or via direct pair production. They are assumed to decay exclusively via $\tilde{b}_1 \rightarrow b \tilde{\chi}_1^0$, where $m_{\tilde{\chi}_1^0}$ is assumed to be 60 GeV, above the present exclusion limit [14].

In the one-lepton analysis, events are required to contain energetic jets, of which one must be identified as a b -jet, large E_T^{miss} and at least one high- p_T electron or muon. This analysis is sensitive to SUSY scenarios in which the stop is the lightest squark and $m_{\tilde{g}} > m_{\tilde{t}_1}$. If the stop decay channel $\tilde{t}_1 \rightarrow b \tilde{\chi}_1^\pm$ dominates, possible subsequent $\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0 l^\pm \nu$ decays result in experimental signatures with energetic charged leptons in addition to b -jets and E_T^{miss} . In the present analysis, only $\tilde{g}\tilde{g}$ and $\tilde{t}_1\tilde{t}_1$ pair production are considered, with 100% branching ratios for the $\tilde{g} \rightarrow \tilde{t}_1 t$ and $\tilde{t}_1 \rightarrow b \tilde{\chi}_1^\pm$ decays. The chargino is assumed to have a mass $m_{\tilde{\chi}_1^\pm} \simeq 2 \cdot m_{\tilde{\chi}_1^0}$, with $m_{\tilde{\chi}_1^0} = 60$ GeV, and to decay through a virtual W boson ($\text{BR}(\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0 l^\pm \nu) = 11\%$).

In addition to the aforementioned phenomenological MSSM models, the results are interpreted in the framework of minimal supergravity (MSUGRA/CMSSM [15]) and in specific Grand Unification Theories (GUTs) based on the gauge group SO(10) [16]. For MSUGRA/CMSSM, limits on the universal scalar and gaugino mass parameters ($m_0, m_{1/2}$) are presented for fixed values of the ratio of the Higgs vacuum expectation value, $\tan\beta = 40$, the common trilinear coupling at the GUT scale $A_0 = 0$ GeV (-500 GeV), and the sign of the Higgsino mixing parameter $\mu > 0$. Taking large values of $\tan\beta$ or negative values of A_0 with other model parameters held fixed leads to lower third generation sparticle masses compared to those of the other sparticles. Depending on m_0 and $m_{1/2}$, any of the final states such as $\tilde{q}\tilde{q}$, $\tilde{q}\tilde{g}$ and $\tilde{g}\tilde{g}$ might be dominant. In the SO(10) scenario, the SUSY particle mass spectrum is characterised by the low masses of the gluinos (300–600 GeV), charginos (100–180 GeV) and neutralinos (50–90 GeV), whereas all scalar particles have masses beyond the TeV scale. Depending on the sparticle masses, chargino-neutralino and gluino-pair production dominate. The three-body gluino decays $\tilde{g} \rightarrow b\bar{b}\tilde{\chi}_1^0$ and $\tilde{g} \rightarrow b\bar{b}\tilde{\chi}_2^0$ are expected to lead to final states with high b -jet multiplicities. Two specific models are considered [17], the D-term splitting model, DR3, and the Higgs splitting model, HS.

2. The ATLAS detector

The ATLAS detector [18] comprises an inner detector surrounded by a thin superconducting solenoid, and a calorimeter system. Outside the calorimeters is an extensive muon spectrometer in a toroidal magnetic field.

The inner detector system is immersed in a 2 T axial magnetic field and provides tracking information for charged particles in a pseudorapidity range $|\eta| < 2.5$.¹ The highest granularity is achieved around the vertex region using silicon pixel and microstrip detectors. These detectors allow for an efficient tagging of jets originating from b -quark decays using impact parameter measurements and the reconstruction of secondary decay vertices. The transition radiation tracker, which surrounds the silicon detectors, contributes to track reconstruction up to $|\eta| = 2.0$ and improves the electron identification by the detection of transition radiation.

¹ The azimuthal angle ϕ is measured around the beam axis and the polar angle θ is the angle from the beam axis. The pseudorapidity is defined as $\eta = -\ln \tan(\theta/2)$. The distance ΔR in the η - ϕ space is defined as $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. The highly segmented electromagnetic calorimeter consists of lead absorbers with liquid argon as the active material and covers the pseudorapidity range $|\eta| < 3.2$. In the region $|\eta| < 1.8$, a presampler detector consisting of a thin layer of liquid argon is used to correct for the energy lost by electrons, positrons, and photons upstream of the calorimeter. The hadronic tile calorimeter is a steel/scintillating-tile detector and is placed directly outside the envelope of the electromagnetic calorimeter. In the forward regions, it is complemented by two end-cap calorimeters using liquid argon as active material and copper or tungsten as absorber material.

Muon detection is based on the magnetic deflection of muon tracks in the large superconducting air-core toroid magnets, instrumented with separate trigger and high-precision tracking chambers. A system of three toroids, a barrel and two end-caps, generates the magnetic field for the muon spectrometer in the pseudorapidity range $|\eta| < 2.7$.

3. Simulated event samples

Simulated event samples were used to determine the detector acceptance, the reconstruction efficiencies and the expected event yields for signal and background processes.

SUSY signal processes were generated for various models using the HERWIG++ [19] v2.4.2 Monte Carlo program. The particle mass spectra and decay modes were determined using the ISASUSY from ISAJET [20] v7.80 and SUSYHIT [21] v1.3 programs. The latter was used for the assumed MSSM scenarios, which are parametrised in the $(m_{\tilde{g}}, m_{\tilde{b}_1})$ and $(m_{\tilde{g}}, m_{\tilde{t}_1})$ planes, with gluino masses above 300 GeV. The SUSY sample yields were normalised to the results of next-to-leading order (NLO) calculations, as obtained using the PROSPINO [22] v2.1 program. For these calculations the CTEQ6.6M [23] parametrisation of the parton density functions (PDFs) was used and the renormalisation and factorisation scales were set to the average mass of the sparticles produced in the hard interaction.

For the backgrounds the following Standard Model processes were considered:

- $t\bar{t}$ and single top production: events were generated using the generator MC@NLO [31,32] v3.41. For the evaluation of systematic uncertainties, additional $t\bar{t}$ samples were generated using the POWHEG [33] and ACERMC [34] programs.
- $W(\rightarrow \ell\nu) + \text{jet}, Z/\gamma^*(\rightarrow \ell^+\ell^-) + \text{jet}$ (where $\ell = e, \mu, \tau$) and $Z(\rightarrow \nu\bar{\nu}) + \text{jet}$ production: events with light and heavy (b) flavour jets were generated using the ALPGEN [35] v2.13 program. A generator level cut $m_{\ell\ell} > 40$ GeV was applied to the $Z/\gamma^*(\rightarrow \ell^+\ell^-)$ process.
- Jet production via QCD processes (referred to as “QCD background” in the following): events were generated using the PYTHIA [30] v6.4.21 generator. For the evaluation of systematic uncertainties, samples produced with ALPGEN were used.
- Di-boson (WW , WZ and ZZ) production: events were generated using ALPGEN, however, compared to the other backgrounds their contribution was found to be negligible, after the application of the selection criteria.

All signal and background samples were generated at $\sqrt{s} = 7$ TeV using the ATLAS MC09 parameter tune [36], processed with the GEANT4 [37] simulation of the ATLAS detector [38], and then reconstructed and passed through the same analysis chain as the data. For all generators, except for PYTHIA, the HERWIG + JIMMY [19,39] modelling of the parton shower and underlying event was used (v6.510 and v4.31, respectively).

Table 1

The most important background processes and their production cross sections, multiplied by the relevant branching ratios (BR). Contributions from higher order QCD corrections are included for W and Z boson production (NNLO corrections) and for $t\bar{t}$ production (NLO + NNLL corrections). The inclusive QCD jet cross section is given at leading order (LO). The QCD sample was generated with a cut on the transverse momentum of the partons involved in the hard-scattering process, \hat{p}_T .

Physics process	$\sigma \cdot \text{BR} [\text{nb}]$	[References]
$W \rightarrow \ell\nu$ (+jets)	31.4 ± 1.6	[24–26]
$Z/\gamma^* \rightarrow \ell^+\ell^-$ (+jets)	3.20 ± 0.16	[24–26]
$Z \rightarrow \nu\bar{\nu}$ (+jets)	5.82 ± 0.29	[24–26]
$t\bar{t}$	$0.165^{+0.011}_{-0.016}$	[27–29]
Single top	0.037 ± 0.002	[27–29]
Dijet ($\hat{p}_T > 8 \text{ GeV}$)	10.47×10^6	[30]

For the comparison to data, all background cross sections, except the QCD background cross section, were normalised to the results of higher order QCD calculations. A summary of the relevant cross sections is given in Table 1. For the next-to-next-to-leading order (NNLO) W and Z/γ^* production cross sections, an uncertainty of $\pm 5\%$ is assumed [40]. For the $t\bar{t}$ production cross section, the corresponding uncertainty on the NLO + NNLL (next-to-next-to-leading logarithms) cross section was estimated to be $+6.5\%$, -9.5% . For the QCD background, no reliable prediction can be obtained from a leading order Monte Carlo simulation and data-driven methods were used to determine the residual contributions of this background to the selected event samples, as discussed in Section 5.

4. Data and event selection

After the application of beam, detector and data-quality requirements, the data set used for this analysis resulted in a total integrated luminosity of 35 pb^{-1} .

For the zero-lepton analysis, events were selected at the trigger level by requiring jets with high transverse momentum. The selection is fully efficient for events containing at least one jet with $p_T > 120 \text{ GeV}$. A further trigger level requirement of $E_T^{\text{miss}} > 25 \text{ GeV}$ was applied [41]. For the one-lepton analysis, the trigger selection was based on single lepton triggers, which retain events if an electron with $p_T > 15 \text{ GeV}$ or a muon with $p_T > 13 \text{ GeV}$ is present within the trigger acceptance.

In the data sample selected, jet candidates were reconstructed by using the anti- k_t jet clustering algorithm [42,43] with a distance parameter of $R = 0.4$. The inputs to this algorithm are three-dimensional topological calorimeter energy clusters. The jet energies were corrected for inhomogeneities and for the non-compensating nature of the calorimeter by using p_T - and η -dependent calibration factors. They were determined from Monte Carlo simulation and validated using extensive test-beam measurements and studies of pp collision data (Ref. [44] and references therein). Only jets with $p_T > 20 \text{ GeV}$ and within $|\eta| < 2.5$ were retained. Candidates for b -jets were identified among jets with $p_T > 30 \text{ GeV}$ using an algorithm that reconstructs a vertex from all tracks which are displaced from the primary vertex and associated with the jet. The parameters of the algorithm were chosen such that a tagging efficiency of 50% (1%) was achieved for b -jets (light flavour or gluon jets) in $t\bar{t}$ events in Monte Carlo simulation [45].

Electron candidates were required to satisfy the ‘medium’ (zero-lepton analysis) or ‘tight’ (one-lepton analysis) selection criteria. Muon candidates were identified either as a match between an extrapolated inner detector track and one or more segments in the muon spectrometer, or by associating an inner detector track to a muon spectrometer track. The combined track parameters were derived from a statistical combination of the two sets of track pa-

rameters. Electrons and muons were required to have $p_T > 20 \text{ GeV}$ and $|\eta| < 2.47$ or $|\eta| < 2.4$, respectively. Further details on lepton identification can be found in Ref. [40].

The calculation of E_T^{miss} is based on the modulus of the vectorial sum of the p_T of the reconstructed jets (with $p_T > 20 \text{ GeV}$ and over the full calorimeter coverage $|\eta| < 4.9$), leptons (including non-isolated muons) and the calorimeter clusters not belonging to reconstructed objects.

After object identification, overlaps were resolved. Any jet within a distance $\Delta R = 0.2$ of a ‘medium’ electron candidate was discarded. The event was rejected if one or more ‘medium’ electrons were identified in the transition region $1.37 < |\eta| < 1.52$ between the barrel and endcap calorimeters. Any remaining lepton within $\Delta R = 0.4$ of a jet was discarded.

Events were selected if a reconstructed primary vertex was found associated with five or more tracks, and if they passed basic quality criteria against detector noise and non-collision backgrounds.

In the zero-lepton analysis, events were required to have at least one jet with $p_T > 120 \text{ GeV}$, two additional jets with $p_T > 30 \text{ GeV}$ and $E_T^{\text{miss}} > 100 \text{ GeV}$. At least one jet is required to be b -tagged. Events containing identified ‘medium’ electron or muon candidates were rejected. The effective mass, m_{eff} , is defined as the scalar sum of E_T^{miss} and the transverse momenta of the highest p_T jets (up to a maximum of four). Events were required to have $E_T^{\text{miss}}/m_{\text{eff}} > 0.2$. In addition, the smallest azimuthal separation between the E_T^{miss} direction and the three leading jets, $\Delta\phi_{\min}$, was required to be larger than 0.4. The last requirement reduces the amount of QCD background effectively since, in this case, E_T^{miss} results from mis-reconstructed jets or from neutrinos emitted along the direction of the jet axis by heavy flavour decays.

In the one-lepton analysis, events were required to have at least one muon or a ‘tight’ electron, two jets with $p_T > 60 \text{ GeV}$ and $p_T > 30 \text{ GeV}$ respectively, $E_T^{\text{miss}} > 80 \text{ GeV}$ and $m_T > 100 \text{ GeV}$, where m_T is the transverse mass constructed using the highest p_T lepton and E_T^{miss} . At least one jet is required to be b -tagged. The m_T cut rejects events with a W boson in the final state.

In both analyses, further cuts on m_{eff} were applied to maximise the sensitivity to gluino-mediated production of sbottoms or stops. A threshold on m_{eff} at 600 GeV (500 GeV) was chosen for the zero-lepton (one-lepton) analysis. It should be noted that for the one-lepton analysis the transverse momenta of reconstructed leptons are included in the definition of the m_{eff} .

The event selection efficiency for each SUSY signal hypothesis was calculated as the sum of the efficiencies for the $\tilde{g}\tilde{g}$ and $\tilde{b}_1\tilde{b}_1$ ($\tilde{t}_1\tilde{t}_1$) processes, weighted by their respective NLO cross sections. For the zero-lepton selection, the efficiency varies between 7% and 50% across the $(m_{\tilde{g}}, m_{\tilde{b}_1})$ plane. The lowest values are found at large $\Delta m = m_{\tilde{g}} - m_{\tilde{b}_1}$, where the production of $\tilde{b}_1\tilde{b}_1$ pairs dominates. As Δm decreases, high efficiency values are found down to $\Delta m \simeq 20 \text{ GeV}$. For the one-lepton channel, the efficiency for (\tilde{g}, \tilde{t}_1) -type SUSY signals varies between 0.4% and 3% across the $(m_{\tilde{g}}, m_{\tilde{t}_1})$ plane and depends on $\Delta m = m_{\tilde{g}} - m_{\tilde{t}_1}$ in a similar way to the gluino-sbottom case.

No additional dedicated optimisations were performed for the MSUGRA/CMSSM and SO(10) scenarios. The efficiencies for the zero-lepton (one-lepton) selection for MSUGRA/CMSSM range between 8% (1%) for $m_{1/2} \simeq 130 \text{ GeV}$ and 23% (12%) for $m_{1/2} \simeq 340 \text{ GeV}$, with a smaller dependence on m_0 . For SO(10) models, the highest sensitivity is reached in the zero-lepton analysis, with dominant contributions via $\tilde{g}\tilde{g}$ production. In this case, the efficiencies vary between 7% and 20% as the gluino mass increases and are generally found to be larger for the DR3 scenario than for the HS scenario.

5. Standard model background estimation

Standard Model processes contribute to the events that survive the selection described in the previous section. The dominant source is $t\bar{t}$ production due to the presence of jets, E_T^{miss} and b -quarks in the final state.

The QCD background to the zero-lepton final state was estimated by normalising the PYTHIA Monte Carlo prediction to data in a QCD-enriched control region defined by $\Delta\phi_{\text{min}} < 0.4$. The Monte Carlo was then used to evaluate the ratio between the number of events in this control region and the signal region ($\Delta\phi_{\text{min}} > 0.4$). In the one-lepton final state the number of QCD multi-jet events was estimated using a matrix method similar to the one described in Ref. [40]. Cuts on the electron and muon identification were relaxed to obtain “loose” control samples that are dominated by QCD jets.

The non-QCD background in the zero-lepton final state was estimated using Monte Carlo simulation, while in the case of the one-lepton final state a data-driven technique is employed. This method exploits the low correlation between m_{eff} and m_T . Four regions were defined: (A) $40 < m_T < 100$ GeV and $m_{\text{eff}} < 500$ GeV, (B) $m_T > 100$ GeV and $m_{\text{eff}} < 500$ GeV, (C) $40 < m_T < 100$ GeV and $m_{\text{eff}} > 500$ GeV and (D) $m_T > 100$ GeV and $m_{\text{eff}} > 500$ GeV. Regions A-C are dominated by background from $t\bar{t}$ and $W + \text{jet}$ production. Assuming that the variables are uncorrelated, the number of background events in the signal region is given by $N_D = N_C \times N_B/N_A$, where N_A , N_B , N_C are the numbers of events in the regions A, B and C, respectively. A Monte Carlo simulation was used to validate the method and to establish possible sources of systematic uncertainties. The small number of events in the control regions is the main limitation of the method. It was also checked that a SUSY signal contamination does not bias the estimated background and that any bias is smaller than the systematic uncertainties assigned to the method and on the expected SUSY prediction.

6. Systematic uncertainties

Various systematic uncertainties affecting signal and background rates were considered.

For the zero-lepton analysis, the backgrounds from $t\bar{t}$ and $W/Z + \text{jet}$ production are taken from Monte Carlo simulation. The total uncertainty on this prediction was estimated to be $\pm 35\%$ after the final selection. It is dominated by the uncertainty on the jet energy scale (JES) [44], the uncertainty on the theoretical prediction of the background processes and the uncertainty on the determination of the b -tagging efficiency [45]. The uncertainty on the jet energy scale varies as a function of jet p_T , and decreases from 6% at 20 GeV to 4% at 100 GeV, with additional contributions taking into account the dependence of the jet response on the jet isolation and flavour. This translates into a $\pm 25\%$ uncertainty on the absolute prediction of the background from SM processes. Uncertainties on the theoretical cross sections of the background processes (see Section 3), on the modelling of initial and final-state soft gluon radiation and the limited knowledge of the PDFs of the proton lead to uncertainties of $\pm 20\%$ and $\pm 25\%$ on the absolute predictions of the $t\bar{t}$ and the $W/Z + \text{jet}$ backgrounds, respectively. The uncertainty on the determination of the tagging efficiency for b -jets, c -jets and light-jets introduces further uncertainties on the predicted background contributions at the level of $\pm 12\%$ for $t\bar{t}$ and $\pm 25\%$ for $W/Z + \text{jets}$. Other uncertainties result from the modelling of additional pile-up interactions ($\pm 5\%$) and of the trigger efficiency ($\pm 3\%$) in the Monte Carlo simulation. For the QCD background estimation, the uncertainty is dominated by the limited number of Monte Carlo events available for the zero-lepton analysis.

For the one-lepton analysis, where a data-driven technique was employed, the small event number in the control regions was the dominant uncertainty ($\pm 25\%$). Residual uncertainties associated to the method due to the JES, b -tagging, lepton identification and theoretical predictions of the relative contributions of W and $t\bar{t}$ backgrounds were studied using Monte Carlo simulation and estimated to be at the level of $\pm 8\%$.

For the SUSY signal processes, various sources of uncertainties affect the theoretical NLO cross sections. Variations of the renormalisation and factorisation scales by a factor of two result in uncertainties of $\pm 16\%$ for $\tilde{g}\tilde{g}$ production and $\pm 30\%$ ($\pm 27\%$) for $\tilde{b}_1\tilde{b}_1$ ($\tilde{t}_1\tilde{t}_1$) pair production, almost independently of the sparticle mass and the SUSY model. Uncertainties for $\tilde{q}\tilde{q}$ and $\tilde{q}\tilde{g}$ production, relevant in MSUGRA/CMSSM scenarios, were estimated to be at the level of $\pm 10\%$ and $\pm 15\%$, respectively.

The number of predicted signal events is also affected by the PDF uncertainties, estimated using the CTEQ 6.6M PDF error eigenvector sets at the 90% C.L. limit, and rescaled by 1/1.645. The relative uncertainties on the $\tilde{g}\tilde{g}$ ($\tilde{b}_1\tilde{b}_1$, $\tilde{t}_1\tilde{t}_1$) cross sections were estimated to be in the range from $\pm 11\%$ to $\pm 25\%$ ($\pm 7\%$ to $\pm 16\%$) for the $\tilde{g}\tilde{g}$ ($\tilde{b}_1\tilde{b}_1$, $\tilde{t}_1\tilde{t}_1$) processes, depending on the gluino (stop-bottom, stop) masses. For first and second generation squark-pair and associated gluino-squark production, the uncertainty on the PDFs varies between $\pm 5\%$ and $\pm 15\%$ as the squark masses increase. The impact of detector related uncertainties, such as the JES and b -tagging, on the signal event yields depends on the masses of the most copiously produced sparticles. The total uncertainty varies between $\pm 25\%$ and $\pm 10\%$ as the gluino/squark masses increase from 300 GeV to 1 TeV, across the different scenarios, and it is dominated by the JES and the b -tagging uncertainty for low and high mass sparticles, respectively.

Finally, an additional $\pm 11\%$ uncertainty on the quoted total integrated luminosity was taken into account.

7. Results

In Fig. 1 the distributions of m_{eff} and of E_T^{miss} are shown for the two analyses. For the E_T^{miss} distributions all cuts described in Section 4 are applied. The m_{eff} distributions are shown after the application of all cuts, except for the m_{eff} cut.

The expectations from Standard Model background processes are superimposed. For illustration, the figures also include the distributions expected for SUSY signals. For the zero-lepton channel, a scenario with $m_{\tilde{g}} = 500$ GeV and $m_{\tilde{b}_1} = 380$ GeV is chosen, while for the one-lepton channel the relevant masses are $m_{\tilde{g}} = 400$ GeV and $m_{\tilde{t}_1} = 210$ GeV. In Table 2, the observed number of events and the predictions for contributions from Standard Model processes are presented. For both analyses, the data are in agreement with the Standard Model predictions, within uncertainties.

The results are translated into 95% C.L. upper limits on contributions from new physics. Limits were derived using a profile likelihood ratio [46,47], $\Lambda(s)$, where the likelihood function of the fit was written as $L(n|s, b, \theta) = P_s \times C_{\text{Syst}}$; n represents the number of observed events in data, s is the SUSY signal under consideration, b is the background, and θ represents the systematic uncertainties. The P_s function is a Poisson-probability distribution for event counts in the defined signal region and C_{Syst} represents the constraints on systematic uncertainties, which are treated as nuisance parameters with a Gaussian probability density function and correlated when appropriate. The exclusion p -values are obtained from the test statistic $\Lambda(s)$ using pseudo-experiments. One-sided upper limits are set with the power-constrained limits procedure [48].

Upper limits at 95% C.L. on the number of signal events in the signal regions are obtained independently of new physics models for the zero- and one-lepton final states. These numbers are




Fig. 1. Distributions of the effective mass, m_{eff} (left) and the E_T^{miss} (right) for data and for the expectations from Standard Model processes after the baseline selections in the zero-lepton (top) and one-lepton channel (bottom). The data correspond to an integrated luminosity of 35 pb^{-1} . Black vertical bars show the statistical uncertainty of the data. The yellow band shows the full systematic uncertainty on the SM expectation. The E_T^{miss} distributions are shown after a cut on m_{eff} at 600 GeV (zero-lepton) and 500 GeV (one-lepton). For illustration, the distributions for one reference SUSY signal, relevant for each channel, are superimposed.

Table 2

Summary of the expected and observed event yields. The QCD prediction for the zero-lepton channel is based on the semi-data-driven method described in the text. For the one-lepton channel, the results for both the Monte Carlo and the data-driven approach are given. Since the data-driven technique does not distinguish between top and W/Z backgrounds the total background estimate is shown in the top row. The errors are systematic for the expected Monte Carlo prediction and statistical for the data-driven technique.

	0-lepton	1-lepton Monte Carlo	1-lepton data-driven
$t\bar{t}$ and single top	12.2 ± 5.0	12.3 ± 4.0	14.7 ± 3.7
W and Z	6.0 ± 2.6	0.8 ± 0.4	–
QCD	1.4 ± 1.0	0.4 ± 0.4	$0^{+0.4}_{-0.0}$
Total SM	19.6 ± 6.9	13.5 ± 4.1	14.7 ± 3.7
Data	15	9	9

11.1 and 5.2, respectively, and correspond to 95% C.L. upper limits on effective cross sections for new processes of 0.32 pb and 0.15 pb for the zero- and one-lepton channel, respectively. These upper limits include the $\pm 11\%$ uncertainty on the quoted total integrated luminosity.

These results can be interpreted in terms of 95% C.L. exclusion limits in several SUSY scenarios. In Fig. 2 the observed and expected exclusion regions are shown in the $(m_{\tilde{g}}, m_{\tilde{b}_1})$ plane, for the hypothesis that the lightest squark \tilde{b}_1 is produced via gluino-

mediated or direct pair production and decays exclusively via $\tilde{b}_1 \rightarrow b \tilde{\chi}_1^0$. The zero-lepton channel was considered for this model and the largest acceptance was found for $\tilde{g}\tilde{g}$ production. The limits do not strongly depend on the neutralino mass assumption as long as $m_{\tilde{g}} - m_{\tilde{\chi}_1^0}$ is larger than 250–300 GeV, due to the harsh kinematic cuts. Gluino masses below 590 GeV are excluded for sbottom masses up to 500 GeV. These limits depend weakly – via the dependence of the production cross section for $\tilde{g}\tilde{g}$ production – on the masses of the first and second generation squarks, $\tilde{q}_{1,2}$. Variations of these masses in the range between ~ 3 TeV and $2 \cdot m_{\tilde{g}}$ reduce the excluded mass region by less than 20 GeV.

The zero-lepton analysis was also employed to extract limits on the gluino mass in the two SO(10) scenarios, DR3 and HS. Gluino masses below 500 GeV are excluded for the DR3 models considered, where $\tilde{g} \rightarrow b\bar{b}\tilde{\chi}_1^0$ decays dominate. A lower sensitivity ($m_{\tilde{g}} < 420$ GeV) was found for the HS model, where larger branching ratios of $\tilde{g} \rightarrow b\bar{b}\tilde{\chi}_2^0$ are expected and the efficiency of the selection is reduced with respect to the DR3 case.

The results of the one-lepton analysis were interpreted as exclusion limits on the $(m_{\tilde{g}}, m_{\tilde{t}_1})$ plane in the hypothesis that the lightest \tilde{t}_1 is produced via gluino-mediated or direct pair production. Stop masses above 130 GeV are considered, and \tilde{t}_1 is assumed to decay exclusively via $\tilde{t}_1 \rightarrow b\tilde{\chi}_1^\pm$. In Fig. 3 the observed and expected exclusion limits are shown as a function of $m_{\tilde{g}}$ for




Fig. 2. Observed and expected 95% C.L. exclusion limits, as obtained with the zero-lepton channel, in the $(m_{\tilde{g}}, m_{\tilde{b}_1})$ plane. The neutralino mass is assumed to be 60 GeV and the NLO cross sections are calculated using PROSPINO in the hypothesis of $m_{\tilde{q}_{1,2}} \gg m_{\tilde{g}}$. The result is compared to previous results from CDF searches which assume the same gluino-sbottom decays hypotheses, a neutralino mass of 60 GeV and $m_{\tilde{q}_{1,2}} = 500$ GeV ($\gg m_{\tilde{g}}$ for the Tevatron kinematic range). Exclusion limits from the CDF and D0 experiments on direct sbottom pair production [8,9] are also reported.




Fig. 3. Observed and expected 95% C.L. upper limits, as obtained with the one-lepton analysis, on the gluino-mediated stop pair production cross section as a function of the gluino mass for two assumed values of the stop mass and $\text{BR}(\tilde{t}_1 \rightarrow b\tilde{\chi}_1^\pm) = 1$. The chargino is assumed to have twice the mass of the neutralino ($= 60$ GeV) and NLO cross sections are calculated using PROSPINO in the hypothesis of $m_{\tilde{q}_{1,2}} \gg m_{\tilde{g}}$. Theoretical uncertainties on the NLO cross sections are included in the limit calculation.

two representative values of the stop mass. Gluino masses below 520 GeV are excluded for stop masses in the range between 130 and 300 GeV.

Finally, the results of both analyses were used to calculate 95% C.L. exclusion limits in the MSUGRA/CMSSM framework with large $\tan\beta$. Fig. 4 shows the observed and expected limits in the $(m_0, m_{1/2})$ plane, assuming $\tan\beta = 40$, and fixing $\mu > 0$ and $A_0 = 0$. The largest sensitivity is found for the zero-lepton analysis. The combination of the two analyses, which takes account of correlations between systematic uncertainties of the two channels, is also shown. Sbottom and stop masses below 550 GeV and 470 GeV are excluded across the plane, respectively. Due to the MSUGRA/CMSSM constraints, this interpretation is also sensitive




Fig. 4. Observed and expected 95% C.L. exclusion limits as obtained from the zero- and one-lepton analyses, separately and combined, on MSUGRA/CMSSM scenario with $\tan\beta = 40$, $A_0 = 0$, $\mu > 0$. The light-grey dashed lines are the iso-mass curves for gluinos and sbottom – stop masses are 15% lower than sbottom masses, across the $(m_0, m_{1/2})$ parameter space. The results are compared to previous limits from the LEP experiments [14].

to first and second generation squarks. From the present analysis, masses of these squarks below 600 GeV are excluded for $m_{\tilde{g}} \simeq m_{\tilde{q}}$. Gluino masses below 500 GeV are excluded for the m_0 range between 100 GeV and 1 TeV, independently on the squark masses. Changing the A_0 value from 0 to -500 GeV lead to significant variations in third generation squark mixing. Across the $(m_0, m_{1/2})$ parameter space, sbottom and stop masses decrease by about 10% and 30%, respectively, if A_0 is changed from 0 to -500 GeV. The exclusion region of the one-lepton analysis, mostly sensitive to stop final states, extends the zero-lepton reach by about 20 GeV in $m_{1/2}$ for $m_0 < 600$ GeV.

8. Conclusions

The ATLAS Collaboration has presented a first search for supersymmetry in final states with missing transverse momentum and at least one b -jet candidate in proton–proton collisions at 7 TeV. The results are based on data corresponding to an integrated luminosity of 35 pb^{-1} collected during 2010. These searches are sensitive to the gluino-mediated and direct production of sbottoms and stops, the supersymmetric partners of the third generation quarks, which, due to mixing effects, might be the lightest squarks.

Since no excess above the expectations from Standard Model processes was found, the results are used to exclude parameter regions in various R -parity conserving SUSY models. Under the assumption that the lightest squark b_1 is produced via gluino-mediated processes or direct pair production and decays exclusively via $b_1 \rightarrow b\tilde{\chi}_1^0$, gluino masses below 590 GeV are excluded with 95% C.L. up to sbottom masses of 500 GeV. Alternatively, assuming that \tilde{t}_1 is the lightest squark and the gluino decays exclusively via $\tilde{g} \rightarrow \tilde{t}_1 t$, and $\tilde{t}_1 \rightarrow b\tilde{\chi}_1^\pm$, gluino masses below 520 GeV are excluded for stop masses in the range between 130 and 300 GeV.

In specific models based on the gauge group SO(10), gluinos with masses below 500 GeV and 420 GeV are excluded for the DR3 and HS models, respectively.

In an MSUGRA/CMSSM framework with large $\tan\beta$, a significant region in the $(m_0, m_{1/2})$ plane can be excluded. For the parameters $\tan\beta = 40$, $A_0 = 0$ and $\mu > 0$, sbottom masses below 550 GeV and stop masses below 470 GeV are excluded with 95% C.L. Gluino

masses below 500 GeV are excluded for the m_0 range between 100 GeV and 1 TeV, independently on the squark masses.

These analyses improve significantly on the regions of SUSY parameter space excluded by previous experiments that searched for similar scenarios.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; ARTEMIS, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCC partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] Yu.A. Gol'fand, E.P. Likhtman, JETP Lett. 7113 (1971) 323; A. Neveu, J.H. Schwartz, Nucl. Phys. B 31 (1971) 86; A. Neveu, J.H. Schwartz, Phys. Rev. D 4 (1971) 1109; P. Ramond, Phys. Rev. D 3 (1971) 2415; D.V. Volkov, V.P. Akulov, Phys. Lett. B 46 (1973) 109; J. Wess, B. Zumino, Phys. Lett. B 49 (1974) 52;
- [2] S.P. Martin, arXiv:hep-ph/9709356, 1997.
- [3] ATLAS Collaboration, arXiv:0901.0512 [hep-ex], 2009.
- [4] CMS Collaboration, J. Phys. G 34 (2007) 995.
- [5] ATLAS Collaboration, Phys. Rev. Lett. 106 (2011) 131802.
- [6] CMS Collaboration, Phys. Lett. B 698 (2011) 196.
- [7] ATLAS Collaboration, arXiv:1102.5290v1 [hep-ex], 2011, Phys. Lett. B, doi:10.1016/j.physletb.2011.05.061, in press.
- [8] CDF Collaboration, Phys. Rev. Lett. 105 (2010) 081802.
- [9] D0 Collaboration, Phys. Lett. B 693 (2010) 95.
- [10] CDF Collaboration, Phys. Rev. D 82 (2010) 092001.
- [11] D0 Collaboration, Phys. Lett. B 674 (2009) 4.
- [12] CDF Collaboration, Phys. Rev. Lett. 102 (2009) 221801.
- [13] ATLAS Collaboration, Eur. Phys. J C 71 (2011) 1630.
- [14] LEP SUSY Working Group (ALEPH, DELPHI, L3, OPAL), Notes LEPSUSYWG/01-03.1 and 04-01.1, <http://lepsusy.web.cern.ch/lepsusy/Welcome.html>.
- [15] A.H. Chamseddine, R.L. Arnowitt, P. Nath, Phys. Rev. Lett. 49 (1982) 970; R. Barbieri, S. Ferrara, C.A. Savoy, Phys. Lett. B 119 (1982) 343; L.E. Ibanez, Phys. Lett. B 118 (1982) 73; L.J. Hall, J.D. Lykken, S. Weinberg, Phys. Rev. D 27 (1983) 2359; N. Ohta, Prog. Theor. Phys. 70 (1983) 542 (1982).
- [16] M. Gell-Mann, P. Ramond, R. Slansky, Rev. Mod. Phys. 50 (1978) 721.
- [17] H. Baer, S. Kraml, A. Lessa, S. Sekmen, JHEP 1002 (2010) 055.
- [18] ATLAS Collaboration, JINST 3 (2008) S08003.
- [19] G. Corcella, et al., JHEP 0101 (2001) 010.
- [20] F.E. Paige, S.D. Protopopescu, H. Baer, X. Tata, arXiv:hep-ph/0312045, 2003.
- [21] A. Djouadi, M.M. Mühlleitner, M. Spira, Acta Phys. Polon. B 38 (2007) 635.
- [22] W. Beenakker, R. Hopker, M. Spira, arXiv:hep-ph/9611232, 1996.
- [23] D. Stump, et al., JHEP 0310 (2003) 046.
- [24] R. Hamberg, W.L. van Neerven, T. Matsuura, Nucl. Phys. B 359 (1991) 343; R. Hamberg, W.L. van Neerven, T. Matsuura, Nucl. Phys. B 644 (2002) 403, Erratum.
- [25] K. Melnikov, F. Petriello, Phys. Rev. D 74 (2006) 114017.
- [26] K. Melnikov, F. Petriello, Phys. Rev. Lett. 96 (2006) 231803.
- [27] R. Bonciani, S. Catani, M.L. Mangano, P. Nason, Nucl. Phys. B 529 (1998) 424.
- [28] S. Moch, P. Uwer, Phys. Rev. D 78 (2008) 034003.
- [29] M. Beneke, M. Czakon, P. Falgari, A. Mitov, C. Schwinn, Phys. Lett. B 690 (2010) 483.
- [30] T. Sjöstrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026.
- [31] S. Frixione, B. Webber, arXiv:hep-ph/0601192, 2006.
- [32] S. Frixione, P. Nason, B.R. Webber, JHEP 0308 (2003) 007.
- [33] S. Frixione, et al., JHEP 0711 (2007) 070.
- [34] B.P. Kersevan, E. Richter-Was, arXiv:hep-ph/0405247, 2004.
- [35] M. Mangano, et al., JHEP 0307 (2003) 001.
- [36] ATLAS Collaboration, ATL-PHYS-PUB-2010-002 (2010).
- [37] GEANT4 Collaboration, S. Agostinelli, et al., Nucl. Instrum. Meth. A 506 (2003) 250.
- [38] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823.
- [39] J. Butterworth, J.R. Forshaw, M. Seymour, Z. Phys. C 72 (1996) 637.
- [40] ATLAS Collaboration, JHEP 1012 (2010) 060.
- [41] D. Casadei, et al. ATL-DAQ-PUB-2011-001 (2011).
- [42] M. Cacciari, G. Salam, G. Soyez, JHEP 0804 (2008) 063.
- [43] M. Cacciari, G.P. Salam, Phys. Lett. B 641(1) (2006) 57.
- [44] ATLAS Collaboration, ATLAS-CONF-2011-007 (2011).
- [45] ATLAS Collaboration, Eur. Phys. J C 71 (2011) 1577.
- [46] ATLAS Collaboration, arXiv:0901.0512 [hep-ex], 2009, p. 1480.
- [47] G. Cowan, et al., Eur. Phys. C 71 (2011).
- [48] arXiv:1105.3166 [physics.data-an], 2011.

ATLAS Collaboration

G. Aad ⁴⁸, B. Abbott ¹¹¹, J. Abdallah ¹¹, A.A. Abdelalim ⁴⁹, A. Abdesselam ¹¹⁸, O. Abdinov ¹⁰, B. Abi ¹¹², M. Abolins ⁸⁸, H. Abramowicz ¹⁵³, H. Abreu ¹¹⁵, E. Acerbi ^{89a,89b}, B.S. Acharya ^{164a,164b}, D.L. Adams ²⁴, T.N. Addy ⁵⁶, J. Adelman ¹⁷⁵, M. Aderholz ⁹⁹, S. Adomeit ⁹⁸, P. Adragna ⁷⁵, T. Adye ¹²⁹, S. Aefsky ²², J.A. Aguilar-Saavedra ^{124b,a}, M. Aharrouche ⁸¹, S.P. Ahlen ²¹, F. Ahles ⁴⁸, A. Ahmad ¹⁴⁸, M. Ahsan ⁴⁰, G. Aielli ^{133a,133b}, T. Akdogan ^{18a}, T.P.A. Åkesson ⁷⁹, G. Akimoto ¹⁵⁵, A.V. Akimov ⁹⁴, A. Akiyama ⁶⁷, M.S. Alam ¹, M.A. Alam ⁷⁶, S. Albrand ⁵⁵, M. Aleksa ²⁹, I.N. Aleksandrov ⁶⁵, F. Alessandria ^{89a}, C. Alexa ^{25a}, G. Alexander ¹⁵³, G. Alexandre ⁴⁹, T. Alexopoulos ⁹, M. Alhroob ²⁰, M. Aliev ¹⁵, G. Alimonti ^{89a}, J. Alison ¹²⁰, M. Aliyev ¹⁰, P.P. Allport ⁷³, S.E. Allwood-Spiers ⁵³, J. Almond ⁸², A. Aloisio ^{102a,102b}, R. Alon ¹⁷¹,

- A. Alonso ⁷⁹, M.G. Alvaggi ^{102a,102b}, K. Amako ⁶⁶, P. Amaral ²⁹, C. Amelung ²², V.V. Ammosov ¹²⁸,
 A. Amorim ^{124a,b}, G. Amorós ¹⁶⁷, N. Amram ¹⁵³, C. Anastopoulos ¹³⁹, T. Andeen ³⁴, C.F. Anders ²⁰,
 K.J. Anderson ³⁰, A. Andreazza ^{89a,89b}, V. Andrei ^{58a}, M.-L. Andrieux ⁵⁵, X.S. Anduaga ⁷⁰, A. Angerami ³⁴,
 F. Anghinolfi ²⁹, N. Anjos ^{124a}, A. Annovi ⁴⁷, A. Antonaki ⁸, M. Antonelli ⁴⁷, S. Antonelli ^{19a,19b},
 A. Antonov ⁹⁶, J. Antos ^{144b}, F. Anulli ^{132a}, S. Aoun ⁸³, L. Aperio Bella ⁴, R. Apolle ¹¹⁸, G. Arabidze ⁸⁸,
 I. Aracena ¹⁴³, Y. Arai ⁶⁶, A.T.H. Arce ⁴⁴, J.P. Archambault ²⁸, S. Arfaoui ^{29,c}, J.-F. Arguin ¹⁴, E. Arik ^{18a,*},
 M. Arik ^{18a}, A.J. Armbruster ⁸⁷, O. Arnaez ⁸¹, C. Arnault ¹¹⁵, A. Artamonov ⁹⁵, G. Artoni ^{132a,132b},
 D. Arutinov ²⁰, S. Asai ¹⁵⁵, R. Asfandiyarov ¹⁷², S. Ask ²⁷, B. Åsman ^{146a,146b}, L. Asquith ⁵, K. Assamagan ²⁴,
 A. Astbury ¹⁶⁹, A. Astvatsatourov ⁵², G. Atoian ¹⁷⁵, B. Aubert ⁴, B. Auerbach ¹⁷⁵, E. Auge ¹¹⁵, K. Augsten ¹²⁷,
 M. Aurousseau ^{145a}, N. Austin ⁷³, R. Avramidou ⁹, D. Axen ¹⁶⁸, C. Ay ⁵⁴, G. Azuelos ^{93,d}, Y. Azuma ¹⁵⁵,
 M.A. Baak ²⁹, G. Baccaglioni ^{89a}, C. Bacci ^{134a,134b}, A.M. Bach ¹⁴, H. Bachacou ¹³⁶, K. Bachas ²⁹, G. Bachy ²⁹,
 M. Backes ⁴⁹, M. Backhaus ²⁰, E. Badescu ^{25a}, P. Bagnaia ^{132a,132b}, S. Bahinipati ², Y. Bai ^{32a}, D.C. Bailey ¹⁵⁸,
 T. Bain ¹⁵⁸, J.T. Baines ¹²⁹, O.K. Baker ¹⁷⁵, M.D. Baker ²⁴, S. Baker ⁷⁷, F. Baltasar Dos Santos Pedrosa ²⁹,
 E. Banas ³⁸, P. Banerjee ⁹³, Sw. Banerjee ¹⁶⁹, D. Banfi ²⁹, A. Bangert ¹³⁷, V. Bansal ¹⁶⁹, H.S. Bansil ¹⁷,
 L. Barak ¹⁷¹, S.P. Baranov ⁹⁴, A. Barashkou ⁶⁵, A. Barbaro Galtieri ¹⁴, T. Barber ²⁷, E.L. Barberio ⁸⁶,
 D. Barberis ^{50a,50b}, M. Barbero ²⁰, D.Y. Bardin ⁶⁵, T. Barillari ⁹⁹, M. Barisonzi ¹⁷⁴, T. Barklow ¹⁴³,
 N. Barlow ²⁷, B.M. Barnett ¹²⁹, R.M. Barnett ¹⁴, A. Baroncelli ^{134a}, A.J. Barr ¹¹⁸, F. Barreiro ⁸⁰,
 J. Barreiro Guimarães da Costa ⁵⁷, P. Barrillon ¹¹⁵, R. Bartoldus ¹⁴³, A.E. Barton ⁷¹, D. Bartsch ²⁰,
 V. Bartsch ¹⁴⁹, R.L. Bates ⁵³, L. Batkova ^{144a}, J.R. Batley ²⁷, A. Battaglia ¹⁶, M. Battistin ²⁹, G. Battistoni ^{89a},
 F. Bauer ¹³⁶, H.S. Bawa ^{143,e}, B. Beare ¹⁵⁸, T. Beau ⁷⁸, P.H. Beauchemin ¹¹⁸, R. Beccherle ^{50a}, P. Bechtle ⁴¹,
 H.P. Beck ¹⁶, M. Beckingham ⁴⁸, K.H. Becks ¹⁷⁴, A.J. Beddall ^{18c}, A. Beddall ^{18c}, S. Bedikian ¹⁷⁵,
 V.A. Bednyakov ⁶⁵, C.P. Bee ⁸³, M. Begel ²⁴, S. Behar Harpaz ¹⁵², P.K. Behera ⁶³, M. Beimforde ⁹⁹,
 C. Belanger-Champagne ¹⁶⁶, P.J. Bell ⁴⁹, W.H. Bell ⁴⁹, G. Bella ¹⁵³, L. Bellagamba ^{19a}, F. Bellina ²⁹,
 M. Bellomo ^{119a}, A. Belloni ⁵⁷, O. Beloborodova ¹⁰⁷, K. Belotskiy ⁹⁶, O. Beltramello ²⁹, S. Ben Ami ¹⁵²,
 O. Benary ¹⁵³, D. Benchekroun ^{135a}, C. Benchouk ⁸³, M. Bendel ⁸¹, B.H. Benedict ¹⁶³, N. Benekos ¹⁶⁵,
 Y. Benhammou ¹⁵³, D.P. Benjamin ⁴⁴, M. Benoit ¹¹⁵, J.R. Bensinger ²², K. Benslama ¹³⁰, S. Bentvelsen ¹⁰⁵,
 D. Berge ²⁹, E. Bergeaas Kuutmann ⁴¹, N. Berger ⁴, F. Berghaus ¹⁶⁹, E. Berglund ⁴⁹, J. Beringer ¹⁴,
 K. Bernardet ⁸³, P. Bernat ⁷⁷, R. Bernhard ⁴⁸, C. Bernius ²⁴, T. Berry ⁷⁶, A. Bertin ^{19a,19b}, F. Bertinelli ²⁹,
 F. Bertolucci ^{122a,122b}, M.I. Besana ^{89a,89b}, N. Besson ¹³⁶, S. Bethke ⁹⁹, W. Bhimji ⁴⁵, R.M. Bianchi ²⁹,
 M. Bianco ^{72a,72b}, O. Biebel ⁹⁸, S.P. Bieniek ⁷⁷, J. Biesiada ¹⁴, M. Biglietti ^{134a,134b}, H. Bilokon ⁴⁷,
 M. Bindi ^{19a,19b}, S. Binet ¹¹⁵, A. Bingul ^{18c}, C. Bini ^{132a,132b}, C. Biscarat ¹⁷⁷, U. Bitenc ⁴⁸, K.M. Black ²¹,
 R.E. Blair ⁵, J.-B. Blanchard ¹¹⁵, G. Blanchot ²⁹, C. Blocker ²², J. Blocki ³⁸, A. Blondel ⁴⁹, W. Blum ⁸¹,
 U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵, V.B. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁴, C.R. Boddy ¹¹⁸,
 M. Boehler ⁴¹, J. Boek ¹⁷⁴, N. Boelaert ³⁵, S. Böser ⁷⁷, J.A. Bogaerts ²⁹, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*},
 C. Bohm ^{146a}, V. Boisvert ⁷⁶, T. Bold ^{163,f}, V. Boldea ^{25a}, M. Bona ⁷⁵, V.G. Bondarenko ⁹⁶, M. Boonekamp ¹³⁶,
 G. Boorman ⁷⁶, C.N. Booth ¹³⁹, P. Booth ¹³⁹, S. Bordoni ⁷⁸, C. Borer ¹⁶, A. Borisov ¹²⁸, G. Borissov ⁷¹,
 I. Borjanovic ^{12a}, S. Borroni ^{132a,132b}, K. Bos ¹⁰⁵, D. Boscherini ^{19a}, M. Bosman ¹¹, H. Boterenbrood ¹⁰⁵,
 D. Botterill ¹²⁹, J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhouva-Thacker ⁷¹, C. Boulahouache ¹²³,
 C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³⁰, J. Boyd ²⁹, I.R. Boyko ⁶⁵, N.I. Bozhko ¹²⁸,
 I. Bozovic-Jelisavcic ^{12b}, J. Bracinik ¹⁷, A. Braem ²⁹, P. Branchini ^{134a}, G.W. Brandenburg ⁵⁷, A. Brandt ⁷,
 G. Brandt ¹⁵, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴, J.E. Brau ¹¹⁴, H.M. Braun ¹⁷⁴, B. Brelier ¹⁵⁸,
 J. Bremer ²⁹, R. Brenner ¹⁶⁶, S. Bressler ¹⁵², D. Breton ¹¹⁵, N.D. Brett ¹¹⁸, D. Britton ⁵³, F.M. Brochu ²⁷,
 I. Brock ²⁰, R. Brock ⁸⁸, T.J. Brodbeck ⁷¹, E. Brodet ¹⁵³, F. Broggi ^{89a}, C. Bromberg ⁸⁸, G. Brooijmans ³⁴,
 W.K. Brooks ^{31b}, G. Brown ⁸², E. Brubaker ³⁰, P.A. Bruckman de Renstrom ³⁸, D. Bruncko ^{144b},
 R. Bruneliere ⁴⁸, S. Brunet ⁶¹, A. Bruni ^{19a}, G. Bruni ^{19a}, M. Bruschi ^{19a}, T. Buanes ¹³, F. Bucci ⁴⁹,
 J. Buchanan ¹¹⁸, N.J. Buchanan ², P. Buchholz ¹⁴¹, R.M. Buckingham ¹¹⁸, A.G. Buckley ⁴⁵, S.I. Buda ^{25a},
 I.A. Budagov ⁶⁵, B. Budick ¹⁰⁸, V. Büscher ⁸¹, L. Bugge ¹¹⁷, D. Buira-Clark ¹¹⁸, E.J. Buis ¹⁰⁵, O. Bulekov ⁹⁶,
 M. Bunse ⁴², T. Buran ¹¹⁷, H. Burckhart ²⁹, S. Burdin ⁷³, T. Burgess ¹³, S. Burke ¹²⁹, E. Busato ³³, P. Bussey ⁵³,
 C.P. Buszello ¹⁶⁶, F. Butin ²⁹, B. Butler ¹⁴³, J.M. Butler ²¹, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷,
 W. Buttlinger ²⁷, T. Byatt ⁷⁷, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{19a,19b}, O. Cakir ^{3a}, P. Calafiura ¹⁴,
 G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{23a}, R. Caloi ^{132a,132b}, D. Calvet ³³, S. Calvet ³³,
 R. Camacho Toro ³³, A. Camard ⁷⁸, P. Camarri ^{133a,133b}, M. Cambiaghi ^{119a,119b}, D. Cameron ¹¹⁷,

- J. Cammin ²⁰, S. Campana ²⁹, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ³⁰, A. Canepa ^{159a},
 J. Cantero ⁸⁰, L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido ²⁹, I. Caprini ^{25a}, M. Caprini ^{25a}, D. Capriotti ⁹⁹,
 M. Capua ^{36a,36b}, R. Caputo ¹⁴⁸, C. Caramarcu ^{25a}, R. Cardarelli ^{133a}, T. Carli ²⁹, G. Carlino ^{102a},
 L. Carminati ^{89a,89b}, B. Caron ^{159a}, S. Caron ⁴⁸, C. Carpentieri ⁴⁸, G.D. Carrillo Montoya ¹⁷², A.A. Carter ⁷⁵,
 J.R. Carter ²⁷, J. Carvalho ^{124a,g}, D. Casadei ¹⁰⁸, M.P. Casado ¹¹, M. Cascella ^{122a,122b}, C. Caso ^{50a,50b,*},
 A.M. Castaneda Hernandez ¹⁷², E. Castaneda-Miranda ¹⁷², V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{124a},
 G. Cataldi ^{72a}, F. Cataneo ²⁹, A. Catinaccio ²⁹, J.R. Catmore ⁷¹, A. Cattai ²⁹, G. Cattani ^{133a,133b},
 S. Caughron ⁸⁸, D. Cauz ^{164a,164c}, A. Cavallari ^{132a,132b}, P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹¹,
 V. Cavasinni ^{122a,122b}, A. Cazzato ^{72a,72b}, F. Ceradini ^{134a,134b}, A.S. Cerqueira ^{23a}, A. Cerri ²⁹, L. Cerrito ⁷⁵,
 F. Cerutti ⁴⁷, S.A. Cetin ^{18b}, F. Cevenini ^{102a,102b}, A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁶, K. Chan ²,
 B. Chapleau ⁸⁵, J.D. Chapman ²⁷, J.W. Chapman ⁸⁷, E. Chareyre ⁷⁸, D.G. Charlton ¹⁷, V. Chavda ⁸²,
 S. Cheatham ⁷¹, S. Chekanov ⁵, S.V. Chekulaev ^{159a}, G.A. Chelkov ⁶⁵, M.A. Chelstowska ¹⁰⁴, C. Chen ⁶⁴,
 H. Chen ²⁴, L. Chen ², S. Chen ^{32c}, T. Chen ^{32c}, X. Chen ¹⁷², S. Cheng ^{32a}, A. Cheplakov ⁶⁵, V.F. Chepurnov ⁶⁵,
 R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ²⁴, E. Cheu ⁶, S.L. Cheung ¹⁵⁸, L. Chevalier ¹³⁶,
 G. Chiefari ^{102a,102b}, L. Chikovani ⁵¹, J.T. Childers ^{58a}, A. Chilingarov ⁷¹, G. Chiodini ^{72a}, M.V. Chizhov ⁶⁵,
 G. Choudalakis ³⁰, S. Chouridou ¹³⁷, I.A. Christidi ⁷⁷, A. Christov ⁴⁸, D. Chromek-Burckhart ²⁹, M.L. Chu ¹⁵¹,
 J. Chudoba ¹²⁵, G. Ciapetti ^{132a,132b}, K. Ciba ³⁷, A.K. Ciftci ^{3a}, R. Ciftci ^{3a}, D. Cinca ³³, V. Cindro ⁷⁴,
 M.D. Ciobotaru ¹⁶³, C. Ciocca ^{19a,19b}, A. Ciocio ¹⁴, M. Cirilli ⁸⁷, M. Ciubancan ^{25a}, A. Clark ⁴⁹, P.J. Clark ⁴⁵,
 W. Cleland ¹²³, J.C. Clemens ⁸³, B. Clement ⁵⁵, C. Clement ^{146a,146b}, R.W. Cliff ¹²⁹, Y. Coadou ⁸³,
 M. Cobal ^{164a,164c}, A. Coccaro ^{50a,50b}, J. Cochran ⁶⁴, P. Coe ¹¹⁸, J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵,
 E. Cogneras ¹⁷⁷, C.D. Cojocaru ²⁸, J. Colas ⁴, A.P. Colijn ¹⁰⁵, C. Collard ¹¹⁵, N.J. Collins ¹⁷, C. Collins-Tooth ⁵³,
 J. Collot ⁵⁵, G. Colon ⁸⁴, G. Comune ⁸⁸, P. Conde Muiño ^{124a}, E. Coniavitis ¹¹⁸, M.C. Conidi ¹¹,
 M. Consonni ¹⁰⁴, S. Constantinescu ^{25a}, C. Conta ^{119a,119b}, F. Conventi ^{102a,h}, J. Cook ²⁹, M. Cooke ¹⁴,
 B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, N.J. Cooper-Smith ⁷⁶, K. Copic ³⁴, T. Cornelissen ^{50a,50b},
 M. Corradi ^{19a}, F. Corriveau ^{85,i}, A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹, G. Costa ^{89a}, M.J. Costa ¹⁶⁷,
 D. Costanzo ¹³⁹, T. Costin ³⁰, D. Côté ²⁹, R. Coura Torres ^{23a}, L. Courneyea ¹⁶⁹, G. Cowan ⁷⁶, C. Cowden ²⁷,
 B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b}, M. Cristinziani ²⁰, G. Crosetti ^{36a,36b}, R. Crupi ^{72a,72b},
 S. Crépé-Renaudin ⁵⁵, C. Cuenda Almenar ¹⁷⁵, T. Cuhadar Donszelmann ¹³⁹, S. Cuneo ^{50a,50b},
 M. Curatolo ⁴⁷, C.J. Curtis ¹⁷, P. Cwetanski ⁶¹, H. Czirr ¹⁴¹, Z. Czyczula ¹¹⁷, S. D'Auria ⁵³, M. D'Onofrio ⁷³,
 A. D'Orazio ^{132a,132b}, A. Da Rocha Gesualdi Mello ^{23a}, P.V.M. Da Silva ^{23a}, C. Da Via ⁸², W. Dabrowski ³⁷,
 A. Dahlhoff ⁴⁸, T. Dai ⁸⁷, C. Dallapiccola ⁸⁴, S.J. Dallison ^{129,*}, M. Dam ³⁵, M. Dameri ^{50a,50b},
 D.S. Damiani ¹³⁷, H.O. Danielsson ²⁹, R. Dankers ¹⁰⁵, D. Dannheim ⁹⁹, V. Dao ⁴⁹, G. Darbo ^{50a},
 G.L. Darlea ^{25b}, C. Daum ¹⁰⁵, J.P. Dauvergne ²⁹, W. Davey ⁸⁶, T. Davidek ¹²⁶, N. Davidson ⁸⁶, R. Davidson ⁷¹,
 M. Davies ⁹³, A.R. Davison ⁷⁷, E. Dawe ¹⁴², I. Dawson ¹³⁹, J.W. Dawson ^{5,*}, R.K. Daya ³⁹, K. De ⁷,
 R. de Asmundis ^{102a}, S. De Castro ^{19a,19b}, P.E. De Castro Faria Salgado ²⁴, S. De Cecco ⁷⁸, J. de Graat ⁹⁸,
 N. De Groot ¹⁰⁴, P. de Jong ¹⁰⁵, C. De La Taille ¹¹⁵, H. De la Torre ⁸⁰, B. De Lotto ^{164a,164c}, L. De Mora ⁷¹,
 L. De Nooij ¹⁰⁵, M. De Oliveira Branco ²⁹, D. De Pedis ^{132a}, P. de Saintignon ⁵⁵, A. De Salvo ^{132a},
 U. De Sanctis ^{164a,164c}, A. De Santo ¹⁴⁹, J.B. De Vivie De Regie ¹¹⁵, S. Dean ⁷⁷, D.V. Dedovich ⁶⁵,
 J. Degenhardt ¹²⁰, M. Dehchar ¹¹⁸, M. Deile ⁹⁸, C. Del Papa ^{164a,164c}, J. Del Peso ⁸⁰, T. Del Prete ^{122a,122b},
 A. Dell'Acqua ²⁹, L. Dell'Asta ^{89a,89b}, M. Della Pietra ^{102a,h}, D. della Volpe ^{102a,102b}, M. Delmastro ²⁹,
 P. Delpierre ⁸³, N. Delruelle ²⁹, P.A. Delsart ⁵⁵, C. Deluca ¹⁴⁸, S. Demers ¹⁷⁵, M. Demichev ⁶⁵,
 B. Demirkoz ¹¹, J. Deng ¹⁶³, S.P. Denisov ¹²⁸, D. Derendarz ³⁸, J.E. Derkaoui ^{135d}, F. Derue ⁷⁸, P. Dervan ⁷³,
 K. Desch ²⁰, E. Devetak ¹⁴⁸, P.O. Deviveiros ¹⁵⁸, A. Dewhurst ¹²⁹, B. DeWilde ¹⁴⁸, S. Dhaliwal ¹⁵⁸,
 R. Dhullipudi ^{24,j}, A. Di Ciaccio ^{133a,133b}, L. Di Ciaccio ⁴, A. Di Girolamo ²⁹, B. Di Girolamo ²⁹,
 S. Di Luise ^{134a,134b}, A. Di Mattia ⁸⁸, B. Di Micco ²⁹, R. Di Nardo ^{133a,133b}, A. Di Simone ^{133a,133b},
 R. Di Sipio ^{19a,19b}, M.A. Diaz ^{31a}, F. Diblen ^{18c}, E.B. Diehl ⁸⁷, H. Dietl ⁹⁹, J. Dietrich ⁴⁸, T.A. Dietzsch ^{58a},
 S. Diglio ¹¹⁵, K. Dindar Yagci ³⁹, J. Dingfelder ²⁰, C. Dionisi ^{132a,132b}, P. Dita ^{25a}, S. Dita ^{25a}, F. Dittus ²⁹,
 F. Djama ⁸³, R. Djilkibaev ¹⁰⁸, T. Djobava ⁵¹, M.A.B. do Vale ^{23a}, A. Do Valle Wemans ^{124a}, T.K.O. Doan ⁴,
 M. Dobbs ⁸⁵, R. Dobinson ^{29,*}, D. Dobos ⁴², E. Dobson ²⁹, M. Dobson ¹⁶³, J. Dodd ³⁴, O.B. Dogan ^{18a,*},
 C. Doglioni ¹¹⁸, T. Doherty ⁵³, Y. Doi ^{66,*}, J. Dolejsi ¹²⁶, I. Dolenc ⁷⁴, Z. Dolezal ¹²⁶, B.A. Dolgoshein ^{96,*},
 T. Dohmae ¹⁵⁵, M. Donadelli ^{23b}, M. Donega ¹²⁰, J. Donini ⁵⁵, J. Dopke ²⁹, A. Doria ^{102a}, A. Dos Anjos ¹⁷²,
 M. Dosil ¹¹, A. Dotti ^{122a,122b}, M.T. Dova ⁷⁰, J.D. Dowell ¹⁷, A.D. Doxiadis ¹⁰⁵, A.T. Doyle ⁵³, Z. Drasal ¹²⁶,

- J. Drees¹⁷⁴, N. Dressnandt¹²⁰, H. Drevermann²⁹, C. Driouichi³⁵, M. Dris⁹, J.G. Drohan⁷⁷, J. Dubbert⁹⁹, T. Dubbs¹³⁷, S. Dube¹⁴, E. Duchovni¹⁷¹, G. Duckeck⁹⁸, A. Dudarev²⁹, F. Dudziak⁶⁴, M. Dührssen²⁹, I.P. Duerdorff⁸², L. Duflot¹¹⁵, M.-A. Dufour⁸⁵, M. Dunford²⁹, H. Duran Yildiz^{3b}, R. Duxfield¹³⁹, M. Dwuznik³⁷, F. Dydak²⁹, D. Dzahini⁵⁵, M. Düren⁵², W.L. Ebenstein⁴⁴, J. Ebke⁹⁸, S. Eckert⁴⁸, S. Eckweiler⁸¹, K. Edmonds⁸¹, C.A. Edwards⁷⁶, W. Ehrenfeld⁴¹, T. Ehrich⁹⁹, T. Eifert²⁹, G. Eigen¹³, K. Einsweiler¹⁴, E. Eisenhandler⁷⁵, T. Ekelof¹⁶⁶, M. El Kacimi^{135c}, M. Ellert¹⁶⁶, S. Elles⁴, F. Ellinghaus⁸¹, K. Ellis⁷⁵, N. Ellis²⁹, J. Elmsheuser⁹⁸, M. Elsing²⁹, R. Ely¹⁴, D. Emeliyanov¹²⁹, R. Engelmann¹⁴⁸, A. Engl⁹⁸, B. Epp⁶², A. Eppig⁸⁷, J. Erdmann⁵⁴, A. Ereditato¹⁶, D. Eriksson^{146a}, J. Ernst¹, M. Ernst²⁴, J. Ernwein¹³⁶, D. Errede¹⁶⁵, S. Errede¹⁶⁵, E. Ertel⁸¹, M. Escalier¹¹⁵, C. Escobar¹⁶⁷, X. Espinal Curull¹¹, B. Esposito⁴⁷, F. Etienne⁸³, A.I. Etienvre¹³⁶, E. Etzion¹⁵³, D. Evangelakou⁵⁴, H. Evans⁶¹, L. Fabbri^{19a,19b}, C. Fabre²⁹, K. Facius³⁵, R.M. Fakhrutdinov¹²⁸, S. Falciano^{132a}, A.C. Falou¹¹⁵, Y. Fang¹⁷², M. Fanti^{89a,89b}, A. Farbin⁷, A. Farilla^{134a}, J. Farley¹⁴⁸, T. Farooque¹⁵⁸, S.M. Farrington¹¹⁸, P. Farthouat²⁹, D. Fasching¹⁷², P. Fassnacht²⁹, D. Fassouliotis⁸, B. Fatholahzadeh¹⁵⁸, A. Favareto^{89a,89b}, L. Fayard¹¹⁵, S. Fazio^{36a,36b}, R. Febbraro³³, P. Federic^{144a}, O.L. Fedin¹²¹, I. Fedorko²⁹, W. Fedorko⁸⁸, M. Fehling-Kaschek⁴⁸, L. Feligioni⁸³, D. Fellmann⁵, C.U. Felzmann⁸⁶, C. Feng^{32d}, E.J. Feng³⁰, A.B. Fenyuk¹²⁸, J. Ferencei^{144b}, J. Ferland⁹³, B. Fernandes^{124a,b}, W. Fernando¹⁰⁹, S. Ferrag⁵³, J. Ferrando¹¹⁸, V. Ferrara⁴¹, A. Ferrari¹⁶⁶, P. Ferrari¹⁰⁵, R. Ferrari^{119a}, A. Ferrer¹⁶⁷, M.L. Ferrer⁴⁷, D. Ferrere⁴⁹, C. Ferretti⁸⁷, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³⁰, F. Fiedler⁸¹, A. Filipčič⁷⁴, A. Filippas⁹, F. Filthaut¹⁰⁴, M. Fincke-Keeler¹⁶⁹, M.C.N. Fiolhais^{124a,g}, L. Fiorini¹¹, A. Firan³⁹, G. Fischer⁴¹, P. Fischer²⁰, M.J. Fisher¹⁰⁹, S.M. Fisher¹²⁹, J. Flammer²⁹, M. Flechl⁴⁸, I. Fleck¹⁴¹, J. Fleckner⁸¹, P. Fleischmann¹⁷³, S. Fleischmann¹⁷⁴, T. Flick¹⁷⁴, L.R. Flores Castillo¹⁷², M.J. Flowerdew⁹⁹, F. Föhlisch^{58a}, M. Fokitis⁹, T. Fonseca Martin¹⁶, D.A. Forbush¹³⁸, A. Formica¹³⁶, A. Forti⁸², D. Fortin^{159a}, J.M. Foster⁸², D. Fournier¹¹⁵, A. Foussat²⁹, A.J. Fowler⁴⁴, K. Fowler¹³⁷, H. Fox⁷¹, P. Francavilla^{122a,122b}, S. Franchino^{119a,119b}, D. Francis²⁹, T. Frank¹⁷¹, M. Franklin⁵⁷, S. Franz²⁹, M. Fraternali^{119a,119b}, S. Fratina¹²⁰, S.T. French²⁷, R. Froeschl²⁹, D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁶, E. Fullana Torregrosa²⁹, J. Fuster¹⁶⁷, C. Gabaldon²⁹, O. Gabizon¹⁷¹, T. Gadfort²⁴, S. Gadomski⁴⁹, G. Gagliardi^{50a,50b}, P. Gagnon⁶¹, C. Galea⁹⁸, E.J. Galas¹¹⁸, M.V. Gallas²⁹, V. Gallo¹⁶, B.J. Gallop¹²⁹, P. Gallus¹²⁵, E. Galyaev⁴⁰, K.K. Gan¹⁰⁹, Y.S. Gao^{143,e}, V.A. Gapienko¹²⁸, A. Gaponenko¹⁴, F. Garberson¹⁷⁵, M. Garcia-Sciveres¹⁴, C. García¹⁶⁷, J.E. García Navarro⁴⁹, R.W. Gardner³⁰, N. Garelli²⁹, H. Garitaonandia¹⁰⁵, V. Garonne²⁹, J. Garvey¹⁷, C. Gatti⁴⁷, G. Gaudio^{119a}, O. Gaumer⁴⁹, B. Gaur¹⁴¹, L. Gauthier¹³⁶, I.L. Gavrilenco⁹⁴, C. Gay¹⁶⁸, G. Gaycken²⁰, J.-C. Gayde²⁹, E.N. Gazis⁹, P. Ge^{32d}, C.N.P. Gee¹²⁹, D.A.A. Geerts¹⁰⁵, Ch. Geich-Gimbel²⁰, K. Gellerstedt^{146a,146b}, C. Gemme^{50a}, A. Gemmell⁵³, M.H. Genest⁹⁸, S. Gentile^{132a,132b}, M. George⁵⁴, S. George⁷⁶, P. Gerlach¹⁷⁴, A. Gershon¹⁵³, C. Geweniger^{58a}, H. Ghazlane^{135b}, P. Ghez⁴, N. Ghodbane³³, B. Giacobbe^{19a}, S. Giagu^{132a,132b}, V. Giakoumopoulou⁸, V. Giangiobbe^{122a,122b}, F. Gianotti²⁹, B. Gibbard²⁴, A. Gibson¹⁵⁸, S.M. Gibson²⁹, G.F. Gieraltowski⁵, L.M. Gilbert¹¹⁸, M. Gilchriese¹⁴, V. Gilewsky⁹¹, D. Gillberg²⁸, A.R. Gillman¹²⁹, D.M. Gingrich^{2,d}, J. Ginzburg¹⁵³, N. Giokaris⁸, R. Giordano^{102a,102b}, F.M. Giorgi¹⁵, P. Giovannini⁹⁹, P.F. Giraud¹³⁶, D. Giugni^{89a}, P. Giusti^{19a}, B.K. Gjelsten¹¹⁷, L.K. Gladilin⁹⁷, C. Glasman⁸⁰, J. Glatzer⁴⁸, A. Glazov⁴¹, K.W. Glitz¹⁷⁴, G.L. Glonti⁶⁵, J. Godfrey¹⁴², J. Godlewski²⁹, M. Goebel⁴¹, T. Göpfert⁴³, C. Goeringer⁸¹, C. Gössling⁴², T. Göttfert⁹⁹, S. Goldfarb⁸⁷, D. Goldin³⁹, T. Golling¹⁷⁵, S.N. Golovnia¹²⁸, A. Gomes^{124a,b}, L.S. Gomez Fajardo⁴¹, R. Gonçalo⁷⁶, J. Goncalves Pinto Firmino Da Costa⁴¹, L. Gonella²⁰, A. Gonidec²⁹, S. Gonzalez¹⁷², S. González de la Hoz¹⁶⁷, M.L. Gonzalez Silva²⁶, S. Gonzalez-Sevilla⁴⁹, J.J. Goodson¹⁴⁸, L. Goossens²⁹, P.A. Gorbounov⁹⁵, H.A. Gordon²⁴, I. Gorelov¹⁰³, G. Gorfine¹⁷⁴, B. Gorini²⁹, E. Gorini^{72a,72b}, A. Gorišek⁷⁴, E. Gornicki³⁸, S.A. Gorokhov¹²⁸, V.N. Goryachev¹²⁸, B. Gosdzik⁴¹, M. Gosselink¹⁰⁵, M.I. Gostkin⁶⁵, M. Gouanère⁴, I. Gough Eschrich¹⁶³, M. Gouighri^{135a}, D. Goujdami^{135c}, M.P. Goulette⁴⁹, A.G. Goussiou¹³⁸, C. Goy⁴, I. Grabowska-Bold^{163,f}, V. Grabski¹⁷⁶, P. Grafström²⁹, C. Grah¹⁷⁴, K.-J. Grahn¹⁴⁷, F. Grancagnolo^{72a}, S. Grancagnolo¹⁵, V. Grassi¹⁴⁸, V. Gratchev¹²¹, N. Grau³⁴, H.M. Gray²⁹, J.A. Gray¹⁴⁸, E. Graziani^{134a}, O.G. Grebenyuk¹²¹, D. Greenfield¹²⁹, T. Greenshaw⁷³, Z.D. Greenwood^{24,j}, I.M. Gregor⁴¹, P. Grenier¹⁴³, E. Griesmayer⁴⁶, J. Griffiths¹³⁸, N. Grigalashvili⁶⁵, A.A. Grillo¹³⁷, S. Grinstein¹¹, P.L.Y. Gris³³, Y.V. Grishkevich⁹⁷, J.-F. Grivaz¹¹⁵, J. Grognuz²⁹, M. Groh⁹⁹, E. Gross¹⁷¹, J. Grosse-Knetter⁵⁴, J. Groth-Jensen⁷⁹, M. Gruwe²⁹, K. Grybel¹⁴¹, V.J. Guarino⁵, D. Guest¹⁷⁵,

- C. Guicheney ³³, A. Guida ^{72a,72b}, T. Guillemin ⁴, S. Guindon ⁵⁴, H. Guler ^{85,k}, J. Gunther ¹²⁵, B. Guo ¹⁵⁸,
 J. Guo ³⁴, A. Gupta ³⁰, Y. Gusakov ⁶⁵, V.N. Gushchin ¹²⁸, A. Gutierrez ⁹³, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³,
 O. Gutzwiller ¹⁷², C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁴³, S. Haas ²⁹, C. Haber ¹⁴,
 R. Hackenburg ²⁴, H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ⁹⁹, F. Hahn ²⁹, S. Haider ²⁹, Z. Hajduk ³⁸,
 H. Hakobyan ¹⁷⁶, J. Haller ⁵⁴, K. Hamacher ¹⁷⁴, P. Hamal ¹¹³, A. Hamilton ⁴⁹, S. Hamilton ¹⁶¹, H. Han ^{32a},
 L. Han ^{32b}, K. Hanagaki ¹¹⁶, M. Hance ¹²⁰, C. Handel ⁸¹, P. Hanke ^{58a}, C.J. Hansen ¹⁶⁶, J.R. Hansen ³⁵,
 J.B. Hansen ³⁵, J.D. Hansen ³⁵, P.H. Hansen ³⁵, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷, T. Harenberg ¹⁷⁴,
 D. Harper ⁸⁷, R.D. Harrington ²¹, O.M. Harris ¹³⁸, K. Harrison ¹⁷, J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁶,
 A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, M. Hatch ²⁹, D. Hauff ⁹⁹, S. Haug ¹⁶,
 M. Hauschild ²⁹, R. Hauser ⁸⁸, M. Havranek ²⁰, B.M. Hawes ¹¹⁸, C.M. Hawkes ¹⁷, R.J. Hawkings ²⁹,
 D. Hawkins ¹⁶³, T. Hayakawa ⁶⁷, D. Hayden ⁷⁶, H.S. Hayward ⁷³, S.J. Haywood ¹²⁹, E. Hazen ²¹, M. He ^{32d},
 S.J. Head ¹⁷, V. Hedberg ⁷⁹, L. Heelan ⁷, S. Heim ⁸⁸, B. Heinemann ¹⁴, S. Heisterkamp ³⁵, L. Helary ⁴,
 M. Heldmann ⁴⁸, M. Heller ¹¹⁵, S. Hellman ^{146a,146b}, C. Helsens ¹¹, R.C.W. Henderson ⁷¹, M. Henke ^{58a},
 A. Henrichs ⁵⁴, A.M. Henriques Correia ²⁹, S. Henrot-Versille ¹¹⁵, F. Henry-Couannier ⁸³, C. Hensel ⁵⁴,
 T. Henß ¹⁷⁴, Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁵, A.D. Hershenhorn ¹⁵², G. Herten ⁴⁸,
 R. Hertenberger ⁹⁸, L. Hervas ²⁹, N.P. Hessey ¹⁰⁵, A. Hidvegi ^{146a}, E. Higón-Rodriguez ¹⁶⁷, D. Hill ^{5,*},
 J.C. Hill ²⁷, N. Hill ⁵, K.H. Hiller ⁴¹, S. Hillert ²⁰, S.J. Hillier ¹⁷, I. Hinchliffe ¹⁴, E. Hines ¹²⁰, M. Hirose ¹¹⁶,
 F. Hirsch ⁴², D. Hirschbuehl ¹⁷⁴, J. Hobbs ¹⁴⁸, N. Hod ¹⁵³, M.C. Hodgkinson ¹³⁹, P. Hodgson ¹³⁹,
 A. Hoecker ²⁹, M.R. Hoeferkamp ¹⁰³, J. Hoffman ³⁹, D. Hoffmann ⁸³, M. Hohlfeld ⁸¹,
 M. Holder ¹⁴¹, A. Holmes ¹¹⁸, S.O. Holmgren ^{146a}, T. Holy ¹²⁷, J.L. Holzbauer ⁸⁸, Y. Homma ⁶⁷,
 L. Hooft van Huysduynen ¹⁰⁸, T. Horazdovsky ¹²⁷, C. Horn ¹⁴³, S. Horner ⁴⁸, K. Horton ¹¹⁸, J.-Y. Hostachy ⁵⁵,
 S. Hou ¹⁵¹, M.A. Houlden ⁷³, A. Hoummada ^{135a}, J. Howarth ⁸², D.F. Howell ¹¹⁸, I. Hristova ⁴¹, J. Hrvnac ¹¹⁵,
 I. Hruska ¹²⁵, T. Hrypn'ova ⁴, P.J. Hsu ¹⁷⁵, S.-C. Hsu ¹⁴, G.S. Huang ¹¹¹, Z. Hubacek ¹²⁷, F. Hubaut ⁸³,
 F. Huegging ²⁰, T.B. Huffman ¹¹⁸, E.W. Hughes ³⁴, G. Hughes ⁷¹, R.E. Hughes-Jones ⁸², M. Huhtinen ²⁹,
 P. Hurst ⁵⁷, M. Hurwitz ¹⁴, U. Husemann ⁴¹, N. Huseynov ^{65,l}, J. Huston ⁸⁸, J. Huth ⁵⁷, G. Iacobucci ^{102a},
 G. Iakovidis ⁹, M. Ibbotson ⁸², I. Ibragimov ¹⁴¹, R. Ichimiya ⁶⁷, L. Iconomou-Fayard ¹¹⁵, J. Idarraga ¹¹⁵,
 M. Idzik ³⁷, P. Iengo ^{102a,102b}, O. Igonkina ¹⁰⁵, Y. Ikegami ⁶⁶, M. Ikeno ⁶⁶, Y. Ilchenko ³⁹, D. Iliadis ¹⁵⁴,
 D. Imbault ⁷⁸, M. Imhaeuser ¹⁷⁴, M. Imori ¹⁵⁵, T. Ince ²⁰, J. Inigo-Golfin ²⁹, P. Ioannou ⁸, M. Iodice ^{134a},
 G. Ionescu ⁴, A. Irles Quiles ¹⁶⁷, K. Ishii ⁶⁶, A. Ishikawa ⁶⁷, M. Ishino ⁶⁶, R. Ishmukhametov ³⁹, C. Issever ¹¹⁸,
 S. Istin ^{18a}, Y. Itoh ¹⁰¹, A.V. Ivashin ¹²⁸, W. Iwanski ³⁸, H. Iwasaki ⁶⁶, J.M. Izen ⁴⁰, V. Izzo ^{102a}, B. Jackson ¹²⁰,
 J.N. Jackson ⁷³, P. Jackson ¹⁴³, M.R. Jaekel ²⁹, V. Jain ⁶¹, K. Jakobs ⁴⁸, S. Jakobsen ³⁵, J. Jakubek ¹²⁷,
 D.K. Jana ¹¹¹, E. Jankowski ¹⁵⁸, E. Jansen ⁷⁷, A. Jantsch ⁹⁹, M. Janus ²⁰, G. Jarlskog ⁷⁹, L. Jeanty ⁵⁷,
 K. Jelen ³⁷, I. Jen-La Plante ³⁰, P. Jenni ²⁹, A. Jeremie ⁴, P. Jež ³⁵, S. Jézéquel ⁴, M.K. Jha ^{19a}, H. Ji ¹⁷², W. Ji ⁸¹,
 J. Jia ¹⁴⁸, Y. Jiang ^{32b}, M. Jimenez Belenguer ⁴¹, G. Jin ^{32b}, S. Jin ^{32a}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁵,
 D. Joffe ³⁹, L.G. Johansen ¹³, M. Johansen ^{146a,146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴¹,
 K.A. Johns ⁶, K. Jon-And ^{146a,146b}, G. Jones ⁸², R.W.L. Jones ⁷¹, T.W. Jones ⁷⁷, T.J. Jones ⁷³, O. Jonsson ²⁹,
 C. Joram ²⁹, P.M. Jorge ^{124a,b}, J. Joseph ¹⁴, X. Ju ¹³⁰, V. Juranek ¹²⁵, P. Jussel ⁶², V.V. Kabachenko ¹²⁸,
 S. Kabana ¹⁶, M. Kaci ¹⁶⁷, A. Kaczmarska ³⁸, P. Kadlecik ³⁵, M. Kado ¹¹⁵, H. Kagan ¹⁰⁹, M. Kagan ⁵⁷,
 S. Kaiser ⁹⁹, E. Kajomovitz ¹⁵², S. Kalinin ¹⁷⁴, L.V. Kalinovskaya ⁶⁵, S. Kama ³⁹, N. Kanaya ¹⁵⁵,
 M. Kaneda ¹⁵⁵, T. Kanno ¹⁵⁷, V.A. Kantserov ⁹⁶, J. Kanzaki ⁶⁶, B. Kaplan ¹⁷⁵, A. Kapliy ³⁰, J. Kaplon ²⁹,
 D. Kar ⁴³, M. Karagoz ¹¹⁸, M. Karnevskiy ⁴¹, K. Karr ⁵, V. Kartvelishvili ⁷¹, A.N. Karyukhin ¹²⁸, L. Kashif ¹⁷²,
 A. Kasmi ³⁹, R.D. Kass ¹⁰⁹, A. Kastanas ¹³, M. Kataoka ⁴, Y. Kataoka ¹⁵⁵, E. Katsoufis ⁹, J. Katzy ⁴¹,
 V. Kaushik ⁶, K. Kawagoe ⁶⁷, T. Kawamoto ¹⁵⁵, G. Kawamura ⁸¹, M.S. Kayl ¹⁰⁵, V.A. Kazanin ¹⁰⁷,
 M.Y. Kazarinov ⁶⁵, S.I. Kazi ⁸⁶, J.R. Keates ⁸², R. Keeler ¹⁶⁹, R. Kehoe ³⁹, M. Keil ⁵⁴, G.D. Kekelidze ⁶⁵,
 M. Kelly ⁸², J. Kennedy ⁹⁸, C.J. Kenney ¹⁴³, M. Kenyon ⁵³, O. Kepka ¹²⁵, N. Kerschen ²⁹, B.P. Kerševan ⁷⁴,
 S. Kersten ¹⁷⁴, K. Kessoku ¹⁵⁵, C. Ketterer ⁴⁸, M. Khakzad ²⁸, F. Khalil-zada ¹⁰, H. Khandanyan ¹⁶⁵,
 A. Khanov ¹¹², D. Kharchenko ⁶⁵, A. Khodinov ¹⁴⁸, A.G. Kholodenko ¹²⁸, A. Khomich ^{58a}, T.J. Khoo ²⁷,
 G. Khoriauli ²⁰, N. Khovanskiy ⁶⁵, V. Khovanskiy ⁹⁵, E. Khramov ⁶⁵, J. Khubua ⁵¹, G. Kilvington ⁷⁶, H. Kim ⁷,
 M.S. Kim ², P.C. Kim ¹⁴³, S.H. Kim ¹⁶⁰, N. Kimura ¹⁷⁰, O. Kind ¹⁵, B.T. King ⁷³, M. King ⁶⁷, R.S.B. King ¹¹⁸,
 J. Kirk ¹²⁹, G.P. Kirsch ¹¹⁸, L.E. Kirsch ²², A.E. Kiryunin ⁹⁹, D. Kisielewska ³⁷, T. Kittelmann ¹²³,
 A.M. Kiver ¹²⁸, H. Kiyamura ⁶⁷, E. Kladiva ^{144b}, J. Klaiber-Lodewigs ⁴², M. Klein ⁷³, U. Klein ⁷³,
 K. Kleinknecht ⁸¹, M. Klemetti ⁸⁵, A. Klier ¹⁷¹, A. Klimentov ²⁴, R. Klingenberg ⁴², E.B. Klinkby ³⁵,

- T. Klioutchnikova 29, P.F. Klok 104, S. Klous 105, E.-E. Kluge 58a, T. Kluge 73, P. Kluit 105, S. Kluth 99, E. Knerner 62, J. Knobloch 29, E.B.F.G. Knoops 83, A. Knue 54, B.R. Ko 44, T. Kobayashi 155, M. Kobel 43, B. Koblitz 29, M. Kocian 143, A. Kocnar 113, P. Kodys 126, K. Köneke 29, A.C. König 104, S. Koenig 81, L. Köpke 81, F. Koetsveld 104, P. Koevesarki 20, T. Koffas 29, E. Koffeman 105, F. Kohn 54, Z. Kohout 127, T. Kohriki 66, T. Koi 143, T. Kokott 20, G.M. Kolachev 107, H. Kolanoski 15, V. Kolesnikov 65, I. Koletsou 89a, J. Koll 88, D. Kollar 29, M. Kollefrath 48, S.D. Kolya 82, A.A. Komar 94, J.R. Komaragiri 142, T. Kondo 66, T. Kono 41,m, A.I. Kononov 48, R. Konoplich 108,n, N. Konstantinidis 77, A. Kootz 174, S. Koperny 37, S.V. Kopikov 128, K. Korcyl 38, K. Kordas 154, V. Koreshev 128, A. Korn 14, A. Korol 107, I. Korolkov 11, E.V. Korolkova 139, V.A. Korotkov 128, O. Kortner 99, S. Kortner 99, V.V. Kostyukhin 20, M.J. Kotamäki 29, S. Kotov 99, V.M. Kotov 65, C. Kourkoumelis 8, V. Kouskoura 154, A. Koutsman 105, R. Kowalewski 169, H. Kowalski 41, T.Z. Kowalski 37, W. Kozanecki 136, A.S. Kozhin 128, V. Kral 127, V.A. Kramarenko 97, G. Kramberger 74, O. Krasel 42, M.W. Krasny 78, A. Krasznahorkay 108, J. Kraus 88, A. Kreisel 153, F. Krejci 127, J. Kretzschmar 73, N. Krieger 54, P. Krieger 158, K. Kroeninger 54, H. Kroha 99, J. Kroll 120, J. Kroseberg 20, J. Krstic 12a, U. Kruchonak 65, H. Krüger 20, Z.V. Krumshteyn 65, A. Kruth 20, T. Kubota 155, S. Kuehn 48, A. Kugel 58c, T. Kuhl 174, D. Kuhn 62, V. Kukhtin 65, Y. Kulchitsky 90, S. Kuleshov 31b, C. Kummer 98, M. Kuna 78, N. Kundu 118, J. Kunkle 120, A. Kupco 125, H. Kurashige 67, M. Kurata 160, Y.A. Kurochkin 90, V. Kus 125, W. Kuykendall 138, M. Kuze 157, P. Kuzhir 91, O. Kvasnicka 125, J. Kvita 29, R. Kwee 15, A. La Rosa 29, L. La Rotonda 36a,36b, L. Labarga 80, J. Labbe 4, S. Lablak 135a, C. Lacasta 167, F. Lacava 132a,132b, H. Lacker 15, D. Lacour 78, V.R. Lacuesta 167, E. Ladygin 65, R. Lafaye 4, B. Laforge 78, T. Lagouri 80, S. Lai 48, E. Laisne 55, M. Lamanna 29, C.L. Lampen 6, W. Lampl 6, E. Lancon 136, U. Landgraf 48, M.P.J. Landon 75, H. Landsman 152, J.L. Lane 82, C. Lange 41, A.J. Lankford 163, F. Lanni 24, K. Lantzsch 29, V.V. Lapin 128,* S. Laplace 78, C. Lapoire 20, J.F. Laporte 136, T. Lari 89a, A.V. Larionov 128, A. Larner 118, C. Lasseur 29, M. Lassnig 29, W. Lau 118, P. Laurelli 47, A. Lavorato 118, W. Lavrijzen 14, P. Laycock 73, A.B. Lazarev 65, A. Lazzaro 89a,89b, O. Le Dortz 78, E. Le Guiriec 83, C. Le Maner 158, E. Le Menedeu 136, A. Lebedev 64, C. Lebel 93, T. LeCompte 5, F. Ledroit-Guillon 55, H. Lee 105, J.S.H. Lee 150, S.C. Lee 151, L. Lee 175, M. Lefebvre 169, M. Legendre 136, A. Leger 49, B.C. LeGeyt 120, F. Legger 98, C. Leggett 14, M. Lehmacher 20, G. Lehmann Miotto 29, X. Lei 6, M.A.L. Leite 23b, R. Leitner 126, D. Lellouch 171, J. Lellouch 78, M. Leltchouk 34, V. Lendermann 58a, K.J.C. Leney 145b, T. Lenz 174, G. Lenzen 174, B. Lenzi 136, K. Leonhardt 43, S. Leontsinis 9, C. Leroy 93, J.-R. Lessard 169, J. Lesser 146a, C.G. Lester 27, A. Leung Fook Cheong 172, J. Levêque 4, D. Levin 87, L.J. Levinson 171, M.S. Levitski 128, M. Lewandowska 21, G.H. Lewis 108, M. Leyton 15, B. Li 83, H. Li 172, S. Li 32b, X. Li 87, Z. Liang 39, Z. Liang 118,o, B. Liberti 133a, P. Lichard 29, M. Lichtnecker 98, K. Lie 165, W. Liebig 13, R. Lifshitz 152, J.N. Lilley 17, C. Limbach 20, A. Limosani 86, M. Limper 63, S.C. Lin 151,p, F. Linde 105, J.T. Linnemann 88, E. Lipeles 120, L. Lipinsky 125, A. Lipniacka 13, T.M. Liss 165, D. Lissauer 24, A. Lister 49, A.M. Litke 137, C. Liu 28, D. Liu 151,q, H. Liu 87, J.B. Liu 87, M. Liu 32b, S. Liu 2, Y. Liu 32b, M. Livan 119a,119b, S.S.A. Livermore 118, A. Lleres 55, S.L. Lloyd 75, E. Lobodzinska 41, P. Loch 6, W.S. Lockman 137, S. Lockwitz 175, T. Loddenkoetter 20, F.K. Loebinger 82, A. Loginov 175, C.W. Loh 168, T. Lohse 15, K. Lohwasser 48, M. Lokajicek 125, J. Loken 118, V.P. Lombardo 89a, R.E. Long 71, L. Lopes 124a,b, D. Lopez Mateos 34,r, M. Losada 162, P. Loscutoff 14, F. Lo Sterzo 132a,132b, M.J. Losty 159a, X. Lou 40, A. Lounis 115, K.F. Loureiro 162, J. Love 21, P.A. Love 143,e, F. Lu 32a, L. Lu 39, H.J. Lubatti 138, C. Luci 132a,132b, A. Lucotte 55, A. Ludwig 43, D. Ludwig 41, I. Ludwig 48, J. Ludwig 48, F. Luehring 61, G. Luijckx 105, D. Lumb 48, L. Luminari 132a, E. Lund 117, B. Lund-Jensen 147, B. Lundberg 79, J. Lundberg 146a,146b, J. Lundquist 35, M. Lungwitz 81, A. Lupi 122a,122b, G. Lutz 99, D. Lynn 24, J. Lys 14, E. Lytken 79, H. Ma 24, LL. Ma 172, J.A. Macana Goia 93, G. Maccarrone 47, A. Macchiolo 99, B. Maćek 74, J. Machado Miguens 124a, D. Macina 49, R. Mackeprang 35, R.J. Madaras 14, W.F. Mader 43, R. Maenner 58c, T. Maeno 24, P. Mättig 174, S. Mättig 41, P.J. Magalhaes Martins 124a,g, L. Magnoni 29, E. Magradze 51, Y. Mahalalel 153, K. Mahboubi 48, S. Mahmoud 73, G. Mahout 17, C. Maiani 132a,132b, C. Maidantchik 23a, A. Maio 124a,b, S. Majewski 24, Y. Makida 66, N. Makovec 115, P. Mal 6, Pa. Malecki 38, P. Malecki 38, V.P. Maleev 121, F. Malek 55, U. Mallik 63, D. Malon 5, S. Maltezos 9, V. Malyshев 107, S. Malyukov 65, R. Mameghani 98, J. Mamuzic 12b, A. Manabe 66, L. Mandelli 89a, I. Mandić 74, R. Mandrysch 15, J. Maneira 124a, P.S. Mangeard 88, I.D. Manjavidze 65, A. Mann 54, P.M. Manning 137, A. Manousakis-Katsikakis 8, B. Mansoulie 136, A. Manz 99, A. Mapelli 29, L. Mapelli 29, L. March 80, J.F. Marchand 29, F. Marchese 133a,133b, G. Marchiori 78, M. Marcisovsky 125, A. Marin 21,*

- C.P. Marino ⁶¹, F. Marroquim ^{23a}, R. Marshall ⁸², Z. Marshall ^{34,r}, F.K. Martens ¹⁵⁸, S. Marti-Garcia ¹⁶⁷, A.J. Martin ¹⁷⁵, B. Martin ²⁹, B. Martin ⁸⁸, F.F. Martin ¹²⁰, J.P. Martin ⁹³, Ph. Martin ⁵⁵, T.A. Martin ¹⁷, B. Martin dit Latour ⁴⁹, M. Martinez ¹¹, V. Martinez Outschoorn ⁵⁷, A.C. Martyniuk ⁸², M. Marx ⁸², F. Marzano ^{132a}, A. Marzin ¹¹¹, L. Masetti ⁸¹, T. Mashimo ¹⁵⁵, R. Mashinistov ⁹⁴, J. Masik ⁸², A.L. Maslennikov ¹⁰⁷, M. Maß ⁴², I. Massa ^{19a,19b}, G. Massaro ¹⁰⁵, N. Massol ⁴, A. Mastroberardino ^{36a,36b}, T. Masubuchi ¹⁵⁵, M. Mathes ²⁰, P. Matricon ¹¹⁵, H. Matsumoto ¹⁵⁵, H. Matsunaga ¹⁵⁵, T. Matsushita ⁶⁷, C. Mattravers ^{118,s}, J.M. Maugain ²⁹, S.J. Maxfield ⁷³, D.A. Maximov ¹⁰⁷, E.N. May ⁵, A. Mayne ¹³⁹, R. Mazini ¹⁵¹, M. Mazur ²⁰, M. Mazzanti ^{89a}, E. Mazzoni ^{122a,122b}, S.P. Mc Kee ⁸⁷, A. McCarn ¹⁶⁵, R.L. McCarthy ¹⁴⁸, T.G. McCarthy ²⁸, N.A. McCubbin ¹²⁹, K.W. McFarlane ⁵⁶, J.A. McFayden ¹³⁹, H. McGlone ⁵³, G. Mchedlidze ⁵¹, R.A. McLaren ²⁹, T. McLaughlan ¹⁷, S.J. McMahon ¹²⁹, R.A. McPherson ^{169,i}, A. Meade ⁸⁴, J. Mechnich ¹⁰⁵, M. Mechtel ¹⁷⁴, M. Medinnis ⁴¹, R. Meera-Lebbai ¹¹¹, T. Meguro ¹¹⁶, R. Mehdiyev ⁹³, S. Mehlhase ³⁵, A. Mehta ⁷³, K. Meier ^{58a}, J. Meinhardt ⁴⁸, B. Meirose ⁷⁹, C. Melachrinos ³⁰, B.R. Mellado Garcia ¹⁷², L. Mendoza Navas ¹⁶², Z. Meng ^{151,q}, A. Mengarelli ^{19a,19b}, S. Menke ⁹⁹, C. Menot ²⁹, E. Meoni ¹¹, K.M. Mercurio ⁵⁷, P. Mermod ¹¹⁸, L. Merola ^{102a,102b}, C. Meroni ^{89a}, F.S. Merritt ³⁰, A. Messina ²⁹, J. Metcalfe ¹⁰³, A.S. Mete ⁶⁴, S. Meuser ²⁰, C. Meyer ⁸¹, J.-P. Meyer ¹³⁶, J. Meyer ¹⁷³, J. Meyer ⁵⁴, T.C. Meyer ²⁹, W.T. Meyer ⁶⁴, J. Miao ^{32d}, S. Michal ²⁹, L. Micu ^{25a}, R.P. Middleton ¹²⁹, P. Miele ²⁹, S. Migas ⁷³, L. Mijović ⁴¹, G. Mikenberg ¹⁷¹, M. Mikestikova ¹²⁵, B. Mikulec ⁴⁹, M. Mikuž ⁷⁴, D.W. Miller ¹⁴³, R.J. Miller ⁸⁸, W.J. Mills ¹⁶⁸, C. Mills ⁵⁷, A. Milov ¹⁷¹, D.A. Milstead ^{146a,146b}, D. Milstein ¹⁷¹, A.A. Minaenko ¹²⁸, M. Miñano ¹⁶⁷, I.A. Minashvili ⁶⁵, A.I. Mincer ¹⁰⁸, B. Mindur ³⁷, M. Mineev ⁶⁵, Y. Ming ¹³⁰, L.M. Mir ¹¹, G. Mirabelli ^{132a}, L. Miralles Verge ¹¹, A. Misiejuk ⁷⁶, J. Mitrevski ¹³⁷, G.Y. Mitrofanov ¹²⁸, V.A. Mitsou ¹⁶⁷, S. Mitsui ⁶⁶, P.S. Miyagawa ⁸², K. Miyazaki ⁶⁷, J.U. Mjörnmark ⁷⁹, T. Moa ^{146a,146b}, P. Mockett ¹³⁸, S. Moed ⁵⁷, V. Moeller ²⁷, K. Möning ⁴¹, N. Möser ²⁰, S. Mohapatra ¹⁴⁸, B. Mohn ¹³, W. Mohr ⁴⁸, S. Mohrdieck-Möck ⁹⁹, A.M. Moisseev ^{128,*}, R. Moles-Valls ¹⁶⁷, J. Molina-Perez ²⁹, L. Moneta ⁴⁹, J. Monk ⁷⁷, E. Monnier ⁸³, S. Montesano ^{89a,89b}, F. Monticelli ⁷⁰, S. Monzani ^{19a,19b}, R.W. Moore ², G.F. Moorhead ⁸⁶, C. Mora Herrera ⁴⁹, A. Moraes ⁵³, A. Morais ^{124a,b}, N. Morange ¹³⁶, G. Morello ^{36a,36b}, D. Moreno ⁸¹, M. Moreno Llácer ¹⁶⁷, P. Morettini ^{50a}, M. Morii ⁵⁷, J. Morin ⁷⁵, Y. Morita ⁶⁶, A.K. Morley ²⁹, G. Mornacchi ²⁹, M.-C. Morone ⁴⁹, S.V. Morozov ⁹⁶, J.D. Morris ⁷⁵, H.G. Moser ⁹⁹, M. Mosidze ⁵¹, J. Moss ¹⁰⁹, R. Mount ¹⁴³, E. Mountricha ⁹, S.V. Mouraviev ⁹⁴, E.J.W. Moyse ⁸⁴, M. Mudrinic ^{12b}, F. Mueller ^{58a}, J. Mueller ¹²³, K. Mueller ²⁰, T.A. Müller ⁹⁸, D. Muenstermann ²⁹, A. Muijs ¹⁰⁵, A. Muir ¹⁶⁸, Y. Munwes ¹⁵³, K. Murakami ⁶⁶, W.J. Murray ¹²⁹, I. Mussche ¹⁰⁵, E. Musto ^{102a,102b}, A.G. Myagkov ¹²⁸, M. Myska ¹²⁵, J. Nadal ¹¹, K. Nagai ¹⁶⁰, K. Nagano ⁶⁶, Y. Nagasaka ⁶⁰, A.M. Nairz ²⁹, Y. Nakahama ¹¹⁵, K. Nakamura ¹⁵⁵, I. Nakano ¹¹⁰, G. Nanava ²⁰, A. Napier ¹⁶¹, M. Nash ^{77,s}, N.R. Nation ²¹, T. Nattermann ²⁰, T. Naumann ⁴¹, G. Navarro ¹⁶², H.A. Neal ⁸⁷, E. Nebot ⁸⁰, P.Yu. Nechaeva ⁹⁴, A. Negri ^{119a,119b}, G. Negri ²⁹, S. Nektarijevic ⁴⁹, A. Nelson ⁶⁴, S. Nelson ¹⁴³, T.K. Nelson ¹⁴³, S. Nemecek ¹²⁵, P. Nemethy ¹⁰⁸, A.A. Nepomuceno ^{23a}, M. Nessi ^{29,t}, S.Y. Nesterov ¹²¹, M.S. Neubauer ¹⁶⁵, A. Neusiedl ⁸¹, R.M. Neves ¹⁰⁸, P. Nevski ²⁴, P.R. Newman ¹⁷, R.B. Nickerson ¹¹⁸, R. Nicolaïdou ¹³⁶, L. Nicolas ¹³⁹, B. Nicquevert ²⁹, F. Niedercorn ¹¹⁵, J. Nielsen ¹³⁷, T. Niinikoski ²⁹, A. Nikiforov ¹⁵, V. Nikolaenko ¹²⁸, K. Nikolaev ⁶⁵, I. Nikolic-Audit ⁷⁸, K. Nikolopoulos ²⁴, H. Nilsen ⁴⁸, P. Nilsson ⁷, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, T. Nishiyama ⁶⁷, R. Nisius ⁹⁹, L. Nodulman ⁵, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴, H. Nomoto ¹⁵⁵, M. Nordberg ²⁹, B. Nordkvist ^{146a,146b}, P.R. Norton ¹²⁹, J. Novakova ¹²⁶, M. Nozaki ⁶⁶, M. Nožička ⁴¹, L. Nozka ¹¹³, I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²⁰, G. Nunes Hanninger ²⁰, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷, T. Nyman ²⁹, B.J. O'Brien ⁴⁵, S.W. O'Neale ^{17,*}, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, F.G. Oakham ^{28,d}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸, A. Ochi ⁶⁷, S. Oda ¹⁵⁵, S. Odaka ⁶⁶, J. Odier ⁸³, H. Ogren ⁶¹, A. Oh ⁸², S.H. Oh ⁴⁴, C.C. Ohm ^{146a,146b}, T. Ohshima ¹⁰¹, H. Ohshita ¹⁴⁰, T.K. Ohska ⁶⁶, T. Ohsugi ⁵⁹, S. Okada ⁶⁷, H. Okawa ¹⁶³, Y. Okumura ¹⁰¹, T. Okuyama ¹⁵⁵, M. Olcese ^{50a}, A.G. Olchevski ⁶⁵, M. Oliveira ^{124a,g}, D. Oliveira Damazio ²⁴, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰, A. Olszewski ³⁸, J. Olszowska ³⁸, C. Omachi ⁶⁷, A. Onofre ^{124a,u}, P.I.U.E. Onyisi ³⁰, C.J. Oram ^{159a}, M.J. Oreglia ³⁰, F. Orellana ⁴⁹, Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸, E.O. Ortega ¹³⁰, B. Osculati ^{50a,50b}, R. Ospanov ¹²⁰, C. Osuna ¹¹, G. Otero y Garzon ²⁶, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d}, F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶, Q. Ouyang ^{32a}, M. Owen ⁸², S. Owen ¹³⁹, O.K. Øye ¹³, V.E. Ozcan ^{18a}, N. Ozturk ⁷, A. Pacheco Pages ¹¹, C. Padilla Aranda ¹¹, E. Paganis ¹³⁹, F. Paige ²⁴, K. Pajchel ¹¹⁷, S. Palestini ²⁹, D. Pallin ³³, A. Palma ^{124a,b}, J.D. Palmer ¹⁷, Y.B. Pan ¹⁷², E. Panagiotopoulou ⁹, B. Panes ^{31a},

- N. Panikashvili ⁸⁷, S. Panitkin ²⁴, D. Pantea ^{25a}, M. Panuskova ¹²⁵, V. Paolone ¹²³, A. Paoloni ^{133a,133b},
 A. Papadelis ^{146a}, Th.D. Papadopoulou ⁹, A. Paramonov ⁵, W. Park ^{24,v}, M.A. Parker ²⁷, F. Parodi ^{50a,50b},
 J.A. Parsons ³⁴, U. Parzefall ⁴⁸, E. Pasqualucci ^{132a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b}, Fr. Pastore ²⁹,
 G. Pásztor ^{49,w}, S. Pataraia ¹⁷², N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ²⁹, M. Pecsy ^{144a},
 M.I. Pedraza Morales ¹⁷², S.V. Peleganchuk ¹⁰⁷, H. Peng ¹⁷², R. Pengo ²⁹, A. Penson ³⁴, J. Penwell ⁶¹,
 M. Perantoni ^{23a}, K. Perez ^{34,r}, T. Perez Cavalcanti ⁴¹, E. Perez Codina ¹¹, M.T. Pérez García-Estañ ¹⁶⁷,
 V. Perez Reale ³⁴, I. Peric ²⁰, L. Perini ^{89a,89b}, H. Pernegger ²⁹, R. Perrino ^{72a}, P. Perrodo ⁴, S. Persebme ^{3a},
 V.D. Peshekhonov ⁶⁵, O. Peters ¹⁰⁵, B.A. Petersen ²⁹, J. Petersen ²⁹, T.C. Petersen ³⁵, E. Petit ⁸³,
 A. Petridis ¹⁵⁴, C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petrucci ^{134a,134b}, D. Petschull ⁴¹, M. Petteni ¹⁴²,
 R. Pezoa ^{31b}, A. Phan ⁸⁶, A.W. Phillips ²⁷, P.W. Phillips ¹²⁹, G. Piacquadio ²⁹, E. Piccaro ⁷⁵,
 M. Piccinini ^{19a,19b}, A. Pickford ⁵³, S.M. Piec ⁴¹, R. Piegaia ²⁶, J.E. Pilcher ³⁰, A.D. Pilkington ⁸², J. Pina ^{124a,b},
 M. Pinamonti ^{164a,164c}, A. Pinder ¹¹⁸, J.L. Pinfold ², J. Ping ^{32c}, B. Pinto ^{124a,b}, O. Pirotte ²⁹, C. Pizio ^{89a,89b},
 R. Placakyte ⁴¹, M. Plamondon ¹⁶⁹, W.G. Plano ⁸², M.-A. Pleier ²⁴, A.V. Pleskach ¹²⁸, A. Poblaguev ²⁴,
 S. Poddar ^{58a}, F. Podlaski ³³, L. Poggioli ¹¹⁵, T. Poghosyan ²⁰, M. Pohl ⁴⁹, F. Polci ⁵⁵, G. Polesello ^{119a},
 A. Policicchio ¹³⁸, A. Polini ^{19a}, J. Poll ⁷⁵, V. Polychronakos ²⁴, D.M. Pomarede ¹³⁶, D. Pomeroy ²²,
 K. Pommès ²⁹, L. Pontecorvo ^{132a}, B.G. Pope ⁸⁸, G.A. Popeneciu ^{25a}, D.S. Popovic ^{12a}, A. Poppleton ²⁹,
 X. Portell Bueso ⁴⁸, R. Porter ¹⁶³, C. Posch ²¹, G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷, I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹,
 C.T. Potter ¹¹⁴, G. Poulard ²⁹, J. Poveda ¹⁷², R. Prabhu ⁷⁷, P. Pralavorio ⁸³, S. Prasad ⁵⁷, R. Pravahan ⁷,
 S. Prell ⁶⁴, K. Pretzl ¹⁶, L. Pribyl ²⁹, D. Price ⁶¹, L.E. Price ⁵, M.J. Price ²⁹, P.M. Prichard ⁷³, D. Prieur ¹²³,
 M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{31b}, S. Protopopescu ²⁴, J. Proudfoot ⁵, X. Prudent ⁴³,
 H. Przysiezniak ⁴, S. Psoroulas ²⁰, E. Ptacek ¹¹⁴, J. Purdham ⁸⁷, M. Purohit ^{24,v}, P. Puzo ¹¹⁵,
 Y. Pylypchenko ¹¹⁷, J. Qian ⁸⁷, Z. Qian ⁸³, Z. Qin ⁴¹, A. Quadt ⁵⁴, D.R. Quarrie ¹⁴, W.B. Quayle ¹⁷²,
 F. Quinonez ^{31a}, M. Raas ¹⁰⁴, V. Radescu ^{58b}, B. Radics ²⁰, T. Rador ^{18a}, F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁷,
 A.M. Rahimi ¹⁰⁹, D. Rahm ²⁴, S. Rajagopalan ²⁴, M. Rammensee ⁴⁸, M. Rammes ¹⁴¹, M. Ramstedt ^{146a,146b},
 K. Randrianarivony ²⁸, P.N. Ratoff ⁷¹, F. Rauscher ⁹⁸, E. Rauter ⁹⁹, M. Raymond ²⁹, A.L. Read ¹¹⁷,
 D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷³, G. Redlinger ²⁴, R. Reece ¹²⁰, K. Reeves ⁴⁰, A. Reichold ¹⁰⁵,
 E. Reinherz-Aronis ¹⁵³, A. Reinsch ¹¹⁴, I. Reisinger ⁴², D. Reljic ^{12a}, C. Rembser ²⁹, Z.L. Ren ¹⁵¹,
 A. Renaud ¹¹⁵, P. Renkel ³⁹, B. Rensch ³⁵, M. Rescigno ^{132a}, S. Resconi ^{89a}, B. Resende ¹³⁶, P. Reznicek ⁹⁸,
 R. Rezvani ¹⁵⁸, A. Richards ⁷⁷, R. Richter ⁹⁹, E. Richter-Was ^{38,x}, M. Ridel ⁷⁸, S. Rieke ⁸¹, M. Rijpstra ¹⁰⁵,
 M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b}, L. Rinaldi ^{19a}, R.R. Rios ³⁹, I. Riu ¹¹, G. Rivoltella ^{89a,89b},
 F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,i}, A. Robichaud-Veronneau ⁴⁹, D. Robinson ²⁷,
 J.E.M. Robinson ⁷⁷, M. Robinson ¹¹⁴, A. Robson ⁵³, J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a,122b},
 D. Roda Dos Santos ²⁹, S. Rodier ⁸⁰, D. Rodriguez ¹⁶², Y. Rodriguez Garcia ¹⁵, A. Roe ⁵⁴, S. Roe ²⁹,
 O. Røhne ¹¹⁷, V. Rojo ¹, S. Rolli ¹⁶¹, A. Romaniouk ⁹⁶, V.M. Romanov ⁶⁵, G. Romeo ²⁶,
 D. Romero Maltrana ^{31a}, L. Roos ⁷⁸, E. Ros ¹⁶⁷, S. Rosati ^{132a,132b}, M. Rose ⁷⁶, G.A. Rosenbaum ¹⁵⁸,
 E.I. Rosenberg ⁶⁴, P.L. Rosendahl ¹³, L. Rosselet ⁴⁹, V. Rossetti ¹¹, E. Rossi ^{102a,102b}, L.P. Rossi ^{50a},
 L. Rossi ^{89a,89b}, M. Rotaru ^{25a}, I. Roth ¹⁷¹, J. Rothberg ¹³⁸, D. Rousseau ¹¹⁵, C.R. Royon ¹³⁶, A. Rozanov ⁸³,
 Y. Rozen ¹⁵², X. Ruan ¹¹⁵, I. Rubinskiy ⁴¹, B. Ruckert ⁹⁸, N. Ruckstuhl ¹⁰⁵, V.I. Rud ⁹⁷, G. Rudolph ⁶²,
 F. Rühr ⁶, F. Ruggieri ^{134a,134b}, A. Ruiz-Martinez ⁶⁴, E. Rulikowska-Zarebska ³⁷, V. Rumiantsev ^{91,*},
 L. Rumyantsev ⁶⁵, K. Runge ⁴⁸, O. Runolfsson ²⁰, Z. Rurikova ⁴⁸, N.A. Rusakovich ⁶⁵, D.R. Rust ⁶¹,
 J.P. Rutherford ⁶, C. Ruwiedel ¹⁴, P. Ruzicka ¹²⁵, Y.F. Ryabov ¹²¹, V. Ryadovikov ¹²⁸, P. Ryan ⁸⁸, M. Rybar ¹²⁶,
 G. Rybkin ¹¹⁵, N.C. Ryder ¹¹⁸, S. Rzaeva ¹⁰, A.F. Saavedra ¹⁵⁰, I. Sadeh ¹⁵³, H.F.-W. Sadrozinski ¹³⁷,
 R. Sadykov ⁶⁵, F. Safai Tehrani ^{132a,132b}, H. Sakamoto ¹⁵⁵, G. Salamanna ¹⁰⁵, A. Salamon ^{133a}, M. Saleem ¹¹¹,
 D. Salihagic ⁹⁹, A. Salnikov ¹⁴³, J. Salt ¹⁶⁷, B.M. Salvachua Ferrando ⁵, D. Salvatore ^{36a,36b}, F. Salvatore ¹⁴⁹,
 A. Salzburger ²⁹, D. Sampsonidis ¹⁵⁴, B.H. Samset ¹¹⁷, H. Sandaker ¹³, H.G. Sander ⁸¹, M.P. Sanders ⁹⁸,
 M. Sandhoff ¹⁷⁴, P. Sandhu ¹⁵⁸, T. Sandoval ²⁷, R. Sandstroem ¹⁰⁵, S. Sandvoss ¹⁷⁴, D.P.C. Sankey ¹²⁹,
 A. Sansoni ⁴⁷, C. Santamarina Rios ⁸⁵, C. Santoni ³³, R. Santonico ^{133a,133b}, H. Santos ^{124a}, J.G. Saraiva ^{124a,b},
 T. Sarangi ¹⁷², E. Sarkisyan-Grinbaum ⁷, F. Sarri ^{122a,122b}, G. Sartisohn ¹⁷⁴, O. Sasaki ⁶⁶, T. Sasaki ⁶⁶,
 N. Sasao ⁶⁸, I. Satsounkevitch ⁹⁰, G. Sauvage ⁴, J.B. Sauvan ¹¹⁵, P. Savard ^{158,d}, V. Savinov ¹²³, D.O. Savu ²⁹,
 P. Savva ⁹, L. Sawyer ^{24,j}, D.H. Saxon ⁵³, L.P. Says ³³, C. Sbarra ^{19a,19b}, A. Sbrizzi ^{19a,19b}, O. Scallon ⁹³,
 D.A. Scannicchio ¹⁶³, J. Schaarschmidt ¹¹⁵, P. Schacht ⁹⁹, U. Schäfer ⁸¹, S. Schaepe ²⁰, S. Schaetzl ^{58b},
 A.C. Schaffer ¹¹⁵, D. Schaile ⁹⁸, R.D. Schamberger ¹⁴⁸, A.G. Schamov ¹⁰⁷, V. Scharf ^{58a}, V.A. Schegelsky ¹²¹,

- D. Scheirich ⁸⁷, M.I. Scherzer ¹⁴, C. Schiavi ^{50a,50b}, J. Schieck ⁹⁸, M. Schioppa ^{36a,36b}, S. Schlenker ²⁹,
 J.L. Schlereth ⁵, E. Schmidt ⁴⁸, M.P. Schmidt ^{175,*}, K. Schmieden ²⁰, C. Schmitt ⁸¹, M. Schmitz ²⁰,
 A. Schöning ^{58b}, M. Schott ²⁹, D. Schouten ¹⁴², J. Schovancova ¹²⁵, M. Schram ⁸⁵, C. Schroeder ⁸¹,
 N. Schroer ^{58c}, S. Schuh ²⁹, G. Schuler ²⁹, J. Schultes ¹⁷⁴, H.-C. Schultz-Coulon ^{58a}, H. Schulz ¹⁵,
 J.W. Schumacher ²⁰, M. Schumacher ⁴⁸, B.A. Schumm ¹³⁷, Ph. Schune ¹³⁶, C. Schwanenberger ⁸²,
 A. Schwartzman ¹⁴³, Ph. Schwemling ⁷⁸, R. Schwienhorst ⁸⁸, R. Schwierz ⁴³, J. Schwindling ¹³⁶,
 W.G. Scott ¹²⁹, J. Searcy ¹¹⁴, E. Sedykh ¹²¹, E. Segura ¹¹, S.C. Seidel ¹⁰³, A. Seiden ¹³⁷, F. Seifert ⁴³,
 J.M. Seixas ^{23a}, G. Sekhniaidze ^{102a}, D.M. Seliverstov ¹²¹, B. Sellden ^{146a}, G. Sellers ⁷³, M. Seman ^{144b},
 N. Semprini-Cesari ^{19a,19b}, C. Serfon ⁹⁸, L. Serin ¹¹⁵, R. Seuster ⁹⁹, H. Severini ¹¹¹, M.E. Sevior ⁸⁶,
 A. Sfyrla ²⁹, E. Shabalina ⁵⁴, M. Shamim ¹¹⁴, L.Y. Shan ^{32a}, J.T. Shank ²¹, Q.T. Shao ⁸⁶, M. Shapiro ¹⁴,
 P.B. Shatalov ⁹⁵, L. Shaver ⁶, C. Shaw ⁵³, K. Shaw ^{164a,164c}, D. Sherman ¹⁷⁵, P. Sherwood ⁷⁷, A. Shibata ¹⁰⁸,
 S. Shimizu ²⁹, M. Shimojima ¹⁰⁰, T. Shin ⁵⁶, A. Shmeleva ⁹⁴, M.J. Shochet ³⁰, D. Short ¹¹⁸, M.A. Shupe ⁶,
 P. Sicho ¹²⁵, A. Sidoti ^{132a,132b}, A. Siebel ¹⁷⁴, F. Siegert ⁴⁸, J. Siegrist ¹⁴, Dj. Sijacki ^{12a}, O. Silbert ¹⁷¹,
 J. Silva ^{124a,b}, Y. Silver ¹⁵³, D. Silverstein ¹⁴³, S.B. Silverstein ^{146a}, V. Simak ¹²⁷, O. Simard ¹³⁶, Lj. Simic ^{12a},
 S. Simion ¹¹⁵, B. Simmons ⁷⁷, M. Simonyan ³⁵, P. Sinervo ¹⁵⁸, N.B. Sinev ¹¹⁴, V. Sipica ¹⁴¹, G. Siragusa ⁸¹,
 A.N. Sisakyan ⁶⁵, S.Yu. Sivoklokov ⁹⁷, J. Sjölin ^{146a,146b}, T.B. Sjursen ¹³, L.A. Skinnari ¹⁴, K. Skovpen ¹⁰⁷,
 P. Skubic ¹¹¹, N. Skvorodnev ²², M. Slater ¹⁷, T. Slavicek ¹²⁷, K. Sliwa ¹⁶¹, T.J. Sloan ⁷¹, J. Sloper ²⁹,
 V. Smakhtin ¹⁷¹, S.Yu. Smirnov ⁹⁶, L.N. Smirnova ⁹⁷, O. Smirnova ⁷⁹, B.C. Smith ⁵⁷, D. Smith ¹⁴³,
 K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷, A.A. Snesarev ⁹⁴, S.W. Snow ⁸², J. Snow ¹¹¹, J. Snuverink ¹⁰⁵,
 S. Snyder ²⁴, M. Soares ^{124a}, R. Sobie ^{169,i}, J. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷,
 J. Solc ¹²⁷, E. Soldatov ⁹⁶, U. Soldevila ¹⁶⁷, E. Solfaroli Camillocci ^{132a,132b}, A.A. Solodkov ¹²⁸,
 O.V. Solovyanov ¹²⁸, J. Sondericker ²⁴, N. Soni ², V. Sopko ¹²⁷, B. Sopko ¹²⁷, M. Sorbi ^{89a,89b}, M. Sosebee ⁷,
 A. Soukharev ¹⁰⁷, S. Spagnolo ^{72a,72b}, F. Spanò ³⁴, R. Spighi ^{19a}, G. Spigo ²⁹, F. Spila ^{132a,132b}, E. Spiriti ^{134a},
 R. Spiwoks ²⁹, M. Spousta ¹²⁶, T. Spreitzer ¹⁵⁸, B. Spurlock ⁷, R.D.St. Denis ⁵³, T. Stahl ¹⁴¹, J. Stahlman ¹²⁰,
 R. Stamen ^{58a}, E. Stanecka ²⁹, R.W. Stanek ⁵, C. Stanescu ^{134a}, S. Stapnes ¹¹⁷, E.A. Starchenko ¹²⁸, J. Stark ⁵⁵,
 P. Staroba ¹²⁵, P. Starovoitov ⁹¹, A. Staude ⁹⁸, P. Stavina ^{144a}, G. Stavropoulos ¹⁴, G. Steele ⁵³, P. Steinbach ⁴³,
 P. Steinberg ²⁴, I. Stekl ¹²⁷, B. Stelzer ¹⁴², H.J. Stelzer ⁴¹, O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵²,
 K. Stevenson ⁷⁵, G.A. Stewart ⁵³, J.A. Stillings ²⁰, T. Stockmanns ²⁰, M.C. Stockton ²⁹, K. Stoerig ⁴⁸,
 G. Stoica ^{25a}, S. Stonjek ⁹⁹, P. Strachota ¹²⁶, A.R. Stradling ⁷, A. Straessner ⁴³, J. Strandberg ⁸⁷,
 S. Strandberg ^{146a,146b}, A. Strandlie ¹¹⁷, M. Strang ¹⁰⁹, E. Strauss ¹⁴³, M. Strauss ¹¹¹, P. Strizenec ^{144b},
 R. Ströhmer ¹⁷³, D.M. Strom ¹¹⁴, J.A. Strong ^{76,*}, R. Stroynowski ³⁹, J. Strube ¹²⁹, B. Stugu ¹³, I. Stumer ^{24,*},
 J. Stupak ¹⁴⁸, P. Sturm ¹⁷⁴, D.A. Soh ^{151,0}, D. Su ¹⁴³, H.S. Subramania ², A. Succurro ¹¹, Y. Sugaya ¹¹⁶,
 T. Sugimoto ¹⁰¹, C. Suhr ¹⁰⁶, K. Suita ⁶⁷, M. Suk ¹²⁶, V.V. Sulin ⁹⁴, S. Sultansoy ^{3d}, T. Sumida ²⁹, X. Sun ⁵⁵,
 J.E. Sundermann ⁴⁸, K. Suruliz ^{164a,164b}, S. Sushkov ¹¹, G. Susinno ^{36a,36b}, M.R. Sutton ¹³⁹, Y. Suzuki ⁶⁶,
 Yu.M. Sviridov ¹²⁸, S. Swedish ¹⁶⁸, I. Sykora ^{144a}, T. Sykora ¹²⁶, B. Szeless ²⁹, J. Sánchez ¹⁶⁷, D. Ta ¹⁰⁵,
 K. Tackmann ²⁹, A. Taffard ¹⁶³, R. Tafirout ^{159a}, A. Taga ¹¹⁷, N. Taiblum ¹⁵³, Y. Takahashi ¹⁰¹, H. Takai ²⁴,
 R. Takashima ⁶⁹, H. Takeda ⁶⁷, T. Takeshita ¹⁴⁰, M. Talby ⁸³, A. Talyshev ¹⁰⁷, M.C. Tamsett ²⁴, J. Tanaka ¹⁵⁵,
 R. Tanaka ¹¹⁵, S. Tanaka ¹³¹, S. Tanaka ⁶⁶, Y. Tanaka ¹⁰⁰, K. Tani ⁶⁷, N. Tannoury ⁸³, G.P. Tappern ²⁹,
 S. Tapprogge ⁸¹, D. Tardif ¹⁵⁸, S. Tarem ¹⁵², F. Tarrade ²⁴, G.F. Tartarelli ^{89a}, P. Tas ¹²⁶, M. Tasevsky ¹²⁵,
 E. Tassi ^{36a,36b}, M. Tatarkhanov ¹⁴, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b},
 M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ²⁹, P.K. Teng ¹⁵¹,
 S. Terada ⁶⁶, K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Terwort ^{41,m}, M. Testa ⁴⁷, R.J. Teuscher ^{158,i}, C.M. Tevlin ⁸²,
 J. Thadome ¹⁷⁴, J. Therhaag ²⁰, T. Theveneaux-Pelzer ⁷⁸, M. Thioye ¹⁷⁵, S. Thoma ⁴⁸, J.P. Thomas ¹⁷,
 E.N. Thompson ⁸⁴, P.D. Thompson ¹⁷, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³, E. Thomson ¹²⁰,
 M. Thomson ²⁷, R.P. Thun ⁸⁷, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ¹⁰⁷, C.J.W.P. Timmermans ¹⁰⁴,
 P. Tipton ¹⁷⁵, F.J. Tique Aires Viegas ²⁹, S. Tisserant ⁸³, J. Tobias ⁴⁸, B. Toczek ³⁷, T. Todorov ⁴,
 S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁶, S. Tokár ^{144a}, K. Tokunaga ⁶⁷, K. Tokushuku ⁶⁶,
 K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ¹⁴, K. Toms ¹⁰³, G. Tong ^{32a}, A. Tonoyan ¹³, C. Topfel ¹⁶,
 N.D. Topilin ⁶⁵, I. Torchiani ²⁹, E. Torrence ¹¹⁴, E. Torró Pastor ¹⁶⁷, J. Toth ^{83,w}, F. Touchard ⁸³,
 D.R. Tovey ¹³⁹, D. Traynor ⁷⁵, T. Trefzger ¹⁷³, J. Treis ²⁰, L. Tremblet ²⁹, A. Tricoli ²⁹, I.M. Trigger ^{159a},
 S. Trincaz-Duvold ⁷⁸, T.N. Trinh ⁷⁸, M.F. Tripiana ⁷⁰, N. Triplett ⁶⁴, W. Trischuk ¹⁵⁸, A. Trivedi ^{24,v},
 B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², A. Trzupek ³⁸, C. Tsarouchas ²⁹, J.C.-L. Tseng ¹¹⁸,

- M. Tsiairis ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ⁴, G. Tsipolitis ⁹, V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ⁵¹, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹²³, J.-W. Tsung ²⁰, S. Tsuno ⁶⁶, D. Tybychev ¹⁴⁸, A. Tua ¹³⁹, J.M. Tuggle ³⁰, M. Turala ³⁸, D. Turecek ¹²⁷, I. Turk Cakir ^{3e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁴, A. Tykhanov ⁷⁴, M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, H. Tyrvainen ²⁹, G. Tzanakos ⁸, K. Uchida ²⁰, I. Ueda ¹⁵⁵, R. Ueno ²⁸, M. Ugland ¹³, M. Uhlenbrock ²⁰, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ²⁹, D.G. Underwood ⁵, A. Undrus ²⁴, G. Unel ¹⁶³, Y. Unno ⁶⁶, D. Urbaniec ³⁴, E. Urkovsky ¹⁵³, P. Urrejola ^{31a}, G. Usai ⁷, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³, V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁴, C. Valderanis ⁹⁹, J. Valenta ¹²⁵, P. Valente ^{132a}, S. Valentineti ^{19a,19b}, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, H. van der Graaf ¹⁰⁵, E. van der Kraaij ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ²⁹, B. Van Eijk ¹⁰⁵, N. van Eldik ⁸⁴, P. van Gemmeren ⁵, Z. van Kesteren ¹⁰⁵, I. van Vulpen ¹⁰⁵, W. Vandelli ²⁹, G. Vandoni ²⁹, A. Vaniachine ⁵, P. Vankov ⁴¹, F. Vannucci ⁷⁸, F. Varela Rodriguez ²⁹, R. Vari ^{132a}, E.W. Varnes ⁶, D. Varouchas ¹⁴, A. Vartapetian ⁷, K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³³, G. Vigni ^{89a,89b}, J.J. Veillet ¹¹⁵, C. Vellidis ⁸, F. Veloso ^{124a}, R. Veness ²⁹, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ¹³⁸, M. Venturi ⁴⁸, N. Venturi ¹⁶, V. Vercesi ^{119a}, M. Verducci ¹³⁸, W. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest ⁴³, M.C. Vetterli ^{142,d}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,y}, G.H.A. Viehauser ¹¹⁸, S. Viel ¹⁶⁸, M. Villa ^{19a,19b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁸, E. Vinek ²⁹, V.B. Vinogradov ⁶⁵, M. Virchaux ^{136,*}, S. Viret ³³, J. Virzi ¹⁴, A. Vitale ^{19a,19b}, O. Vitells ¹⁷¹, M. Viti ⁴¹, I. Vivarelli ⁴⁸, F. Vives Vaque ¹¹, S. Vlachos ⁹, M. Vlasak ¹²⁷, N. Vlasov ²⁰, A. Vogel ²⁰, P. Vokac ¹²⁷, G. Volpi ⁴⁷, M. Volpi ¹¹, G. Volpini ^{89a}, H. von der Schmitt ⁹⁹, J. von Loeben ⁹⁹, H. von Radziewski ⁴⁸, E. von Toerne ²⁰, V. Vorobel ¹²⁶, A.P. Vorobiev ¹²⁸, V. Vorwerk ¹¹, M. Vos ¹⁶⁷, R. Voss ²⁹, T.T. Voss ¹⁷⁴, J.H. Vossebeld ⁷³, A.S. Vovenko ¹²⁸, N. Vranjes ^{12a}, M. Vranjes Milosavljevic ^{12a}, V. Vrba ¹²⁵, M. Vreeswijk ¹⁰⁵, T. Vu Anh ⁸¹, R. Vuillermet ²⁹, I. Vukotic ¹¹⁵, W. Wagner ¹⁷⁴, P. Wagner ¹²⁰, H. Wahlen ¹⁷⁴, J. Wakabayashi ¹⁰¹, J. Walbersloh ⁴², S. Walch ⁸⁷, J. Walder ⁷¹, R. Walker ⁹⁸, W. Walkowiak ¹⁴¹, R. Wall ¹⁷⁵, P. Waller ⁷³, C. Wang ⁴⁴, H. Wang ¹⁷², H. Wang ^{32b}, J. Wang ¹⁵¹, J. Wang ^{32d}, J.C. Wang ¹³⁸, R. Wang ¹⁰³, S.M. Wang ¹⁵¹, A. Warburton ⁸⁵, C.P. Ward ²⁷, M. Warsinsky ⁴⁸, P.M. Watkins ¹⁷, A.T. Watson ¹⁷, M.F. Watson ¹⁷, G. Watts ¹³⁸, S. Watts ⁸², A.T. Waugh ¹⁵⁰, B.M. Waugh ⁷⁷, J. Weber ⁴², M. Weber ¹²⁹, M.S. Weber ¹⁶, P. Weber ⁵⁴, A.R. Weidberg ¹¹⁸, P. Weigell ⁹⁹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Wellenstein ²², P.S. Wells ²⁹, M. Wen ⁴⁷, T. Wenaus ²⁴, S. Wendler ¹²³, Z. Weng ^{151,o}, T. Wengler ²⁹, S. Wenig ²⁹, N. Wermes ²⁰, M. Werner ⁴⁸, P. Werner ²⁹, M. Werth ¹⁶³, M. Wessels ^{58a}, K. Whalen ²⁸, S.J. Wheeler-Ellis ¹⁶³, S.P. Whitaker ²¹, A. White ⁷, M.J. White ⁸⁶, S. White ²⁴, S.R. Whitehead ¹¹⁸, D. Whiteson ¹⁶³, D. Whittington ⁶¹, F. Wicek ¹¹⁵, D. Wicke ¹⁷⁴, F.J. Wickens ¹²⁹, W. Wiedenmann ¹⁷², M. Wielers ¹²⁹, P. Wienemann ²⁰, C. Wiglesworth ⁷³, L.A.M. Wiik ⁴⁸, P.A. Wijeratne ⁷⁷, A. Wildauer ¹⁶⁷, M.A. Wildt ^{41,m}, I. Wilhelm ¹²⁶, H.G. Wilkens ²⁹, J.Z. Will ⁹⁸, E. Williams ³⁴, H.H. Williams ¹²⁰, W. Willis ³⁴, S. Willocq ⁸⁴, J.A. Wilson ¹⁷, M.G. Wilson ¹⁴³, A. Wilson ⁸⁷, I. Wingerter-Seez ⁴, S. Winkelmann ⁴⁸, F. Winklmeier ²⁹, M. Wittgen ¹⁴³, M.W. Wolter ³⁸, H. Wolters ^{124a,g}, G. Wooden ¹¹⁸, B.K. Wosiek ³⁸, J. Wotschack ²⁹, M.J. Woudstra ⁸⁴, K. Wraight ⁵³, C. Wright ⁵³, B. Wrona ⁷³, S.L. Wu ¹⁷², X. Wu ⁴⁹, Y. Wu ^{32b}, E. Wulf ³⁴, R. Wunstorf ⁴², B.M. Wynne ⁴⁵, L. Xaplanteris ⁹, S. Xella ³⁵, S. Xie ⁴⁸, Y. Xie ^{32a}, C. Xu ^{32b}, D. Xu ¹³⁹, G. Xu ^{32a}, B. Yabsley ¹⁵⁰, M. Yamada ⁶⁶, A. Yamamoto ⁶⁶, K. Yamamoto ⁶⁴, S. Yamamoto ¹⁵⁵, T. Yamamura ¹⁵⁵, T. Yamanaka ¹⁵⁵, J. Yamaoka ⁴⁴, T. Yamazaki ¹⁵⁵, Y. Yamazaki ⁶⁷, Z. Yan ²¹, H. Yang ⁸⁷, U.K. Yang ⁸², Y. Yang ⁶¹, Y. Yang ^{32a}, Z. Yang ^{146a,146b}, S. Yanush ⁹¹, W.-M. Yao ¹⁴, Y. Yao ¹⁴, Y. Yasu ⁶⁶, G.V. Ybeles Smit ¹³⁰, J. Ye ³⁹, S. Ye ²⁴, M. Yilmaz ^{3c}, R. Yoosooofmiya ¹²³, K. Yorita ¹⁷⁰, R. Yoshida ⁵, C. Young ¹⁴³, S. Youssef ²¹, D. Yu ²⁴, J. Yu ⁷, J. Yu ^{32c,z}, L. Yuan ^{32a,aa}, A. Yurkewicz ¹⁴⁸, V.G. Zaets ¹²⁸, R. Zaidan ⁶³, A.M. Zaitsev ¹²⁸, Z. Zajacova ²⁹, Yo.K. Zalite ¹²¹, L. Zanello ^{132a,132b}, P. Zarzhitsky ³⁹, A. Zaytsev ¹⁰⁷, C. Zeitnitz ¹⁷⁴, M. Zeller ¹⁷⁵, P.F. Zema ²⁹, A. Zemla ³⁸, C. Zendler ²⁰, A.V. Zenin ¹²⁸, O. Zenin ¹²⁸, T. Ženiš ^{144a}, Z. Zenonos ^{122a,122b}, S. Zenz ¹⁴, D. Zerwas ¹¹⁵, G. Zevi della Porta ⁵⁷, Z. Zhan ^{32d}, D. Zhang ^{32b}, H. Zhang ⁸⁸, J. Zhang ⁵, X. Zhang ^{32d}, Z. Zhang ¹¹⁵, L. Zhao ¹⁰⁸, T. Zhao ¹³⁸, Z. Zhao ^{32b}, A. Zhemchugov ⁶⁵, S. Zheng ^{32a}, J. Zhong ^{151,ab}, B. Zhou ⁸⁷, N. Zhou ¹⁶³, Y. Zhou ¹⁵¹, C.G. Zhu ^{32d}, H. Zhu ⁴¹, Y. Zhu ¹⁷², X. Zhuang ⁹⁸, V. Zhuravlov ⁹⁹, D. Ziemińska ⁶¹, R. Zimmermann ²⁰, S. Zimmermann ²⁰, S. Zimmermann ⁴⁸, M. Ziolkowski ¹⁴¹, R. Zitoun ⁴, L. Živković ³⁴, V.V. Zmouchko ^{128,*}, G. Zobernig ¹⁷², A. Zoccoli ^{19a,19b}, Y. Zolnierowski ⁴, A. Zsenei ²⁹, M. zur Nedden ¹⁵, V. Zutshi ¹⁰⁶, L. Zwalski ²⁹

- ¹ University at Albany, Albany, NY, United States
- ² Department of Physics, University of Alberta, Edmonton, AB, Canada
- ³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupınar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey
- ⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France
- ⁵ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States
- ⁶ Department of Physics, University of Arizona, Tucson, AZ, United States
- ⁷ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States
- ⁸ Physics Department, University of Athens, Athens, Greece
- ⁹ Physics Department, National Technical University of Athens, Zografou, Greece
- ¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹¹ Institut de Física d'Altes Energies and Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain
- ¹² ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- ¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway
- ¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States
- ¹⁵ Department of Physics, Humboldt University, Berlin, Germany
- ¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland
- ¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
- ¹⁸ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) Department of Physics, Istanbul Technical University, Istanbul, Turkey
- ¹⁹ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- ²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany
- ²¹ Department of Physics, Boston University, Boston, MA, United States
- ²² Department of Physics, Brandeis University, Waltham, MA, United States
- ²³ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
- ²⁴ Physics Department, Brookhaven National Laboratory, Upton, NY, United States
- ²⁵ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) University Politehnica Bucharest, Bucharest; ^(c) West University in Timisoara, Timisoara, Romania
- ²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- ²⁸ Department of Physics, Carleton University, Ottawa, ON, Canada
- ²⁹ CERN, Geneva, Switzerland
- ³⁰ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States
- ³¹ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ³² ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui, China
- ³³ Department of Physics, Nanjing University, Jiangsu; ^(d) High Energy Physics Group, Shandong University, Shandong, China
- ³⁴ Laboratoire de Physique Corpusculaire, Clermont Université et Université Blaise Pascal and CNRS/IN2P3, Aubière Cedex, France
- ³⁵ Nevis Laboratory, Columbia University, Irvington, NY, United States
- ³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- ³⁷ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy
- ³⁸ Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Krakow, Poland
- ³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ⁴⁰ Physics Department, Southern Methodist University, Dallas, TX, United States
- ⁴¹ DESY, Hamburg and Zeuthen, Germany
- ⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
- ⁴⁴ Department of Physics, Duke University, Durham, NC, United States
- ⁴⁵ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁶ Fachhochschule Wiener Neustadt, Wiener Neustadt, Austria
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵¹ Institute of Physics and HEP Institute, Georgian Academy of Sciences and Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- ⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;
- ⁵⁹ ZITI Institut für Technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁶⁰ Faculty of Science, Hiroshima University, Hiroshima, Japan
- ⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶² Department of Physics, Indiana University, Bloomington, IN, United States
- ⁶³ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶⁴ University of Iowa, Iowa City, IA, United States
- ⁶⁵ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- ⁶⁶ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁷ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁸ Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁹ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁷⁰ Kyoto University of Education, Kyoto, Japan
- ⁷¹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Fisica, Università del Salento, Lecce, Italy
- ⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

- ⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ Department of Physics, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁷⁹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁰ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸³ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁴ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁵ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
⁸⁷ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁸⁹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹³ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁷ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰¹ Graduate School of Science, Nagoya University, Nagoya, Japan
¹⁰² ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics (BINP), Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York, NY, United States
¹⁰⁹ Ohio State University, Columbus, OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹³ Palacky University, Olomouc, Czech Republic
¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁵ LAL, Univ. Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica Nucleare e Teorica, Università di Pavia, Pavia, Italy
¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²² ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁴ ^(a) Laboratorio de Instrumentacão e Física Experimental de Partículas – LIP, Lisboa, Portugal; ^(b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³² ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³³ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁵ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Université Cadi Ayyad, Faculté des sciences Semlalia Département de Physique, B.P. 2390 Marrakech 40000; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des Sciences, Université Mohammed V, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovak Republic
¹⁴⁵ ^(a) Department of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁶ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁸ Department of Physics and Astronomy, Stony Brook University, Stony Brook, NY, United States

- 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 150 School of Physics, University of Sydney, Sydney, Australia
 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
 152 Department of Physics, Technion: Israel Inst. of Technology, Haifa, Israel
 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 158 Department of Physics, University of Toronto, Toronto, ON, Canada
 159 ^(a)TRIUMF, Vancouver, BC; ^(b)Department of Physics and Astronomy, York University, Toronto, ON, Canada
 160 Institute of Pure and Applied Sciences, University of Tsukuba, Ibaraki, Japan
 161 Science and Technology Center, Tufts University, Medford, MA, United States
 162 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
 163 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 164 ^(a)INFN Gruppo Collegato di Udine; ^(b)ICTP, Trieste; ^(c)Dipartimento di Fisica, Università di Udine, Udine, Italy
 165 Department of Physics, University of Illinois, Urbana, IL, United States
 166 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 167 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 168 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 169 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 170 Waseda University, Tokyo, Japan
 171 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 172 Department of Physics, University of Wisconsin, Madison, WI, United States
 173 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 174 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 175 Department of Physics, Yale University, New Haven, CT, United States
 176 Yerevan Physics Institute, Yerevan, Armenia
 177 Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France

^a Also at Laboratorio de Instrumentacão e Física Experimental de Partículas – LIP, Lisboa, Portugal.

^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

^c Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics, California State University, Fresno, CA, United States.

^f Also at Faculty of Physics and Applied Computer Science, AGH-University of Science and Technology, Krakow, Poland.

^g Also at Department of Physics, University of Coimbra, Coimbra, Portugal.

^h Also at Università di Napoli Parthenope, Napoli, Italy.

ⁱ Also at Institute of Particle Physics (IPP), Canada.

^j Also at Louisiana Tech University, Ruston, LA, United States.

^k Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.

^l Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^m Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

ⁿ Also at Manhattan College, New York NY, United States.

^o Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

^p Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^q Also at High Energy Physics Group, Shandong University, Shandong, China.

^r Also at California Institute of Technology, Pasadena, CA, United States.

^s Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^t Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^u Also at Departamento de Física, Universidade de Minho, Braga, Portugal.

^v Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

^w Also at KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary.

^x Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^y Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^z Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.

^{aa} Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.

^{ab} Also at Department of Physics, Nanjing University, Jiangsu, China.

* Deceased.