



# Measurement of the top quark mass in the $t\bar{t} \rightarrow$ dilepton channel from $\sqrt{s} = 8$ TeV ATLAS data



The ATLAS Collaboration\*

## ARTICLE INFO

### Article history:

Received 8 June 2016

Received in revised form 21 July 2016

Accepted 8 August 2016

Available online 24 August 2016

Editor: W.-D. Schlatter

## ABSTRACT

The top quark mass is measured in the  $t\bar{t} \rightarrow$  dilepton channel (lepton =  $e, \mu$ ) using ATLAS data recorded in the year 2012 at the LHC. The data were taken at a proton–proton centre-of-mass energy of  $\sqrt{s} = 8$  TeV and correspond to an integrated luminosity of about  $20.2 \text{ fb}^{-1}$ . Exploiting the template method, and using the distribution of invariant masses of lepton– $b$ -jet pairs, the top quark mass is measured to be  $m_{\text{top}} = 172.99 \pm 0.41$  (stat)  $\pm 0.74$  (syst) GeV, with a total uncertainty of 0.84 GeV. Finally, a combination with previous ATLAS  $m_{\text{top}}$  measurements from  $\sqrt{s} = 7$  TeV data in the  $t\bar{t} \rightarrow$  dilepton and  $t\bar{t} \rightarrow$  lepton + jets channels results in  $m_{\text{top}} = 172.84 \pm 0.34$  (stat)  $\pm 0.61$  (syst) GeV, with a total uncertainty of 0.70 GeV.

© 2016 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

The mass of the top quark ( $m_{\text{top}}$ ) is an important parameter of the Standard Model (SM) of particle physics. Precise measurements of  $m_{\text{top}}$  provide crucial information for global fits of electroweak parameters [1–3] which help assess the internal consistency of the SM and to probe its extensions. In addition, the value of  $m_{\text{top}}$  affects the stability of the SM Higgs potential, which has cosmological implications [4–6]. Many measurements of  $m_{\text{top}}$  have been performed by the Tevatron and LHC Collaborations. Combining a selection of those, the first Tevatron+LHC  $m_{\text{top}}$  result is  $m_{\text{top}} = 173.34 \pm 0.27$  (stat)  $\pm 0.71$  (syst) GeV, with a total uncertainty of 0.76 GeV [7]. Meanwhile, a number of new results have become available [8–13], some of which are more precise than the above combination. The latest ATLAS results in the  $t\bar{t} \rightarrow$  lepton + jets and  $t\bar{t} \rightarrow$  dilepton decay channels, both with electrons ( $e$ ) and muons ( $\mu$ ) in the final state [14], are  $m_{\text{top}} = 172.33 \pm 0.75$  (stat)  $\pm 1.02$  (syst) GeV and  $m_{\text{top}} = 173.79 \pm 0.54$  (stat)  $\pm 1.30$  (syst) GeV, respectively.

This Letter presents a new measurement of  $m_{\text{top}}$  obtained in the  $t\bar{t} \rightarrow$  dilepton decay channel using 2012 data taken at a proton–proton ( $pp$ ) centre-of-mass energy of  $\sqrt{s} = 8$  TeV, with an integrated luminosity of about  $20.2 \text{ fb}^{-1}$ . The analysis exploits the decay  $t\bar{t} \rightarrow W^+W^-b\bar{b} \rightarrow \ell^+\ell^-\nu\bar{\nu}b\bar{b}$ , which is realised when both  $W$  bosons decay into a charged lepton and its corresponding neutrino. In the analysis, the  $t\bar{t}$  decay channels  $ee$ ,  $e\mu$  and  $\mu\mu$  (including  $\tau \rightarrow e, \mu$ ) are combined and referred to as the dilepton channel. Single-top-quark events with the same lepton final states are in-

cluded in the signal. Given the larger data sample compared to Ref. [14], the event selection was optimised to achieve the smallest total uncertainty. The measurement is based on the implementation of the template method described in Ref. [14], which is calibrated using signal Monte Carlo (MC) samples. Consequently, the top quark mass measured in this way corresponds to the mass definition used in the MC program.

## 2. ATLAS detector

The ATLAS experiment [15] at the LHC is a multi-purpose particle detector with a forward–backward symmetric cylindrical geometry and a near  $4\pi$  coverage in solid angle.<sup>1</sup> It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range  $|\eta| < 2.5$ . It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A hadronic (steel/scintillator-tile) calorimeter covers the central pseudorapidity range ( $|\eta| < 1.7$ ). The end-cap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy mea-

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upwards. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the  $z$ -axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ . Angular distance is measured in units of  $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ .

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).

measurements up to  $|\eta| = 4.9$ . The muon spectrometer surrounds the calorimeters and is based on three large air-core toroid superconducting magnets with eight coils each. Its bending power is in the range from 2.0 to 7.5 Tm. It includes a system of precision tracking chambers and fast detectors for triggering. A three-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to reduce the accepted event rate to at most 75 kHz. This is followed by two software-based trigger levels that together reduce the accepted rate to 400 Hz on average depending on the data-taking conditions during 2012.

### 3. Data and MC samples

This analysis is based on  $pp$  collision data recorded in 2012 at  $\sqrt{s} = 8$  TeV. The integrated data luminosity amounts to  $20.2 \text{ fb}^{-1}$  with an uncertainty of 1.9% determined with the procedures described in Ref. [16].

The modelling of  $t\bar{t}$  and single-top-quark signal events and of most background processes relies on MC simulations. For the simulation of signal events the POWHEG-Box program [17–19] is used. The simulation of the top quark pair [20] and single-top-quark production in the  $Wt$ -channel [21] uses matrix elements at next-to-leading order (NLO) in the strong coupling constant  $\alpha_s$ , with the NLO CT10 [22] parton distribution function (PDF) and the parameter  $h_{\text{damp}} = \infty$ . The  $h_{\text{damp}}$  parameter sets the resummation scale, which controls the transition from the matrix element to the parton shower (PS) simulation. Given that the event selection described below requires leptonic decay products of two  $W$  bosons, single-top-quark events in the  $s$ -channel and  $t$ -channel are found not to contribute to the sample.

The PYTHIA (v6.425) program [23] with the P2011C [24] set of tuned parameters (tune) and the corresponding CTEQ6L1 PDF [25] are employed to provide the parton shower, hadronisation and underlying-event modelling. The uncertainties due to QCD initial- and final-state radiation (ISR/FSR) modelling are estimated with samples generated with the POWHEG-Box program interfaced to the PYTHIA program for which the parameters of the generation are varied to span the ranges compatible with the results of measurements of  $t\bar{t}$  production in association with jets [26–28].

For  $m_{\text{top}}$  hypothesis testing, the  $t\bar{t}$  and single-top-quark event samples are generated for five values of  $m_{\text{top}}$  in the range 167.5 to 177.5 GeV in steps of 2.5 GeV. For each  $m_{\text{top}}$  value, the MC samples are normalised according to the best available cross-section calculations, which for  $m_{\text{top}} = 172.5$  GeV are  $\sigma_{t\bar{t}} = 253_{-15}^{+13} \text{ pb}$  [29–34] for  $t\bar{t}$  production and  $\sigma_{Wt} = 22.4 \pm 1.5 \text{ pb}$  [35] for single-top-quark production in the  $Wt$ -channel. The PDF +  $\alpha_s$ -induced uncertainties in these cross-sections are calculated using the PDF4LHC prescription [36] with the MSTW2008 68% CL NNLO PDF [37,38], CT10 NNLO PDF [22,39] and NNPDF2.3 5f FFN PDF [40], and are added in quadrature with the uncertainties due to the choices of the factorisation and renormalisation scales.

The simulation of  $W^\pm$  or  $Z$  boson production in association with jets is performed with the ALPGEN (v2.13) program [41] interfaced to the PYTHIA6 program using the CTEQ6L1 PDF and the corresponding AUET2 tune [42]. Diboson production processes ( $WW$ ,  $WZ$  and  $ZZ$ ) are simulated using the ALPGEN program interfaced to the HERWIG (v6.520) program [43] with the AUET2 tune and to the JIMMY (v4.31) program [44]. All samples are simulated taking into account the effects of multiple soft  $pp$  interactions (pile-up) registered in the 2012 data. These interactions are modelled by overlaying simulated hits from events with exactly one inelastic (signal) collision per bunch crossing with hits from minimum-bias events that are produced with the PYTHIA (v8.160) program [45]

using the A2M tune [46] and the MSTW2008 LO PDF. For this analysis, the observed values of the pile-up-related quantities  $\langle\mu\rangle$ , the mean number of interactions per bunch crossing, and  $n_{\text{vtx}}$ , the average number of vertices per event, are  $\langle\mu\rangle = 20.7$  and  $n_{\text{vtx}} = 9.2$ .

Finally, the samples undergo a simulation of the ATLAS detector [47] based on GEANT4 [48], and are then processed through the same reconstruction software as the data. A number of samples used to assess systematic uncertainties are produced with a faster version of the simulation which, in addition to the full simulation of the tracking, uses smearing functions and interpolates particle behaviour and calorimeter response, based on resolution functions measured in full-simulation studies, to approximate the results of the full simulation.

### 4. Data selection and event reconstruction

Triggers based on isolated single electrons or muons with energy or momentum thresholds of 24 GeV are used. The detector objects resulting from the top quark pair decay are electron and muon candidates, jets and missing transverse momentum ( $E_{\text{T}}^{\text{miss}}$ ). In the following, the term lepton is used for charged leptons (excluding  $\tau$  leptons) exclusively.

Electron candidates [49] are required to have a transverse energy of  $E_{\text{T}} > 25$  GeV, a pseudorapidity of the corresponding EM cluster of  $|\eta_{\text{cluster}}| < 2.47$ , with the transition region  $1.37 < |\eta_{\text{cluster}}| < 1.52$  between the barrel and the end-cap calorimeter excluded. The muon candidates [50] are required to have transverse momentum  $p_{\text{T}} > 25$  GeV and  $|\eta| < 2.5$ . To reduce the contamination by leptons from heavy-flavour decays inside jets or from photon conversions, referred to as non-prompt (NP) leptons, strict isolation criteria are applied to the amount of activity in the vicinity of the lepton candidate [49,50].

Jets are built from topological clusters of calorimeter cells [51] with the anti- $k_t$  jet clustering algorithm [52] using a radius parameter of  $R = 0.4$ . Jets are reconstructed using the local cluster weighting (LCW) and global sequential calibration (GSC) algorithms [53–55] and required to satisfy  $p_{\text{T}} > 25$  GeV and  $|\eta| < 2.5$ . Muons reconstructed within a  $\Delta R = 0.4$  cone around the axis of a jet with  $p_{\text{T}} > 25$  GeV are not considered as charged-lepton candidates. In addition, jets within a  $\Delta R = 0.2$  cone around an electron candidate are removed and finally electrons within a  $\Delta R = 0.4$  cone around any of the remaining jets are discarded. The identification of jets containing  $b$ -hadrons,  $b$ -tagging, is used for event reconstruction and background suppression. In the following, irrespective of their origin, jets tagged by the  $b$ -tagging algorithm are referred to as  $b$ -tagged jets, whereas those not tagged are referred to as untagged jets. Similarly, whether they are tagged or not, jets originating from bottom quarks are referred to as  $b$ -jets and those from ( $u, d, c, s$ )-quarks or gluons as light jets. The working point of the neural-network-based MV1  $b$ -tagging algorithm [56] corresponds to an average  $b$ -tagging efficiency of 70% for  $b$ -jets in simulated  $t\bar{t}$  events and rejection factors of 5 for jets containing a  $c$ -hadron and 137 for jets containing only lighter-flavour hadrons. To match the  $b$ -tagging performance in the data,  $p_{\text{T}}$ - and  $\eta$ -dependent scale factors [56], obtained from dijet and  $t\bar{t} \rightarrow$  dilepton events, are applied to MC jets depending on their true flavour. The reconstruction of the  $E_{\text{T}}^{\text{miss}}$  is based on the vector sum of energy deposits in the calorimeters, projected onto the transverse plane. Muons are included in the  $E_{\text{T}}^{\text{miss}}$  using their reconstructed momentum in the tracking detectors [57].

The contribution of events wrongly reconstructed as  $t\bar{t} \rightarrow$  dilepton events due to the presence of objects misidentified as leptons (fake leptons), is estimated from data [58]. The technique employed uses fake-lepton and real-lepton efficiencies that depend on  $\eta$  and  $p_{\text{T}}$ , measured in a background-enhanced control region

**Table 1**

The observed numbers of events in data after the pre-selection and the final selection. In addition, the expected numbers of signal events for  $m_{\text{top}} = 172.5$  GeV and background events corresponding to the integrated data luminosity are given. Two significant digits are used for the uncertainties of the predicted numbers of events explained in the text. The lower rows report the matching performance evaluated for  $m_{\text{top}} = 172.5$  GeV, using one significant digit for the statistical uncertainties.

| Selection                    | Pre-selection      | Final selection   |
|------------------------------|--------------------|-------------------|
| Data                         | 36 359             | 9426              |
| $t\bar{t}$ signal            | $34\,300 \pm 2700$ | $9670 \pm 770$    |
| Single-top-quark signal      | $1690 \pm 110$     | $363 \pm 23$      |
| Fake leptons                 | $240 \pm 240$      | $31 \pm 31$       |
| $Z + \text{jets}$            | $212 \pm 83$       | $20.6 \pm 8.5$    |
| $WW/WZ/ZZ$                   | $57 \pm 21$        | $10.2 \pm 3.8$    |
| Signal + background          | $36\,600 \pm 2800$ | $10\,100 \pm 770$ |
| Expected background fraction | $0.01 \pm 0.01$    | $0.01 \pm 0.00$   |
| Data/(Signal + background)   | $0.99 \pm 0.07$    | $0.93 \pm 0.07$   |
| Matching efficiency [%]      | $78.4 \pm 0.2$     | $95.3 \pm 0.4$    |
| Selection purity [%]         | $51.6 \pm 0.1$     | $69.8 \pm 0.3$    |
| Unmatched events [%]         | $34.2 \pm 0.1$     | $26.7 \pm 0.1$    |
| Wrongly matched events [%]   | $14.2 \pm 0.1$     | $3.4 \pm 0.0$     |

with low  $E_{\text{T}}^{\text{miss}}$  and from events with dilepton masses around the  $Z$  peak [59].

The selection from Ref. [14] is applied as a pre-selection as follows:

1. Events are required to have a signal from the single-electron or single-muon trigger and at least one primary vertex with at least five associated tracks.
2. Exactly two oppositely charged leptons are required, with at least one of them matching the reconstructed object that fired the corresponding trigger.
3. In the same-lepton-flavour channels,  $ee$  and  $\mu\mu$ ,  $E_{\text{T}}^{\text{miss}} > 60$  GeV is required. In addition, the invariant mass of the lepton pair must satisfy  $m_{\ell\ell} > 15$  GeV, and must not be compatible with the  $Z$  mass within 10 GeV.
4. In the  $e\mu$  channel the scalar sum of  $p_{\text{T}}$  of the two selected leptons and all jets is required to be larger than 130 GeV.
5. The presence of at least two jets with  $p_{\text{T}} > 25$  GeV and  $|\eta| < 2.5$  is required, and at least one of these jets has to be  $b$ -tagged.

The observed numbers of events in the data after this pre-selection, together with the expected numbers of signal and background events corresponding to the integrated data luminosity, are given in Table 1. Assuming a top quark mass of  $m_{\text{top}} = 172.5$  GeV, the predicted number of events is consistent with the one observed in the data within uncertainties. For all predictions, the uncertainties are estimated as the sum in quadrature of the statistical uncertainty, a 1.9% uncertainty in the integrated luminosity, and a number of additional components. For the signal, these are a 5.4% uncertainty in the  $t\bar{t}$  cross-section, or a 6.0% uncertainty in the single-top-quark cross-section, as given in Sect. 3. Finally, global 4.1%, 2.2% and 2.8% uncertainties are added, corresponding to the envelopes of the results from the eigenvector variations of the jet energy scale (JES), the relative  $b$ -to-light-jet energy scale (bJES) and the  $b$ -tagging scale factors, respectively. The background uncertainties contain jet-multiplicity-dependent uncertainties of about 40% in the normalisation of the  $Z + \text{jets}$  background and a 100% uncertainty in the normalisation of fake-lepton background.

The two jets carrying the highest MV1 weight are taken as the two  $b$ -jets originating from the decays of the two top quarks, and the two leptons are taken as the leptons from the leptonic  $W$  de-


cays. From the two possible assignments of the two pairs, the combination leading to the lowest average invariant mass of the two lepton- $b$ -jet pairs ( $m_{\ell b}$ ) is retained. To estimate the performance of this algorithm in MC simulated samples, the reconstruction-level objects are matched to the closest generator-level object based on a maximum allowed  $\Delta R$ , being 0.1 for leptons and 0.3 for jets. A matched object is defined as a reconstruction-level object that falls within  $\Delta R$  of any generator-level object of that type, and a correct match means that this generator-level object is the one it originated from. Due to acceptance losses and reconstruction inefficiency, not all reconstruction-level objects can successfully be matched to their generator-level counterparts, resulting in unmatched events. The matching efficiency is the fraction of correctly matched events among all the matched events, and the selection purity is the fraction of correctly matched events among all events, regardless of whether they could be matched or not. The corresponding numbers for  $m_{\text{top}} = 172.5$  GeV are reported in Table 1.

Starting from this pre-selection, an optimisation of the total uncertainty in  $m_{\text{top}}$  is performed. A phase-space restriction based on the average  $p_{\text{T}}$  of the two lepton- $b$ -jet pairs ( $p_{\text{T},\ell b}$ ) is used to obtain the smallest total uncertainty in  $m_{\text{top}}$ . The corresponding  $p_{\text{T},\ell b}$  distribution is shown in Fig. 1(a). The smallest uncertainty in  $m_{\text{top}}$  corresponds to  $p_{\text{T},\ell b} > 120$  GeV. The difference in shape between data and prediction is covered by the systematic uncertainty as detailed in Sect. 6. This restriction is found to also increase the fraction of correctly matched events in the  $t\bar{t}$  sample, and reduces the number of unmatched or wrongly matched events.

To perform the template parameterisation described in Sect. 5, an additional selection criterion is applied, restricting the reconstructed  $m_{\ell b}$  value ( $m_{\ell b}^{\text{reco}}$ ) to the range  $30 \text{ GeV} < m_{\ell b}^{\text{reco}} < 170 \text{ GeV}$ . Applying both restrictions, the numbers of predicted and observed events resulting from the final selection are reported in Table 1. Using this optimisation, the matching efficiency and the sample purity are much improved as reported in the bottom rows of Table 1, while retaining about 26% of the events. Using this selection, and the objects assigned to the two lepton- $b$ -jet pairs, the kinematic distributions in the data are well described by the predictions, as shown in Fig. 1 for the transverse momenta of  $b$ -jets and leptons, and for the  $\Delta R_{\ell b}$  of the two lepton- $b$ -jet pairs.

## 5. Template fit and results in the data

The implementation of the template method used in this analysis is described in Ref. [14]. For this analysis, the templates are simulated distributions of  $m_{\ell b}^{\text{reco}}$ , constructed for a number of discrete values of  $m_{\text{top}}$ . Appropriate functions are fitted to these templates, interpolating between different input  $m_{\text{top}}$ . The remaining parameters of the functions are fixed by a simultaneous fit to all templates, imposing linear dependences of the parameters on  $m_{\text{top}}$ . The resulting template fit function has  $m_{\text{top}}$  as the only free parameter and an unbinned likelihood maximisation gives the value of  $m_{\text{top}}$  that best describes the data. Statistically independent signal templates, comprising  $t\bar{t}$  and single-top-quark events, are constructed as a function of the top quark mass used in the MC generator. Within the statistical uncertainties, the sum of a Gaussian distribution and a Landau function gives a good description of the shape of the  $m_{\ell b}^{\text{reco}}$  distribution as shown in Fig. 2(a) for three values of  $m_{\text{top}}$ . With this signal choice, the background distribution is independent of  $m_{\text{top}}$ , and a Landau function is fitted to it. The sum of the signal template at  $m_{\text{top}} = 172.5$  GeV and the background is compared to data in Fig. 2(b). It gives a good description of the data except for differences that can be accounted for by a different



**Fig. 1.** Kinematic distributions obtained from the objects assigned to the two lepton- $b$ -jet pairs for (a) the pre-selection, or (b)–(d) the final selection. The average  $p_{T,lb}$  of the two lepton- $b$ -jet pairs, denoted by  $p_{T,lb}$ , is shown in (a). The  $p_{T,lb}$  requirement for the final selection is indicated by the vertical dashed line. The remaining distributions show the  $p_T$  of the  $b$ -jets in (b), the  $p_T$  of the leptons in (c), and the  $\Delta R_{lb}$  of the lepton and the  $b$ -jet for the two lepton- $b$ -jet pairs in (d). The rightmost bin contains the overflow, if present. For all distributions, the number of predicted events is normalised to the one observed in the data. The hatched area corresponds to the statistical uncertainties in the prediction, the uncertainty bars to the statistical uncertainties in the data. For each figure, the ratio of data and prediction is also presented.


top quark mass. In this distribution, the correctly matched events are concentrated in the central part, whereas the remainder is less peaked and accounts for most of the tails.

In this analysis the expected statistical precision as well as all systematic uncertainties are obtained from pseudo-experiments generated from MC simulated samples mimicking ATLAS data. To verify the internal consistency of the method, 1000 pseudo-experiments per mass point are performed, correcting for oversampling [60]. Within uncertainties, and for all  $m_{top}$  values, the residuals and pull means are consistent with zero and the pull widths are consistent with unity, i.e. the estimator is unbiased and uncertainties are calculated properly. The expected statistical uncertainty is obtained from the distribution of the statistical uncertainty in the fitted  $m_{top}$  of the pseudo-experiments. For  $m_{top} = 172.5$  GeV and the data luminosity it amounts to  $0.41 \pm 0.03$  GeV, where the quoted precision is statistical. The  $m_{lb}^{reco}$  distribution in the data is shown in Fig. 2(c) together with the corresponding fitted probability density functions for the background alone and for the sum of signal and background. The value obtained fixing the background contribution to its prediction is  $m_{top} = 172.99 \pm 0.41$  (stat) GeV. The statistical uncertainty in  $m_{top}$  is taken from the parabolic approximation of the logarithm of the likelihood as shown in Fig. 2(d). The observed and predicted values of the statistical uncertainty agree.

## 6. Uncertainties affecting the $m_{top}$ determination

The same systematic uncertainty sources as in Ref. [14] are investigated. Their impact on the analysis is mostly evaluated from pairs of samples expressing a particular systematic uncertainty, by constructing the corresponding templates and measuring the average difference in  $m_{top}$  of the pair from 1000 pseudo-experiments. To facilitate a combination with other results, every systematic uncertainty is assigned a statistical uncertainty, taking into account the statistical correlation of the considered samples. Following Ref. [61], the resulting uncertainty components are given in Table 2 irrespective of their statistical significance. The uncertainty sources are constructed so as to be uncorrelated with each another and thus the total uncertainty squared is calculated as the sum in quadrature of all components. The various sources of systematic uncertainties and the evaluation of their effect on  $m_{top}$  are briefly described in the following. The values are given in Table 2.

**Method:** The mean value of the differences between the fitted and generated  $m_{top}$  for the MC samples at various input top quark masses is assigned as the method calibration uncertainty. This also covers effects from limited numbers of MC simulated events in the templates.



**Fig. 2.** Simulated signal templates (histograms) for different values of  $m_{\text{top}}$  together with the template fits (curves) are given in (a). The  $m_{\text{lb}}^{\text{reco}}$  distribution observed in data in comparison to the prediction is shown in (b). Both figures show statistical uncertainties only. In (b) the background contributions are too small to be distinguished. The  $m_{\text{lb}}^{\text{reco}}$  distribution is shown in (c) for data with statistical uncertainties together with the fitted probability density functions for the background alone (barely visible at the bottom of the figure) and for the sum of signal and background. The uncertainty band corresponds to the total uncertainty in  $m_{\text{top}}$ . Finally, the corresponding logarithm of the likelihood as a function of  $m_{\text{top}}$  is displayed in (d).

**Signal Monte Carlo generator:** The difference in  $m_{\text{top}}$  between the event sample produced with the MC@NLO program [62,63] and the default POWHEG sample, both generated at  $m_{\text{top}} = 172.5$  GeV and using the HERWIG program for parton shower, hadronisation and underlying event, is quoted as a systematic uncertainty.

**Hadronisation:** The difference in  $m_{\text{top}}$  between samples produced with the POWHEG-Box program and showered with either the PYTHIA6 program using the P2011C tune or the HERWIG and JIMMY programs using the ATLAS AUET2 tune [42] is quoted as a systematic uncertainty. This includes different approaches in parton-shower modelling and hadronisation, namely the Lund string model [64,65] and the cluster model [66]. The difference in shape between data and prediction observed for the  $p_{\text{T},\text{lb}}$  distribution shown in Fig. 1(a) is much reduced when using the POWHEG+HERWIG sample and therefore covered by this uncertainty. As a check to assess the maximum possible difference in  $m_{\text{top}}$  caused by the mismodelling of the  $p_{\text{T},\text{lb}}$  distribution, the predicted distribution is reweighted to the data distribution and the fit is repeated. The observed difference in  $m_{\text{top}}$  from the nominal sample is about 0.2 GeV, well below the statistical uncertainty in the data. Consequently, no additional uncertainty is applied. Finally, the calibration of the JES and bJES, discussed below, is also partially based on a comparison of jet energy responses in event samples produced with the Herwig++ [67] and PYTHIA6 programs. However, it

was verified [68] that the amount of double-counting of JES and hadronisation effects for the  $t\bar{t} \rightarrow \text{lepton} + \text{jets}$  channel is small.

**Initial- and final-state QCD radiation (ISR/FSR):** The uncertainty due to this effect is evaluated by comparing two dedicated samples generated with the POWHEG-Box and PYTHIA6 programs that differ in several parameters, namely: the QCD scale  $\Lambda_{\text{QCD}}$ , the transverse momentum scale for space-like parton-shower evolution  $Q_{\text{max}}^2$  and the  $h_{\text{damp}}$  parameter [69]. Half the observed difference between the up variation and the down variation is quoted as a systematic uncertainty. For comparison, using the signal samples generated at  $m_{\text{top}} = 172.5$  GeV, and only changing the  $h_{\text{damp}}$  parameter but using a much larger range, i.e. from  $\infty$  to  $m_{\text{top}}$ , the measured  $m_{\text{top}}$  is lowered by  $0.23 \pm 0.13$  GeV, where the uncertainty is statistical.

**Underlying event (UE):** The difference in UE modelling is assessed by comparing POWHEG samples based on the same partonic events generated with the CT10 PDFs. The difference in  $m_{\text{top}}$  for a sample with the Perugia 2012 tune (P2012) and a sample with the P2012 mpiHi tune [24] is assigned as a systematic uncertainty.

**Colour reconnection (CR):** This systematic uncertainty is estimated using samples with the same partonic events as for the UE uncertainty evaluation, but with the P2012 tune and the P2012 loCR tune [24] for PS and hadronisation. The difference in  $m_{\text{top}}$  is quoted as a systematic uncertainty.

**Parton distribution function (PDF):** The PDF systematic uncertainty is the sum in quadrature of three contributions. These are:

**Table 2**

The three measured values of  $m_{\text{top}}$  together with their statistical and systematic uncertainty components are shown on the left. The middle part reports the estimated correlations  $\rho_{ij}$  per pair of measurements, with 0, 1 and 2 denoting the  $\ell$  + jets and dilepton measurements at  $\sqrt{s} = 7$  TeV (from Ref. [14]) and the dilepton measurement at  $\sqrt{s} = 8$  TeV, respectively. Finally, the right part lists the  $m_{\text{top}}$  results for the combinations of the two measurements at  $\sqrt{s} = 7$  TeV, the two measurements in the dilepton channel and all measurements. For the individual measurements, the systematic uncertainty in  $m_{\text{top}}$  and its associated statistical uncertainty is given for each source of uncertainty. Assigned correlations are given as integer values, determined correlations as real values. The last line refers to the sum in quadrature of the statistical and systematic uncertainty components or the total correlations, respectively.

|                                         | $\sqrt{s} = 7$ TeV                        |                                     | $\sqrt{s} = 8$ TeV                  | Correlations |             |             | Combinations                         |                                     |                                     |
|-----------------------------------------|-------------------------------------------|-------------------------------------|-------------------------------------|--------------|-------------|-------------|--------------------------------------|-------------------------------------|-------------------------------------|
|                                         | $m_{\text{top}}^{\ell+\text{jets}}$ [GeV] | $m_{\text{top}}^{\text{dil}}$ [GeV] | $m_{\text{top}}^{\text{dil}}$ [GeV] | $\rho_{01}$  | $\rho_{02}$ | $\rho_{12}$ | $m_{\text{top}}^{7\text{TeV}}$ [GeV] | $m_{\text{top}}^{\text{dil}}$ [GeV] | $m_{\text{top}}^{\text{all}}$ [GeV] |
| Results                                 | 172.33                                    | 173.79                              | 172.99                              |              |             |             | 172.99                               | 173.04                              | 172.84                              |
| Statistics                              | 0.75                                      | 0.54                                | 0.41                                | 0            | 0           | 0           | 0.48                                 | 0.38                                | 0.34                                |
| Method                                  | $0.11 \pm 0.10$                           | $0.09 \pm 0.07$                     | $0.05 \pm 0.07$                     | 0            | 0           | 0           | 0.07                                 | 0.05                                | 0.05                                |
| Signal Monte Carlo generator            | $0.22 \pm 0.21$                           | $0.26 \pm 0.16$                     | $0.09 \pm 0.15$                     | +1.00        | +1.00       | +1.00       | 0.24                                 | 0.10                                | 0.14                                |
| Hadronisation                           | $0.18 \pm 0.12$                           | $0.53 \pm 0.09$                     | $0.22 \pm 0.09$                     | +1.00        | +1.00       | +1.00       | 0.34                                 | 0.24                                | 0.23                                |
| Initial- and final-state QCD radiation  | $0.32 \pm 0.06$                           | $0.47 \pm 0.05$                     | $0.23 \pm 0.07$                     | −1.00        | −1.00       | +1.00       | 0.04                                 | 0.24                                | 0.08                                |
| Underlying event                        | $0.15 \pm 0.07$                           | $0.05 \pm 0.05$                     | $0.10 \pm 0.14$                     | −1.00        | −1.00       | +1.00       | 0.06                                 | 0.10                                | 0.02                                |
| Colour reconnection                     | $0.11 \pm 0.07$                           | $0.14 \pm 0.05$                     | $0.03 \pm 0.14$                     | −1.00        | −1.00       | +1.00       | 0.01                                 | 0.03                                | 0.01                                |
| Parton distribution function            | $0.25 \pm 0.00$                           | $0.11 \pm 0.00$                     | $0.05 \pm 0.00$                     | +0.57        | −0.29       | +0.03       | 0.17                                 | 0.04                                | 0.08                                |
| Background normalisation                | $0.10 \pm 0.00$                           | $0.04 \pm 0.00$                     | $0.03 \pm 0.00$                     | +1.00        | +0.23       | +0.23       | 0.07                                 | 0.03                                | 0.04                                |
| $W/Z$ + jets shape                      | $0.29 \pm 0.00$                           | $0.00 \pm 0.00$                     | 0                                   | 0            |             |             | 0.16                                 | 0.00                                | 0.09                                |
| Fake leptons shape                      | $0.05 \pm 0.00$                           | $0.01 \pm 0.00$                     | $0.08 \pm 0.00$                     | +0.23        | +0.20       | −0.08       | 0.03                                 | 0.07                                | 0.05                                |
| Jet energy scale                        | $0.58 \pm 0.11$                           | $0.75 \pm 0.08$                     | $0.54 \pm 0.04$                     | −0.23        | +0.06       | +0.35       | 0.41                                 | 0.52                                | 0.41                                |
| Relative $b$ -to-light-jet energy scale | $0.06 \pm 0.03$                           | $0.68 \pm 0.02$                     | $0.30 \pm 0.01$                     | +1.00        | +1.00       | +1.00       | 0.34                                 | 0.32                                | 0.25                                |
| Jet energy resolution                   | $0.22 \pm 0.11$                           | $0.19 \pm 0.04$                     | $0.09 \pm 0.05$                     | −1.00        | 0           | 0           | 0.03                                 | 0.08                                | 0.08                                |
| Jet reconstruction efficiency           | $0.12 \pm 0.00$                           | $0.07 \pm 0.00$                     | $0.01 \pm 0.00$                     | +1.00        | +1.00       | +1.00       | 0.10                                 | 0.01                                | 0.04                                |
| Jet vertex fraction                     | $0.01 \pm 0.00$                           | $0.00 \pm 0.00$                     | $0.02 \pm 0.00$                     | −1.00        | +1.00       | −1.00       | 0.00                                 | 0.02                                | 0.02                                |
| $b$ -tagging                            | $0.50 \pm 0.00$                           | $0.07 \pm 0.00$                     | $0.03 \pm 0.02$                     | −0.77        | 0           | 0           | 0.25                                 | 0.03                                | 0.15                                |
| Leptons                                 | $0.04 \pm 0.00$                           | $0.13 \pm 0.00$                     | $0.14 \pm 0.01$                     | −0.34        | −0.52       | +0.96       | 0.05                                 | 0.14                                | 0.09                                |
| $E_{\text{T}}^{\text{miss}}$            | $0.15 \pm 0.04$                           | $0.04 \pm 0.03$                     | $0.01 \pm 0.01$                     | −0.15        | +0.25       | −0.24       | 0.08                                 | 0.01                                | 0.05                                |
| Pile-up                                 | $0.02 \pm 0.01$                           | $0.01 \pm 0.00$                     | $0.05 \pm 0.01$                     | 0            | 0           | 0           | 0.01                                 | 0.05                                | 0.03                                |
| Total systematic uncertainty            | $1.03 \pm 0.31$                           | $1.31 \pm 0.23$                     | $0.74 \pm 0.29$                     |              |             |             | 0.77                                 | 0.74                                | 0.61                                |
| Total                                   | $1.27 \pm 0.33$                           | $1.41 \pm 0.24$                     | $0.84 \pm 0.29$                     | −0.07        | 0.00        | 0.51        | 0.91                                 | 0.84                                | 0.70                                |

the sum in quadrature of the differences in  $m_{\text{top}}$  for the 26 eigenvector variations of the CTEQ PDF [25] and two differences in  $m_{\text{top}}$  obtained from reweighting the central CT10 PDF set to the MSTW2008 PDF [37] and the NNPDF23 PDF [40].

**Background normalisation:** The normalisations are varied simultaneously for the MC-based and the data-driven background estimates according to the above mentioned uncertainties.

**Background shapes:** Given the negligible uncertainty in the dilepton channel observed in Ref. [14], no shape uncertainty is evaluated for the MC-based background. For the data-driven background the shape uncertainty is obtained from the estimate of fake-lepton events using the matrix method [58].

**Jet energy scale (JES):** Mean jet energies are measured with a relative precision of about 1% to 4%, typically falling with jet  $p_T$  and rising with jet  $|\eta|$  [70,71]. The large number of subcomponents of the total JES uncertainty are reduced by a matrix diagonalisation of the full JES covariance matrix. For each of the resulting 25 significant nuisance parameters [54] the corresponding uncertainty in  $m_{\text{top}}$  is calculated. The total JES-induced uncertainty in  $m_{\text{top}}$  is obtained by the sum in quadrature of the results for the subcomponents.

**Relative  $b$ -to-light-jet energy scale (bJES):** The bJES is an additional uncertainty for the remaining differences between  $b$ -jets and light jets after the global JES is applied and therefore the corresponding uncertainty is uncorrelated with the JES uncertainty. Jets containing  $b$ -hadrons are assigned an additional uncertainty of 0.2% to 1.2%, with lowest uncertainties for high- $p_T$   $b$ -jets [54].

**Jet energy resolution (JER):** The JER uncertainty is determined by the sum in quadrature of the  $m_{\text{top}}$  differences between the varied samples and the nominal sample or, where applicable, half the fitted difference between the up variation and the down variation of the components of the eigenvector decomposition.

**Jet reconstruction efficiency (JRE):** The JRE uncertainty is evaluated by randomly removing 2% of the jets with  $p_T < 30$  GeV from the MC simulated events prior to the event selection to reflect the precision with which the data-to-MC JRE ratio is known [53]. The  $m_{\text{top}}$  difference with respect to the nominal sample is taken as a systematic uncertainty.

**Jet vertex fraction (JVF):** When summing the scalar  $p_T$  of all tracks in a jet, the JVF is the fraction contributed by tracks originating at the primary vertex. The uncertainty is evaluated by varying the requirement on the JVF within its uncertainty [72].

**$b$ -tagging:** Mismodelling of the  $b$ -tagging efficiency and mistag rate is accounted for by the application of scale factors which depend on jet  $p_T$  and jet  $\eta$  to MC simulated events [56]. The eigenvector decomposition [56,73] accounts for the uncertainties in the  $b$ -tagging,  $c/\tau$ -tagging and mistagging scale factors. The final  $b$ -tagging uncertainty is the sum in quadrature of these uncorrelated components.

**Lepton uncertainties:** The lepton uncertainties measured in  $J/\psi \rightarrow \ell\ell$  and  $Z \rightarrow \ell\ell$  events are related to the electron energy or muon momentum scales and resolutions, and the trigger and identification efficiencies [49,50,74]. For each component, the corresponding uncertainty is propagated to the analysis including the recalculation of the  $E_T^{\text{miss}}$ .

**Missing transverse momentum ( $E_T^{\text{miss}}$ ):** The remaining contribution to the  $E_T^{\text{miss}}$  uncertainty stems from the uncertainties in calorimeter cell energies associated with low- $p_T$  jets ( $7 \text{ GeV} < p_T < 20 \text{ GeV}$ ), without any corresponding reconstructed physics object or from pile-up interactions. Their impact is accounted for as described in Ref. [57].

**Pile-up:** Besides the component treated in the JES, the residual dependence of the fitted  $m_{\text{top}}$  on the amount of pile-up activity and a possible MC mismodelling is determined. The  $m_{\text{top}}$  dependence as functions of  $n_{\text{vtx}}$  and  $\langle\mu\rangle$  is found to be consistent in data and

simulation. The corresponding uncertainty evaluated from the remaining difference is small.


The systematic uncertainties quoted in Table 2 carry statistical uncertainties. The statistical precision of a single sample fit is about 100 MeV. The statistical correlation of the samples is calculated from the fraction of shared events. Pairs of samples with only a change in a single parameter have high correlation and correspondingly low statistical uncertainty in the difference in  $m_{\text{top}}$ , while a pair of statistically independent samples results in a larger uncertainty.

In summary, the result in the dilepton channel at  $\sqrt{s} = 8 \text{ TeV}$  of  $m_{\text{top}} = 172.99 \pm 0.41 \text{ (stat)} \pm 0.74 \text{ (syst)} \text{ GeV}$  is about 40% more precise than the one obtained from the  $\sqrt{s} = 7 \text{ TeV}$  data and the most precise single result in this decay channel to date. The increased precision is partly driven by a better knowledge of the JES and bJES. In addition, the applied optimisation procedure significantly reduces the total systematic uncertainty, mostly due to a lower impact of the JES and theory modelling uncertainties.

## 7. Combination with previous ATLAS measurements

The combination of the  $m_{\text{top}}$  results follows the approach developed for the combination of the  $\sqrt{s} = 7 \text{ TeV}$  measurements in Ref. [14] including the evaluation of the correlations. For combining the measurements from data at different centre-of-mass energies a mapping of uncertainty categories is performed. Complex cases are the uncertainty components involving eigenvector decompositions such as the JES, the JER and the  $b$ -tagging scale factor uncertainties. The  $\sqrt{s} = 7$  and 8 TeV measurements are treated as uncorrelated for the nuisance parameters of the JER and the  $b$ -tagging,  $c/\tau$ -tagging and mistagging uncertainties. A correlated treatment of the estimators for the flavour-tagging nuisance parameters results in an insignificant change in the combination. The total JES uncertainty consists of about 20 eigenvector components, which partly differ for the analyses of  $\sqrt{s} = 7$  and 8 TeV data, which make use of the EM+JES and the LCW+GSC [70] jet calibrations, respectively. For the combination, a mapping between uncertainty components at the different centre-of-mass energies is employed to identify the corresponding ones. The combination was found to be stable against variations of the assumptions for ambiguous cases.

The combination is performed using the best linear unbiased estimate (BLUE) method [75,76], implying Gaussian probability density functions for all uncertainties, using the implementation described in Ref. [77]. The central values, the list of uncertainty components and the correlations  $\rho$  of the estimators for each uncertainty component have to be provided. For the statistical, method calibration, MC-based background shape at  $\sqrt{s} = 7 \text{ TeV}$ , and pile-up uncertainties in  $m_{\text{top}}$  the measurements are assumed to be uncorrelated. For the remaining uncertainties in  $m_{\text{top}}$ , when using  $\pm 1\sigma$  variations of a systematic effect, e.g. when changing the bJES by  $\pm 1\sigma$ , there are two possibilities. When simultaneously applying a variation for a systematic uncertainty, e.g.  $+1\sigma$  for the bJES to a pair of analyses, e.g. the dilepton measurements at  $\sqrt{s} = 7$  and 8 TeV, both analyses can result in a larger or smaller  $m_{\text{top}}$  value than what is obtained for the nominal case (full correlation,  $\rho = +1$ ), or one analysis can obtain a larger and the other a smaller value (full anti-correlation,  $\rho = -1$ ). Consequently, an uncertainty from a source only consisting of a single variation, such as the uncertainty related to the choice of MC generator for signal events, results in a correlation of  $\rho = \pm 1$ . The estimator correlations for composite uncertainties are evaluated by adding the covariance terms of the subcomponents  $i$  with  $\rho_i = \pm 1$  and dividing by the total uncertainties for that source. The resulting estimator



**Fig. 3.** The pairwise differences in  $m_{\text{top}}$  when simultaneously varying both analyses for a systematic uncertainty. Each cross indicates the statistical precisions of the systematic uncertainty. The red full points indicate  $\rho = 1$ , the blue open points  $\rho = -1$ .

correlation per uncertainty is quoted in Table 2 and used in the combination.

The evaluated uncertainties in  $m_{\text{top}}$  for the uncertainty components for the two dilepton analyses, denoted by  $\Delta m_{\text{top}}^{\text{dilepton}}$ , are shown in Fig. 3(a). Each point represents a systematic uncertainty together with a cross, indicating the respective statistical precision of the systematic uncertainty in the two analyses. The red full points indicate  $\rho = 1$ , the blue open points  $\rho = -1$ . Given the similarity of the analyses, a positive estimator correlation is observed for most uncertainty components of the two measurements in the dilepton channel. The corresponding distribution for the  $\ell$  + jets measurement at  $\sqrt{s} = 7$  TeV and the dilepton measurement at  $\sqrt{s} = 8$  TeV is given in Fig. 3(b). In this figure, the estimates are anti-correlated for several significant uncertainties. This is caused by the in-situ measurement of the jet energy scale factor (JSF) and relative  $b$ -to-light-jet energy scale factor (bJSF) in the three-dimensional  $\ell$  + jets analysis, detailed in Ref. [14]. The resulting total correlation for this pair is very low as shown in Table 2. The combination strongly profits from this.

The central values of the three measurements, their uncertainty components, the determined correlations per pair of measurements and the results of the combinations are given in Table 2. The pairwise differences in the three measurements are  $0.75\sigma$  for the  $\sqrt{s} = 7$  TeV measurements,  $0.43\sigma$  for the  $\ell$  + jets measurement at  $\sqrt{s} = 7$  TeV and the dilepton measurement at  $\sqrt{s} = 8$  TeV and  $0.66\sigma$  for the two dilepton measurements. For all three cases  $\sigma$  denotes the one standard deviation of the respective  $m_{\text{top}}$  difference. The combined result in the dilepton channel alone is  $m_{\text{top}}^{\text{dilepton}} = 173.04 \pm 0.38$  (stat)  $\pm 0.74$  (syst) GeV =  $173.04 \pm 0.84$  GeV, providing no significant improvement with respect to the more precise result at  $\sqrt{s} = 8$  TeV which carries a BLUE combination weight of 0.94. This is a mere consequence of the measurement correlation of 0.51, which is close to the ratio of uncertainties (see Ref. [76]). The  $\chi^2$  probability of the combination is 51%. The stability of the combination is assessed from the results of 1000 combinations for which all input uncertainties are varied within their statistical uncertainties, which for some cases also result in different correlations (see Fig. 3). The corresponding distributions of the central values and uncertainties of the combinations are approximately Gaussian, with a width of 0.03 GeV and of 0.04 GeV, respectively.

The combination of all three measurements provides a 17% improvement with respect to the most precise single input measurement. The combined result is  $m_{\text{top}}^{\text{all}} = 172.84 \pm 0.34$  (stat)  $\pm$

0.61 (syst) GeV =  $172.84 \pm 0.70$  GeV. The  $\chi^2$  probability of the combination is 73% and the BLUE combination weights of the  $\ell$  + jets and dilepton measurements at  $\sqrt{s} = 7$  TeV and the dilepton measurement at  $\sqrt{s} = 8$  TeV are 0.30, 0.07 and 0.63, respectively. Again, the central value and the combined total uncertainty are both stable at the level of 0.03 GeV.

## 8. Conclusion

The top quark mass is measured in the  $t\bar{t} \rightarrow$  dilepton channel from about  $20.2 \text{ fb}^{-1}$  of  $\sqrt{s} = 8$  TeV proton–proton collision data recorded by the ATLAS detector at the LHC. Compared to the latest ATLAS measurement in this decay channel, the event selection is refined exploiting the average  $p_T$  of the lepton– $b$ -jet pairs to enhance the fraction of correctly reconstructed events, thereby reducing the systematic uncertainties. Using the optimal point in terms of total uncertainty observed in a phase-space scan of this variable as an additional event selection criterion, the measured value of  $m_{\text{top}}$  is

$$m_{\text{top}} = 172.99 \pm 0.41 \text{ (stat)} \pm 0.74 \text{ (syst) GeV,}$$

with a total uncertainty of 0.84 GeV. The precision is mainly limited by systematic uncertainties, mostly by the calibration of the jet energy scale, and to a lesser extent by the calibration of the relative  $b$ -to-light-jet energy scale and by the Monte Carlo modelling of signal events.

This measurement is combined with the ATLAS measurements in the  $t\bar{t} \rightarrow$  lepton + jets and  $t\bar{t} \rightarrow$  dilepton decay channels from  $\sqrt{s} = 7$  TeV data. The correlations of the measurements are evaluated for all sources of the systematic uncertainty. Using a dedicated mapping of uncertainty categories, the combination of the three measurements results in

$$m_{\text{top}} = 172.84 \pm 0.34 \text{ (stat)} \pm 0.61 \text{ (syst) GeV,}$$

with a total uncertainty of 0.70 GeV, i.e. a relative precision of 0.4%. The result is mostly limited by the calibration of the jet energy scales and by the Monte Carlo modelling of signal events.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW and NRCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

## References

- [1] ALEPH Collaboration, CDF Collaboration, D0 Collaboration, DELPHI Collaboration, L3 Collaboration, OPAL Collaboration, SLD Collaboration, The LEP Electroweak Working Group, The Tevatron Electroweak Working Group, The SLD Electroweak and Heavy Flavour Groups, arXiv:1012.2367 [hep-ex].
- [2] M. Baak, et al., The global electroweak fit at NNLO and prospects for the LHC and ILC, *Eur. Phys. J. C* 74 (2014) 3046.
- [3] K.A. Olive, et al., Particle Data Group, Review of particle physics, *Chin. Phys. C* 38 (2014) 090001.
- [4] G. Degrandi, et al., Higgs mass and vacuum stability in the standard model at NNLO, *J. High Energy Phys.* 8 (2012) 98.
- [5] F. Bezrukov, et al., The standard model Higgs boson as the inflaton, *Phys. Lett. B* 659 (2008) 703.
- [6] A. De Simone, et al., Running inflation in the standard model, *Phys. Lett. B* 678 (2009) 1.
- [7] ATLAS Collaboration, CDF Collaboration, CMS Collaboration, D0 Collaboration, First combination of Tevatron and LHC measurements of the top-quark mass, arXiv:1403.4427 [hep-ex].
- [8] ATLAS Collaboration, Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at  $\sqrt{s} = 7$  TeV, *Eur. Phys. J. C* 75 (2015) 158.
- [9] CDF Collaboration, T. Aaltonen, et al., Measurement of the top-quark mass in the  $t\bar{t}$  dilepton channel using the full CDF Run II data set, *Phys. Rev. D* 92 (2015) 032003.
- [10] CDF Collaboration, T. Aaltonen, et al., Measurement of the top-quark mass in the all-hadronic channel using the full CDF data set, *Phys. Rev. D* 90 (2014) 091101(R).
- [11] CMS Collaboration, Measurement of the top quark mass using proton–proton data at  $\sqrt{s} = 7$  and 8 TeV, *Phys. Rev. D* 93 (2016) 072004.
- [12] D0 Collaboration, V.M. Abazov, et al., Precise measurement of the top quark mass in dilepton decays using optimized neutrino weighting, *Phys. Lett. B* 752 (2016) 18.
- [13] D0 Collaboration, V.M. Abazov, et al., Precision measurement of the top quark mass in lepton + jets final states, *Phys. Rev. Lett.* 113 (2014) 032002.
- [14] ATLAS Collaboration, Measurement of the top quark mass in the  $t\bar{t} \rightarrow$  lepton + jets and  $t\bar{t} \rightarrow$  dilepton channels using  $\sqrt{s} = 7$  TeV ATLAS data, *Eur. Phys. J. C* 75 (2015) 330.
- [15] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [16] ATLAS Collaboration, Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 73 (2013) 2518.
- [17] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, *J. High Energy Phys.* 11 (2004) 040.
- [18] S. Frixione, et al., Matching NLO QCD computations with parton shower simulations: the POWHEG method, *J. High Energy Phys.* 11 (2007) 70.
- [19] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043.
- [20] S. Frixione, P. Nason, G. Ridolfi, A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction, *J. High Energy Phys.* 09 (2007) 126.
- [21] E. Re, Single-top Wt-channel production matched with parton showers using the POWHEG method, *Eur. Phys. J. C* 71 (2011) 1547.
- [22] H.L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 74024.
- [23] S. Mrenna, et al., PYTHIA 6.4 physics and manual, *J. High Energy Phys.* 05 (2006) 26.
- [24] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* 82 (2010) 74018.
- [25] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 12.
- [26] ATLAS Collaboration, Measurement of  $t\bar{t}$  production with a veto on additional central jet activity in  $pp$  collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector, *Eur. Phys. J. C* 72 (2012) 2043.
- [27] ATLAS Collaboration, Measurement of the  $t\bar{t}$  production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton–proton collisions with the ATLAS detector, *J. High Energy Phys.* 01 (2015) 20.
- [28] ATLAS Collaboration, Comparison of Monte Carlo generator predictions to ATLAS measurements of top pair production at 7 TeV, ATL-PHYS-PUB-2015-002, 2015, <http://cds.cern.ch/record/1981319>.
- [29] M. Cacciari, et al., Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation, *Phys. Lett. B* 710 (2012) 612.
- [30] P. Bärnreuther, et al., Percent level precision physics at the Tevatron: first genuine NNLO QCD corrections to  $q\bar{q} \rightarrow t\bar{t} + X$ , *Phys. Rev. Lett.* 109 (2012) 132001.
- [31] M. Czakon, A. Mitov, NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels, *J. High Energy Phys.* 12 (2012) 54.
- [32] M. Czakon, A. Mitov, NNLO corrections to top pair production at hadron colliders: the quark–gluon reaction, *J. High Energy Phys.* 01 (2013) 80.
- [33] M. Czakon, et al., The total top quark pair production cross-section at hadron colliders through  $\mathcal{O}(\alpha_s^4)$ , *Phys. Rev. Lett.* 110 (2013) 252004.
- [34] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930.
- [35] N. Kidonakis, Two-loop soft anomalous dimensions for single top quark associated production with a  $W^-$  or  $H^-$ , *Phys. Rev. D* 82 (2010) 54018.
- [36] M. Botje, et al., The PDF4LHC working group interim recommendations, arXiv:1101.0538 [hep-ph].
- [37] A.D. Martin, et al., Parton distributions for the LHC, *Eur. Phys. J. C* 63 (2009) 189.
- [38] A.D. Martin, et al., Uncertainties on  $\alpha_s$  in global PDF analyses and implications for predicted hadronic cross sections, *Eur. Phys. J. C* 64 (2009) 653.
- [39] J. Gao, et al., The CT10 NNLO global analysis of QCD, *Phys. Rev. D* 89 (2014) 33009.
- [40] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244.
- [41] M.L. Mangano, et al., ALPGEN, a generator for hard multiparton processes in hadronic collisions, *J. High Energy Phys.* 07 (2003) 1.
- [42] ATLAS Collaboration, New ATLAS event generator tunes to 2010 data, ATL-PHYS-PUB-2011-008, 2011, <http://cds.cern.ch/record/1345343>.
- [43] G. Corcella, et al., HERWIG 6.5: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes), *J. High Energy Phys.* 01 (2001) 10.
- [44] J.M. Butterworth, et al., Multiparton interactions in photoproduction at HERA, *Z. Phys. C* 72 (1996) 637.
- [45] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852.
- [46] ATLAS Collaboration, Summary of ATLAS PYTHIA 8 tunes, ATL-PHYS-PUB-2012-003, 2012, <http://cdsweb.cern.ch/record/1474107>.
- [47] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823.
- [48] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [49] ATLAS Collaboration, Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton–proton collision data, *Eur. Phys. J. C* 74 (2014) 2941.
- [50] ATLAS Collaboration, Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data, *Eur. Phys. J. C* 74 (2014) 3130.

- [51] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* (2016), in press, arXiv:1603.02934 [hep-ex].
- [52] M. Cacciari, et al., The anti- $k_t$  jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 63.
- [53] ATLAS Collaboration, Jet energy measurement with the ATLAS detector in proton–proton collisions at  $\sqrt{s} = 7$  TeV, *Eur. Phys. J. C* 73 (2013) 2304.
- [54] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton–proton collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, *Eur. Phys. J. C* 75 (2015) 17.
- [55] ATLAS Collaboration, Monte Carlo calibration and combination of *in-situ* measurements of jet energy scale, jet energy resolution and jet mass in ATLAS, ATLAS-CONF-2015-037, 2015, <http://cds.cern.ch/record/2044941>.
- [56] ATLAS Collaboration, Performance of *b*-jet identification in the ATLAS experiment, *J. Instrum.* 11 (2016) P04008.
- [57] ATLAS Collaboration, Performance of missing transverse momentum reconstruction in proton–proton collisions at  $\sqrt{s} = 7$  TeV with ATLAS, *Eur. Phys. J. C* 72 (2012) 1844.
- [58] ATLAS Collaboration, Estimation of non-prompt and fake lepton backgrounds in final states with top quarks produced in proton–proton collisions at  $\sqrt{s} = 8$  TeV with the ATLAS detector, ATLAS-CONF-2014-058, 2014, <http://cds.cern.ch/record/1951336>.
- [59] ATLAS Collaboration, Measurement of the top quark-pair production cross section with ATLAS in *pp* collisions at  $\sqrt{s} = 7$  TeV, *Eur. Phys. J. C* 71 (2011) 1577.
- [60] R.J. Barlow, Application of the bootstrap resampling technique to particle physics experiments, <http://www.hep.man.ac.uk/preprints/1999.html>.
- [61] R. Barlow, Systematic errors: facts and fictions, arXiv:hep-ex/0207026.
- [62] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, *J. High Energy Phys.* 06 (2002) 029.
- [63] S. Frixione, et al., Matching NLO QCD and parton showers in heavy flavour production, *J. High Energy Phys.* 08 (2003) 007.
- [64] B. Andersson, et al., Parton fragmentation and string dynamics, *Phys. Rep.* 97 (1983) 31.
- [65] B. Andersson, The Lund Model, Cambridge University Press, ISBN 9780521017343, 1997.
- [66] B. Webber, A QCD model for jet fragmentation including soft gluon interference, *Nucl. Phys. B* 238 (1984) 492.
- [67] M. Bahr, et al., Herwig++ physics and manual, *Eur. Phys. J. C* 58 (2008) 639.
- [68] ATLAS Collaboration, Impact of fragmentation modelling on the top quark mass measurement using the ATLAS detector, ATL-PHYS-PUB-2015-042, 2015, <http://cds.cern.ch/record/2054420>.
- [69] ATLAS Collaboration, Comparison of Monte Carlo generator predictions for gap fraction and jet multiplicity observables in  $t\bar{t}$  events, ATL-PHYS-PUB-2014-005, 2014, <http://cds.cern.ch/record/1703034>.
- [70] ATLAS Collaboration, Determination of the jet energy scale and resolution at ATLAS using  $Z/\gamma$ -jet events in data at  $\sqrt{s} = 8$  TeV, ATLAS-CONF-2015-057, 2015, <http://cds.cern.ch/record/2059846>.
- [71] ATLAS Collaboration, Data-driven determination of the energy scale and resolution of jets reconstructed in the ATLAS calorimeters using dijet and multijet events at  $\sqrt{s} = 8$  TeV, ATLAS-CONF-2015-017, 2015, <http://cds.cern.ch/record/2008678>.
- [72] ATLAS Collaboration, Pile-up subtraction and suppression for jets in ATLAS, ATLAS-CONF-2013-083, 2013, <http://cds.cern.ch/record/1570994>.
- [73] ATLAS Collaboration, Calibration of *b*-tagging using dileptonic top pair events in a combinatorial likelihood approach with the ATLAS experiment, ATLAS-CONF-2014-004, 2014, <http://cdsweb.cern.ch/record/1664335>.
- [74] ATLAS Collaboration, Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data, *Eur. Phys. J. C* 74 (2014) 3071.
- [75] L. Lyons, et al., How to combine correlated estimates of a single physical quantity, *Nucl. Instrum. Methods A* 270 (1988) 110.
- [76] R. Nisius, On the combination of correlated estimates of a physics observable, *Eur. Phys. J. C* 74 (2014) 3004.
- [77] R. Nisius, A ROOT class to combine a number of correlated estimates of one or more observables using the best linear unbiased estimate method, <http://blue.hepforge.org/Bluemethod.pdf>.

## ATLAS Collaboration

M. Aaboud<sup>135d</sup>, G. Aad<sup>86</sup>, B. Abbott<sup>113</sup>, J. Abdallah<sup>64</sup>, O. Abdinov<sup>12</sup>, B. Abeloos<sup>117</sup>, R. Aben<sup>107</sup>, O.S. AbouZeid<sup>137</sup>, N.L. Abraham<sup>149</sup>, H. Abramowicz<sup>153</sup>, H. Abreu<sup>152</sup>, R. Abreu<sup>116</sup>, Y. Abulaiti<sup>146a,146b</sup>, B.S. Acharya<sup>163a,163b,a</sup>, L. Adamczyk<sup>40a</sup>, D.L. Adams<sup>27</sup>, J. Adelman<sup>108</sup>, S. Adomeit<sup>100</sup>, T. Adye<sup>131</sup>, A.A. Affolder<sup>75</sup>, T. Agatonovic-Jovin<sup>14</sup>, J. Agricola<sup>56</sup>, J.A. Aguilar-Saavedra<sup>126a,126f</sup>, S.P. Ahlen<sup>24</sup>, F. Ahmadov<sup>66,b</sup>, G. Aielli<sup>133a,133b</sup>, H. Akerstedt<sup>146a,146b</sup>, T.P.A. Åkesson<sup>82</sup>, A.V. Akimov<sup>96</sup>, G.L. Alberghi<sup>22a,22b</sup>, J. Albert<sup>168</sup>, S. Albrand<sup>57</sup>, M.J. Alconada Verzini<sup>72</sup>, M. Aleksa<sup>32</sup>, I.N. Aleksandrov<sup>66</sup>, C. Alexa<sup>28b</sup>, G. Alexander<sup>153</sup>, T. Alexopoulos<sup>10</sup>, M. Alhroob<sup>113</sup>, B. Ali<sup>128</sup>, M. Aliev<sup>74a,74b</sup>, G. Alimonti<sup>92a</sup>, J. Alison<sup>33</sup>, S.P. Alkire<sup>37</sup>, B.M.M. Allbrooke<sup>149</sup>, B.W. Allen<sup>116</sup>, P.P. Allport<sup>19</sup>, A. Aloisio<sup>104a,104b</sup>, A. Alonso<sup>38</sup>, F. Alonso<sup>72</sup>, C. Alpigiani<sup>138</sup>, M. Alstaty<sup>86</sup>, B. Alvarez Gonzalez<sup>32</sup>, D. Álvarez Piqueras<sup>166</sup>, M.G. Alviggi<sup>104a,104b</sup>, B.T. Amadio<sup>16</sup>, K. Amako<sup>67</sup>, Y. Amaral Coutinho<sup>26a</sup>, C. Amelung<sup>25</sup>, D. Amidei<sup>90</sup>, S.P. Amor Dos Santos<sup>126a,126c</sup>, A. Amorim<sup>126a,126b</sup>, S. Amoroso<sup>32</sup>, G. Amundsen<sup>25</sup>, C. Anastopoulos<sup>139</sup>, L.S. Ancu<sup>51</sup>, N. Andari<sup>19</sup>, T. Andeen<sup>11</sup>, C.F. Anders<sup>59b</sup>, G. Anders<sup>32</sup>, J.K. Anders<sup>75</sup>, K.J. Anderson<sup>33</sup>, A. Andreazza<sup>92a,92b</sup>, V. Andrei<sup>59a</sup>, S. Angelidakis<sup>9</sup>, I. Angelozzi<sup>107</sup>, P. Anger<sup>46</sup>, A. Angerami<sup>37</sup>, F. Anghinolfi<sup>32</sup>, A.V. Anisenkov<sup>109,c</sup>, N. Anjos<sup>13</sup>, A. Annovi<sup>124a,124b</sup>, C. Antel<sup>59a</sup>, M. Antonelli<sup>49</sup>, A. Antonov<sup>98,\*</sup>, F. Anulli<sup>132a</sup>, M. Aoki<sup>67</sup>, L. Aperio Bella<sup>19</sup>, G. Arabidze<sup>91</sup>, Y. Arai<sup>67</sup>, J.P. Araque<sup>126a</sup>, A.T.H. Arce<sup>47</sup>, F.A. Arduh<sup>72</sup>, J-F. Arguin<sup>95</sup>, S. Argyropoulos<sup>64</sup>, M. Arik<sup>20a</sup>, A.J. Armbruster<sup>143</sup>, L.J. Armitage<sup>77</sup>, O. Arnaez<sup>32</sup>, H. Arnold<sup>50</sup>, M. Arratia<sup>30</sup>, O. Arslan<sup>23</sup>, A. Artamonov<sup>97</sup>, G. Artoni<sup>120</sup>, S. Artz<sup>84</sup>, S. Asai<sup>155</sup>, N. Asbah<sup>44</sup>, A. Ashkenazi<sup>153</sup>, B. Åsman<sup>146a,146b</sup>, L. Asquith<sup>149</sup>, K. Assamagan<sup>27</sup>, R. Astalos<sup>144a</sup>, M. Atkinson<sup>165</sup>, N.B. Atlay<sup>141</sup>, K. Augsten<sup>128</sup>, G. Avolio<sup>32</sup>, B. Axen<sup>16</sup>, M.K. Ayoub<sup>117</sup>, G. Azuelos<sup>95,d</sup>, M.A. Baak<sup>32</sup>, A.E. Baas<sup>59a</sup>, M.J. Baca<sup>19</sup>, H. Bachacou<sup>136</sup>, K. Bachas<sup>74a,74b</sup>, M. Backes<sup>148</sup>, M. Backhaus<sup>32</sup>, P. Bagiacchi<sup>132a,132b</sup>, P. Bagnaia<sup>132a,132b</sup>, Y. Bai<sup>35a</sup>, J.T. Baines<sup>131</sup>, O.K. Baker<sup>175</sup>, E.M. Baldin<sup>109,c</sup>, P. Balek<sup>171</sup>, T. Balestri<sup>148</sup>, F. Balli<sup>136</sup>, W.K. Balunas<sup>122</sup>, E. Banas<sup>41</sup>, Sw. Banerjee<sup>172,e</sup>, A.A.E. Bannoura<sup>174</sup>, L. Barak<sup>32</sup>, E.L. Barberio<sup>89</sup>, D. Barberis<sup>52a,52b</sup>, M. Barbero<sup>86</sup>, T. Barillari<sup>101</sup>, M-S Barisits<sup>32</sup>, T. Barklow<sup>143</sup>, N. Barlow<sup>30</sup>, S.L. Barnes<sup>85</sup>, B.M. Barnett<sup>131</sup>, R.M. Barnett<sup>16</sup>, Z. Barnovska<sup>5</sup>, A. Baroncelli<sup>134a</sup>, G. Barone<sup>25</sup>, A.J. Barr<sup>120</sup>, L. Barranco Navarro<sup>166</sup>, F. Barreiro<sup>83</sup>, J. Barreiro Guimarães da Costa<sup>35a</sup>, R. Bartoldus<sup>143</sup>, A.E. Barton<sup>73</sup>, P. Bartos<sup>144a</sup>, A. Basalaev<sup>123</sup>, A. Bassalat<sup>117</sup>, R.L. Bates<sup>55</sup>, S.J. Batista<sup>158</sup>, J.R. Batley<sup>30</sup>, M. Battaglia<sup>137</sup>, M. Bause<sup>132a,132b</sup>, F. Bauer<sup>136</sup>, H.S. Bawa<sup>143,f</sup>, J.B. Beacham<sup>111</sup>, M.D. Beattie<sup>73</sup>, T. Beau<sup>81</sup>, P.H. Beauchemin<sup>161</sup>, P. Bechtel<sup>23</sup>,

H.P. Beck<sup>18,g</sup>, K. Becker<sup>120</sup>, M. Becker<sup>84</sup>, M. Beckingham<sup>169</sup>, C. Becot<sup>110</sup>, A.J. Beddall<sup>20e</sup>, A. Beddall<sup>20b</sup>, V.A. Bednyakov<sup>66</sup>, M. Bedognetti<sup>107</sup>, C.P. Bee<sup>148</sup>, L.J. Beemster<sup>107</sup>, T.A. Beermann<sup>32</sup>, M. Begel<sup>27</sup>, J.K. Behr<sup>44</sup>, C. Belanger-Champagne<sup>88</sup>, A.S. Bell<sup>79</sup>, G. Bella<sup>153</sup>, L. Bellagamba<sup>22a</sup>, A. Bellerive<sup>31</sup>, M. Bellomo<sup>87</sup>, K. Belotskiy<sup>98</sup>, O. Beltramello<sup>32</sup>, N.L. Belyaev<sup>98</sup>, O. Benary<sup>153</sup>, D. Benckekroun<sup>135a</sup>, M. Bender<sup>100</sup>, K. Bendtz<sup>146a,146b</sup>, N. Benekos<sup>10</sup>, Y. Benhammou<sup>153</sup>, E. Benhar Noccioli<sup>175</sup>, J. Benitez<sup>64</sup>, D.P. Benjamin<sup>47</sup>, J.R. Bensinger<sup>25</sup>, S. Bentvelsen<sup>107</sup>, L. Beresford<sup>120</sup>, M. Beretta<sup>49</sup>, D. Berge<sup>107</sup>, E. Bergeaas Kuutmann<sup>164</sup>, N. Berger<sup>5</sup>, J. Beringer<sup>16</sup>, S. Berlendis<sup>57</sup>, N.R. Bernard<sup>87</sup>, C. Bernius<sup>110</sup>, F.U. Bernlochner<sup>23</sup>, T. Berry<sup>78</sup>, P. Berta<sup>129</sup>, C. Bertella<sup>84</sup>, G. Bertoli<sup>146a,146b</sup>, F. Bertolucci<sup>124a,124b</sup>, I.A. Bertram<sup>73</sup>, C. Bertsche<sup>44</sup>, D. Bertsche<sup>113</sup>, G.J. Besjes<sup>38</sup>, O. Bessidskaia Bylund<sup>146a,146b</sup>, M. Bessner<sup>44</sup>, N. Besson<sup>136</sup>, C. Betancourt<sup>50</sup>, A. Bethani<sup>57</sup>, S. Bethke<sup>101</sup>, A.J. Bevan<sup>77</sup>, R.M. Bianchi<sup>125</sup>, L. Bianchini<sup>25</sup>, M. Bianco<sup>32</sup>, O. Biebel<sup>100</sup>, D. Biedermann<sup>17</sup>, R. Bielski<sup>85</sup>, N.V. Biesuz<sup>124a,124b</sup>, M. Biglietti<sup>134a</sup>, J. Bilbao De Mendizabal<sup>51</sup>, T.R.V. Billoud<sup>95</sup>, H. Bilokon<sup>49</sup>, M. Bindi<sup>56</sup>, S. Binet<sup>117</sup>, A. Bingul<sup>20b</sup>, C. Bini<sup>132a,132b</sup>, S. Biondi<sup>22a,22b</sup>, D.M. Bjergaard<sup>47</sup>, C.W. Black<sup>150</sup>, J.E. Black<sup>143</sup>, K.M. Black<sup>24</sup>, D. Blackburn<sup>138</sup>, R.E. Blair<sup>6</sup>, J.-B. Blanchard<sup>136</sup>, T. Blazek<sup>144a</sup>, I. Bloch<sup>44</sup>, C. Blocker<sup>25</sup>, W. Blum<sup>84,\*</sup>, U. Blumenschein<sup>56</sup>, S. Blunier<sup>34a</sup>, G.J. Bobbink<sup>107</sup>, V.S. Bobrovnikov<sup>109,c</sup>, S.S. Bocchetta<sup>82</sup>, A. Bocci<sup>47</sup>, C. Bock<sup>100</sup>, M. Boehler<sup>50</sup>, D. Boerner<sup>174</sup>, J.A. Bogaerts<sup>32</sup>, D. Bogavac<sup>14</sup>, A.G. Bogdanchikov<sup>109</sup>, C. Bohm<sup>146a</sup>, V. Boisvert<sup>78</sup>, P. Bokan<sup>14</sup>, T. Bold<sup>40a</sup>, A.S. Boldyrev<sup>163a,163c</sup>, M. Bomben<sup>81</sup>, M. Bona<sup>77</sup>, M. Boonekamp<sup>136</sup>, A. Borisov<sup>130</sup>, G. Borissov<sup>73</sup>, J. Bortfeldt<sup>32</sup>, D. Bortoletto<sup>120</sup>, V. Bortolotto<sup>61a,61b,61c</sup>, K. Bos<sup>107</sup>, D. Boscherini<sup>22a</sup>, M. Bosman<sup>13</sup>, J.D. Bossio Sola<sup>29</sup>, J. Boudreau<sup>125</sup>, J. Bouffard<sup>2</sup>, E.V. Bouhova-Thacker<sup>73</sup>, D. Boumediene<sup>36</sup>, C. Bourdarios<sup>117</sup>, S.K. Boutle<sup>55</sup>, A. Boveia<sup>32</sup>, J. Boyd<sup>32</sup>, I.R. Boyko<sup>66</sup>, J. Bracinik<sup>19</sup>, A. Brandt<sup>8</sup>, G. Brandt<sup>56</sup>, O. Brandt<sup>59a</sup>, U. Bratzler<sup>156</sup>, B. Brau<sup>87</sup>, J.E. Brau<sup>116</sup>, H.M. Braun<sup>174,\*</sup>, W.D. Breaden Madden<sup>55</sup>, K. Brendlinger<sup>122</sup>, A.J. Brennan<sup>89</sup>, L. Brenner<sup>107</sup>, R. Brenner<sup>164</sup>, S. Bressler<sup>171</sup>, T.M. Bristow<sup>48</sup>, D. Britton<sup>55</sup>, D. Britzger<sup>44</sup>, F.M. Brochu<sup>30</sup>, I. Brock<sup>23</sup>, R. Brock<sup>91</sup>, G. Brooijmans<sup>37</sup>, T. Brooks<sup>78</sup>, W.K. Brooks<sup>34b</sup>, J. Brosamer<sup>16</sup>, E. Brost<sup>108</sup>, J.H. Broughton<sup>19</sup>, P.A. Bruckman de Renstrom<sup>41</sup>, D. Bruncko<sup>144b</sup>, R. Bruneliere<sup>50</sup>, A. Bruni<sup>22a</sup>, G. Bruni<sup>22a</sup>, L.S. Bruni<sup>107</sup>, B.H. Brunt<sup>30</sup>, M. Bruschi<sup>22a</sup>, N. Bruscino<sup>23</sup>, P. Bryant<sup>33</sup>, L. Bryngemark<sup>82</sup>, T. Buanes<sup>15</sup>, Q. Buat<sup>142</sup>, P. Buchholz<sup>141</sup>, A.G. Buckley<sup>55</sup>, I.A. Budagov<sup>66</sup>, F. Buehrer<sup>50</sup>, M.K. Bugge<sup>119</sup>, O. Bulekov<sup>98</sup>, D. Bullock<sup>8</sup>, H. Burckhart<sup>32</sup>, S. Burdin<sup>75</sup>, C.D. Burgard<sup>50</sup>, B. Burghgrave<sup>108</sup>, K. Burka<sup>41</sup>, S. Burke<sup>131</sup>, I. Burmeister<sup>45</sup>, J.T.P. Burr<sup>120</sup>, E. Busato<sup>36</sup>, D. Büscher<sup>50</sup>, V. Büscher<sup>84</sup>, P. Bussey<sup>55</sup>, J.M. Butler<sup>24</sup>, C.M. Buttar<sup>55</sup>, J.M. Butterworth<sup>79</sup>, P. Butti<sup>107</sup>, W. Buttinger<sup>27</sup>, A. Buzatu<sup>55</sup>, A.R. Buzyskaev<sup>109,c</sup>, S. Cabrera Urbán<sup>166</sup>, D. Caforio<sup>128</sup>, V.M. Cairo<sup>39a,39b</sup>, O. Cakir<sup>4a</sup>, N. Calace<sup>51</sup>, P. Calafiura<sup>16</sup>, A. Calandri<sup>86</sup>, G. Calderini<sup>81</sup>, P. Calfayan<sup>100</sup>, G. Callea<sup>39a,39b</sup>, L.P. Caloba<sup>26a</sup>, S. Calvente Lopez<sup>83</sup>, D. Calvet<sup>36</sup>, S. Calvet<sup>36</sup>, T.P. Calvet<sup>86</sup>, R. Camacho Toro<sup>33</sup>, S. Camarda<sup>32</sup>, P. Camarri<sup>133a,133b</sup>, D. Cameron<sup>119</sup>, R. Caminal Armadans<sup>165</sup>, C. Camincher<sup>57</sup>, S. Campana<sup>32</sup>, M. Campanelli<sup>79</sup>, A. Camplani<sup>92a,92b</sup>, A. Campoverde<sup>141</sup>, V. Canale<sup>104a,104b</sup>, A. Canepa<sup>159a</sup>, M. Cano Bret<sup>35e</sup>, J. Cantero<sup>114</sup>, R. Cantrill<sup>126a</sup>, T. Cao<sup>42</sup>, M.D.M. Capeans Garrido<sup>32</sup>, I. Caprini<sup>28b</sup>, M. Caprini<sup>28b</sup>, M. Capua<sup>39a,39b</sup>, R. Caputo<sup>84</sup>, R.M. Carbone<sup>37</sup>, R. Cardarelli<sup>133a</sup>, F. Cardillo<sup>50</sup>, I. Carli<sup>129</sup>, T. Carli<sup>32</sup>, G. Carlino<sup>104a</sup>, L. Carminati<sup>92a,92b</sup>, S. Caron<sup>106</sup>, E. Carquin<sup>34b</sup>, G.D. Carrillo-Montoya<sup>32</sup>, J.R. Carter<sup>30</sup>, J. Carvalho<sup>126a,126c</sup>, D. Casadei<sup>19</sup>, M.P. Casado<sup>13,h</sup>, M. Casolino<sup>13</sup>, D.W. Casper<sup>162</sup>, E. Castaneda-Miranda<sup>145a</sup>, R. Castelijns<sup>107</sup>, A. Castelli<sup>107</sup>, V. Castillo Gimenez<sup>166</sup>, N.F. Castro<sup>126a,i</sup>, A. Catinaccio<sup>32</sup>, J.R. Catmore<sup>119</sup>, A. Cattai<sup>32</sup>, J. Caudron<sup>23</sup>, V. Cavaliere<sup>165</sup>, E. Cavallaro<sup>13</sup>, D. Cavalli<sup>92a</sup>, M. Cavalli-Sforza<sup>13</sup>, V. Cavasinni<sup>124a,124b</sup>, F. Ceradini<sup>134a,134b</sup>, L. Cerda Alberich<sup>166</sup>, B.C. Cerio<sup>47</sup>, A.S. Cerqueira<sup>26b</sup>, A. Cerri<sup>149</sup>, L. Cerrito<sup>133a,133b</sup>, F. Cerutti<sup>16</sup>, M. Cerv<sup>32</sup>, A. Cervelli<sup>18</sup>, S.A. Cetin<sup>20d</sup>, A. Chafaq<sup>135a</sup>, D. Chakraborty<sup>108</sup>, S.K. Chan<sup>58</sup>, Y.L. Chan<sup>61a</sup>, P. Chang<sup>165</sup>, J.D. Chapman<sup>30</sup>, D.G. Charlton<sup>19</sup>, A. Chatterjee<sup>51</sup>, C.C. Chau<sup>158</sup>, C.A. Chavez Barajas<sup>149</sup>, S. Che<sup>111</sup>, S. Cheatham<sup>73</sup>, A. Chegwiddden<sup>91</sup>, S. Chekanov<sup>6</sup>, S.V. Chekulaev<sup>159a</sup>, G.A. Chelkov<sup>66,j</sup>, M.A. Chelstowska<sup>90</sup>, C. Chen<sup>65</sup>, H. Chen<sup>27</sup>, K. Chen<sup>148</sup>, S. Chen<sup>35c</sup>, S. Chen<sup>155</sup>, X. Chen<sup>35f</sup>, Y. Chen<sup>68</sup>, H.C. Cheng<sup>90</sup>, H.J. Cheng<sup>35a</sup>, Y. Cheng<sup>33</sup>, A. Cheplakov<sup>66</sup>, E. Cheremushkina<sup>130</sup>, R. Cherkaoui El Moursli<sup>135e</sup>, V. Chernyatin<sup>27,\*</sup>, E. Cheu<sup>7</sup>, L. Chevalier<sup>136</sup>, V. Chiarella<sup>49</sup>, G. Chiarelli<sup>124a,124b</sup>, G. Chiodini<sup>74a</sup>, A.S. Chisholm<sup>19</sup>, A. Chitan<sup>28b</sup>, M.V. Chizhov<sup>66</sup>, K. Choi<sup>62</sup>, A.R. Chomont<sup>36</sup>, S. Chouridou<sup>9</sup>, B.K.B. Chow<sup>100</sup>, V. Christodoulou<sup>79</sup>, D. Chromek-Burckhart<sup>32</sup>, J. Chudoba<sup>127</sup>, A.J. Chuinard<sup>88</sup>, J.J. Chwastowski<sup>41</sup>, L. Chytka<sup>115</sup>, G. Ciapetti<sup>132a,132b</sup>, A.K. Ciftci<sup>4a</sup>, D. Cinca<sup>45</sup>, V. Cindro<sup>76</sup>, I.A. Cioara<sup>23</sup>, C. Ciocca<sup>22a,22b</sup>, A. Ciochio<sup>16</sup>, F. Ciotto<sup>104a,104b</sup>, Z.H. Citron<sup>171</sup>,

M. Citterio<sup>92a</sup>, M. Ciubancan<sup>28b</sup>, A. Clark<sup>51</sup>, B.L. Clark<sup>58</sup>, M.R. Clark<sup>37</sup>, P.J. Clark<sup>48</sup>, R.N. Clarke<sup>16</sup>, C. Clement<sup>146a,146b</sup>, Y. Coadou<sup>86</sup>, M. Cobal<sup>163a,163c</sup>, A. Coccaro<sup>51</sup>, J. Cochran<sup>65</sup>, L. Colasurdo<sup>106</sup>, B. Cole<sup>37</sup>, A.P. Colijn<sup>107</sup>, J. Collot<sup>57</sup>, T. Colombo<sup>32</sup>, G. Compostella<sup>101</sup>, P. Conde Muño<sup>126a,126b</sup>, E. Coniavitis<sup>50</sup>, S.H. Connell<sup>145b</sup>, I.A. Connelly<sup>78</sup>, V. Consorti<sup>50</sup>, S. Constantinescu<sup>28b</sup>, G. Conti<sup>32</sup>, F. Conventi<sup>104a,k</sup>, M. Cooke<sup>16</sup>, B.D. Cooper<sup>79</sup>, A.M. Cooper-Sarkar<sup>120</sup>, K.J.R. Cormier<sup>158</sup>, T. Cornelissen<sup>174</sup>, M. Corradi<sup>132a,132b</sup>, F. Corriveau<sup>88,l</sup>, A. Corso-Radu<sup>162</sup>, A. Cortes-Gonzalez<sup>32</sup>, G. Cortiana<sup>101</sup>, G. Costa<sup>92a</sup>, M.J. Costa<sup>166</sup>, D. Costanzo<sup>139</sup>, G. Cottin<sup>30</sup>, G. Cowan<sup>78</sup>, B.E. Cox<sup>85</sup>, K. Cranmer<sup>110</sup>, S.J. Crawley<sup>55</sup>, G. Cree<sup>31</sup>, S. Crépé-Renaudin<sup>57</sup>, F. Crescioli<sup>81</sup>, W.A. Cribbs<sup>146a,146b</sup>, M. Crispin Ortuzar<sup>120</sup>, M. Cristinziani<sup>23</sup>, V. Croft<sup>106</sup>, G. Crosetti<sup>39a,39b</sup>, A. Cueto<sup>83</sup>, T. Cuhadar Donszelmann<sup>139</sup>, J. Cummings<sup>175</sup>, M. Curatolo<sup>49</sup>, J. Cúth<sup>84</sup>, H. Czirr<sup>141</sup>, P. Czodrowski<sup>3</sup>, G. D'amen<sup>22a,22b</sup>, S. D'Auria<sup>55</sup>, M. D'Onofrio<sup>75</sup>, M.J. Da Cunha Sargedas De Sousa<sup>126a,126b</sup>, C. Da Via<sup>85</sup>, W. Dabrowski<sup>40a</sup>, T. Dado<sup>144a</sup>, T. Dai<sup>90</sup>, O. Dale<sup>15</sup>, F. Dallaire<sup>95</sup>, C. Dallapiccola<sup>87</sup>, M. Dam<sup>38</sup>, J.R. Dandoy<sup>33</sup>, N.P. Dang<sup>50</sup>, A.C. Daniells<sup>19</sup>, N.S. Dann<sup>85</sup>, M. Danninger<sup>167</sup>, M. Dano Hoffmann<sup>136</sup>, V. Dao<sup>50</sup>, G. Darbo<sup>52a</sup>, S. Darmora<sup>8</sup>, J. Dassoulas<sup>3</sup>, A. Dattagupta<sup>62</sup>, W. Davey<sup>23</sup>, C. David<sup>168</sup>, T. Davidek<sup>129</sup>, M. Davies<sup>153</sup>, P. Davison<sup>79</sup>, E. Dawe<sup>89</sup>, I. Dawson<sup>139</sup>, R.K. Daya-Ishmukhametova<sup>87</sup>, K. De<sup>8</sup>, R. de Asmundis<sup>104a</sup>, A. De Benedetti<sup>113</sup>, S. De Castro<sup>22a,22b</sup>, S. De Cecco<sup>81</sup>, N. De Groot<sup>106</sup>, P. de Jong<sup>107</sup>, H. De la Torre<sup>83</sup>, F. De Lorenzi<sup>65</sup>, A. De Maria<sup>56</sup>, D. De Pedis<sup>132a</sup>, A. De Salvo<sup>132a</sup>, U. De Sanctis<sup>149</sup>, A. De Santo<sup>149</sup>, J.B. De Vivie De Regie<sup>117</sup>, W.J. Dearnaley<sup>73</sup>, R. Debbe<sup>27</sup>, C. Debenedetti<sup>137</sup>, D.V. Dedovich<sup>66</sup>, N. Dehghanian<sup>3</sup>, I. Deigaard<sup>107</sup>, M. Del Gaudio<sup>39a,39b</sup>, J. Del Peso<sup>83</sup>, T. Del Prete<sup>124a,124b</sup>, D. Delgove<sup>117</sup>, F. Deliot<sup>136</sup>, C.M. Delitzsch<sup>51</sup>, M. Deliyergiyev<sup>76</sup>, A. Dell'Acqua<sup>32</sup>, L. Dell'Asta<sup>24</sup>, M. Dell'Orso<sup>124a,124b</sup>, M. Della Pietra<sup>104a,k</sup>, D. della Volpe<sup>51</sup>, M. Delmastro<sup>5</sup>, P.A. Delsart<sup>57</sup>, D.A. DeMarco<sup>158</sup>, S. Demers<sup>175</sup>, M. Demichev<sup>66</sup>, A. Demilly<sup>81</sup>, S.P. Denisov<sup>130</sup>, D. Denysiuk<sup>136</sup>, D. Derendarz<sup>41</sup>, J.E. Derkaoui<sup>135d</sup>, F. Derue<sup>81</sup>, P. Dervan<sup>75</sup>, K. Desch<sup>23</sup>, C. Deterre<sup>44</sup>, K. Dette<sup>45</sup>, P.O. Deviveiros<sup>32</sup>, A. Dewhurst<sup>131</sup>, S. Dhaliwal<sup>25</sup>, A. Di Ciaccio<sup>133a,133b</sup>, L. Di Ciaccio<sup>5</sup>, W.K. Di Clemente<sup>122</sup>, C. Di Donato<sup>132a,132b</sup>, A. Di Girolamo<sup>32</sup>, B. Di Girolamo<sup>32</sup>, B. Di Micco<sup>134a,134b</sup>, R. Di Nardo<sup>32</sup>, A. Di Simone<sup>50</sup>, R. Di Sipio<sup>158</sup>, D. Di Valentino<sup>31</sup>, C. Diaconu<sup>86</sup>, M. Diamond<sup>158</sup>, F.A. Dias<sup>48</sup>, M.A. Diaz<sup>34a</sup>, E.B. Diehl<sup>90</sup>, J. Dietrich<sup>17</sup>, S. Diglio<sup>86</sup>, A. Dimitrievska<sup>14</sup>, J. Dingfelder<sup>23</sup>, P. Dita<sup>28b</sup>, S. Dita<sup>28b</sup>, F. Dittus<sup>32</sup>, F. Djama<sup>86</sup>, T. Djobava<sup>53b</sup>, J.I. Djuvsland<sup>59a</sup>, M.A.B. do Vale<sup>26c</sup>, D. Dobos<sup>32</sup>, M. Dobre<sup>28b</sup>, C. Doglioni<sup>82</sup>, J. Dolejsi<sup>129</sup>, Z. Dolezal<sup>129</sup>, M. Donadelli<sup>26d</sup>, S. Donati<sup>124a,124b</sup>, P. Dondero<sup>121a,121b</sup>, J. Donini<sup>36</sup>, J. Dopke<sup>131</sup>, A. Doria<sup>104a</sup>, M.T. Dova<sup>72</sup>, A.T. Doyle<sup>55</sup>, E. Drechsler<sup>56</sup>, M. Dris<sup>10</sup>, Y. Du<sup>35d</sup>, J. Duarte-Campderros<sup>153</sup>, E. Duchovni<sup>171</sup>, G. Duckeck<sup>100</sup>, O.A. Ducu<sup>95,m</sup>, D. Duda<sup>107</sup>, A. Dudarev<sup>32</sup>, A.Ch. Dudder<sup>84</sup>, E.M. Duffield<sup>16</sup>, L. Duflost<sup>117</sup>, M. Dührssen<sup>32</sup>, M. Dumancic<sup>171</sup>, M. Dunford<sup>59a</sup>, H. Duran Yildiz<sup>4a</sup>, M. Düren<sup>54</sup>, A. Durglishvili<sup>53b</sup>, D. Duschinger<sup>46</sup>, B. Dutta<sup>44</sup>, M. Dyndal<sup>44</sup>, C. Eckardt<sup>44</sup>, K.M. Ecker<sup>101</sup>, R.C. Edgar<sup>90</sup>, N.C. Edwards<sup>48</sup>, T. Eifert<sup>32</sup>, G. Eigen<sup>15</sup>, K. Einsweiler<sup>16</sup>, T. Ekelof<sup>164</sup>, M. El Kacimi<sup>135c</sup>, V. Ellajosyula<sup>86</sup>, M. Ellert<sup>164</sup>, S. Elles<sup>5</sup>, F. Ellinghaus<sup>174</sup>, A.A. Elliot<sup>168</sup>, N. Ellis<sup>32</sup>, J. Elmsheuser<sup>27</sup>, M. Elsing<sup>32</sup>, D. Emeliyanov<sup>131</sup>, Y. Enari<sup>155</sup>, O.C. Endner<sup>84</sup>, J.S. Ennis<sup>169</sup>, J. Erdmann<sup>45</sup>, A. Ereditato<sup>18</sup>, G. Ernis<sup>174</sup>, J. Ernst<sup>2</sup>, M. Ernst<sup>27</sup>, S. Errede<sup>165</sup>, E. Ertel<sup>84</sup>, M. Escalier<sup>117</sup>, H. Esch<sup>45</sup>, C. Escobar<sup>125</sup>, B. Esposito<sup>49</sup>, A.I. Etiennevire<sup>136</sup>, E. Etzion<sup>153</sup>, H. Evans<sup>62</sup>, A. Ezhilov<sup>123</sup>, F. Fabbri<sup>22a,22b</sup>, L. Fabbri<sup>22a,22b</sup>, G. Facini<sup>33</sup>, R.M. Fakhruddinov<sup>130</sup>, S. Falciano<sup>132a</sup>, R.J. Falla<sup>79</sup>, J. Faltova<sup>129</sup>, Y. Fang<sup>35a</sup>, M. Fanti<sup>92a,92b</sup>, A. Farbin<sup>8</sup>, A. Farilla<sup>134a</sup>, C. Farina<sup>125</sup>, E.M. Farina<sup>121a,121b</sup>, T. Farooque<sup>13</sup>, S. Farrell<sup>16</sup>, S.M. Farrington<sup>169</sup>, P. Farthouat<sup>32</sup>, F. Fassi<sup>135e</sup>, P. Fassnacht<sup>32</sup>, D. Fassouliotis<sup>9</sup>, M. Fauci Giannelli<sup>78</sup>, A. Favareto<sup>52a,52b</sup>, W.J. Fawcett<sup>120</sup>, L. Fayard<sup>117</sup>, O.L. Fedin<sup>123,n</sup>, W. Fedorko<sup>167</sup>, S. Feigl<sup>119</sup>, L. Feligioni<sup>86</sup>, C. Feng<sup>35d</sup>, E.J. Feng<sup>32</sup>, H. Feng<sup>90</sup>, A.B. Fenyuk<sup>130</sup>, L. Feremenga<sup>8</sup>, P. Fernandez Martinez<sup>166</sup>, S. Fernandez Perez<sup>13</sup>, J. Ferrando<sup>55</sup>, A. Ferrari<sup>164</sup>, P. Ferrari<sup>107</sup>, R. Ferrari<sup>121a</sup>, D.E. Ferreira de Lima<sup>59b</sup>, A. Ferrer<sup>166</sup>, D. Ferrere<sup>51</sup>, C. Ferretti<sup>90</sup>, A. Ferretto Parodi<sup>52a,52b</sup>, F. Fiedler<sup>84</sup>, A. Filipčič<sup>76</sup>, M. Filipuzzi<sup>44</sup>, F. Filthaut<sup>106</sup>, M. Fincke-Keeler<sup>168</sup>, K.D. Finelli<sup>150</sup>, M.C.N. Fiolhais<sup>126a,126c</sup>, L. Fiorini<sup>166</sup>, A. Firan<sup>42</sup>, A. Fischer<sup>2</sup>, C. Fischer<sup>13</sup>, J. Fischer<sup>174</sup>, W.C. Fisher<sup>91</sup>, N. Flaschel<sup>44</sup>, I. Fleck<sup>141</sup>, P. Fleischmann<sup>90</sup>, G.T. Fletcher<sup>139</sup>, R.R.M. Fletcher<sup>122</sup>, T. Flick<sup>174</sup>, A. Floderus<sup>82</sup>, L.R. Flores Castillo<sup>61a</sup>, M.J. Flowerdew<sup>101</sup>, G.T. Forcolin<sup>85</sup>, A. Formica<sup>136</sup>, A. Forti<sup>85</sup>, A.G. Foster<sup>19</sup>, D. Fournier<sup>117</sup>, H. Fox<sup>73</sup>, S. Fracchia<sup>13</sup>, P. Francavilla<sup>81</sup>, M. Franchini<sup>22a,22b</sup>, D. Francis<sup>32</sup>, L. Franconi<sup>119</sup>, M. Franklin<sup>58</sup>, M. Frate<sup>162</sup>, M. Fraternali<sup>121a,121b</sup>, D. Freeborn<sup>79</sup>, S.M. Fressard-Batraneanu<sup>32</sup>, F. Friedrich<sup>46</sup>, D. Froidevaux<sup>32</sup>, J.A. Frost<sup>120</sup>, C. Fukunaga<sup>156</sup>,

E. Fullana Torregrosa<sup>84</sup>, T. Fusayasu<sup>102</sup>, J. Fuster<sup>166</sup>, C. Gabaldon<sup>57</sup>, O. Gabizon<sup>174</sup>, A. Gabrielli<sup>22a,22b</sup>, A. Gabrielli<sup>16</sup>, G.P. Gach<sup>40a</sup>, S. Gadatsch<sup>32</sup>, S. Gadomski<sup>51</sup>, G. Gagliardi<sup>52a,52b</sup>, L.G. Gagnon<sup>95</sup>, P. Gagnon<sup>62</sup>, C. Galea<sup>106</sup>, B. Galhardo<sup>126a,126c</sup>, E.J. Gallas<sup>120</sup>, B.J. Gallop<sup>131</sup>, P. Gallus<sup>128</sup>, G. Galster<sup>38</sup>, K.K. Gan<sup>111</sup>, J. Gao<sup>35b,86</sup>, Y. Gao<sup>48</sup>, Y.S. Gao<sup>143,f</sup>, F.M. Garay Walls<sup>48</sup>, C. García<sup>166</sup>, J.E. García Navarro<sup>166</sup>, M. Garcia-Sciveres<sup>16</sup>, R.W. Gardner<sup>33</sup>, N. Garelli<sup>143</sup>, V. Garonne<sup>119</sup>, A. Gascon Bravo<sup>44</sup>, K. Gasnikova<sup>44</sup>, C. Gatti<sup>49</sup>, A. Gaudiello<sup>52a,52b</sup>, G. Gaudio<sup>121a</sup>, L. Gauthier<sup>95</sup>, I.L. Gavrilenko<sup>96</sup>, C. Gay<sup>167</sup>, G. Gaycken<sup>23</sup>, E.N. Gazis<sup>10</sup>, Z. Gecse<sup>167</sup>, C.N.P. Gee<sup>131</sup>, Ch. Geich-Gimbel<sup>23</sup>, M. Geisen<sup>84</sup>, M.P. Geisler<sup>59a</sup>, C. Gemme<sup>52a</sup>, M.H. Genest<sup>57</sup>, C. Geng<sup>35b,o</sup>, S. Gentile<sup>132a,132b</sup>, C. Gentsos<sup>154</sup>, S. George<sup>78</sup>, D. Gerbaudo<sup>13</sup>, A. Gershon<sup>153</sup>, S. Ghasemi<sup>141</sup>, H. Ghazlane<sup>135b</sup>, M. Ghneimat<sup>23</sup>, B. Giacobbe<sup>22a</sup>, S. Giagu<sup>132a,132b</sup>, P. Giannetti<sup>124a,124b</sup>, B. Gibbard<sup>27</sup>, S.M. Gibson<sup>78</sup>, M. Gignac<sup>167</sup>, M. Gilchriese<sup>16</sup>, T.P.S. Gillam<sup>30</sup>, D. Gillberg<sup>31</sup>, G. Gilles<sup>174</sup>, D.M. Gingrich<sup>3,d</sup>, N. Giokaris<sup>9</sup>, M.P. Giordani<sup>163a,163c</sup>, F.M. Giorgi<sup>22a</sup>, F.M. Giorgi<sup>17</sup>, P.F. Giraud<sup>136</sup>, P. Giromini<sup>58</sup>, D. Giugni<sup>92a</sup>, F. Giuli<sup>120</sup>, C. Giuliani<sup>101</sup>, M. Giulini<sup>59b</sup>, B.K. Gjeltsten<sup>119</sup>, S. Gkaitatzis<sup>154</sup>, I. Gkialas<sup>154</sup>, E.L. Gkougkousis<sup>117</sup>, L.K. Gladilin<sup>99</sup>, C. Glasman<sup>83</sup>, J. Glatzer<sup>32</sup>, P.C.F. Glaysheer<sup>48</sup>, A. Glazov<sup>44</sup>, M. Goblirsch-Kolb<sup>25</sup>, J. Godlewski<sup>41</sup>, S. Goldfarb<sup>89</sup>, T. Golling<sup>51</sup>, D. Golubkov<sup>130</sup>, A. Gomes<sup>126a,126b,126d</sup>, R. Gonçalo<sup>126a</sup>, J. Goncalves Pinto Firmino Da Costa<sup>136</sup>, G. Gonella<sup>50</sup>, L. Gonella<sup>19</sup>, A. Gongadze<sup>66</sup>, S. González de la Hoz<sup>166</sup>, G. Gonzalez Parra<sup>13</sup>, S. Gonzalez-Sevilla<sup>51</sup>, L. Goossens<sup>32</sup>, P.A. Gorbounov<sup>97</sup>, H.A. Gordon<sup>27</sup>, I. Gorelov<sup>105</sup>, B. Gorini<sup>32</sup>, E. Gorini<sup>74a,74b</sup>, A. Gorišek<sup>76</sup>, E. Gornicki<sup>41</sup>, A.T. Goshaw<sup>47</sup>, C. Gössling<sup>45</sup>, M.I. Gostkin<sup>66</sup>, C.R. Goudet<sup>117</sup>, D. Goujdami<sup>135c</sup>, A.G. Goussiou<sup>138</sup>, N. Govender<sup>145b,p</sup>, E. Gozani<sup>152</sup>, L. Graber<sup>56</sup>, I. Grabowska-Bold<sup>40a</sup>, P.O.J. Gradin<sup>57</sup>, P. Grafström<sup>22a,22b</sup>, J. Gramling<sup>51</sup>, E. Gramstad<sup>119</sup>, S. Grancagnolo<sup>17</sup>, V. Gratchev<sup>123</sup>, P.M. Gravila<sup>28e</sup>, H.M. Gray<sup>32</sup>, E. Graziani<sup>134a</sup>, Z.D. Greenwood<sup>80,q</sup>, C. Greife<sup>23</sup>, K. Gregersen<sup>79</sup>, I.M. Gregor<sup>44</sup>, P. Grenier<sup>143</sup>, K. Grevtsov<sup>5</sup>, J. Griffiths<sup>8</sup>, A.A. Grillo<sup>137</sup>, K. Grimm<sup>73</sup>, S. Grinstein<sup>13,r</sup>, Ph. Gris<sup>36</sup>, J.-F. Grivaz<sup>117</sup>, S. Groh<sup>84</sup>, J.P. Grohs<sup>46</sup>, E. Gross<sup>171</sup>, J. Grosse-Knetter<sup>56</sup>, G.C. Grossi<sup>80</sup>, Z.J. Grout<sup>149</sup>, L. Guan<sup>90</sup>, W. Guan<sup>172</sup>, J. Guenther<sup>63</sup>, F. Guescini<sup>51</sup>, D. Guest<sup>162</sup>, O. Gueta<sup>153</sup>, E. Guido<sup>52a,52b</sup>, T. Guillemin<sup>5</sup>, S. Guindon<sup>2</sup>, U. Gul<sup>55</sup>, C. Gumpert<sup>32</sup>, J. Guo<sup>35e</sup>, Y. Guo<sup>35b,o</sup>, R. Gupta<sup>42</sup>, S. Gupta<sup>120</sup>, G. Gustavino<sup>132a,132b</sup>, P. Gutierrez<sup>113</sup>, N.G. Gutierrez Ortiz<sup>79</sup>, C. Gutsche<sup>46</sup>, C. Guyot<sup>136</sup>, C. Gwenlan<sup>120</sup>, C.B. Gwilliam<sup>75</sup>, A. Haas<sup>110</sup>, C. Haber<sup>16</sup>, H.K. Hadavand<sup>8</sup>, N. Haddad<sup>135e</sup>, A. Hadeef<sup>86</sup>, S. Hageböck<sup>23</sup>, Z. Hajduk<sup>41</sup>, H. Hakobyan<sup>176,\*</sup>, M. Haleem<sup>44</sup>, J. Haley<sup>114</sup>, G. Halladjian<sup>91</sup>, G.D. Hallewell<sup>86</sup>, K. Hamacher<sup>174</sup>, P. Hamal<sup>115</sup>, K. Hamano<sup>168</sup>, A. Hamilton<sup>145a</sup>, G.N. Hamity<sup>139</sup>, P.G. Hamnett<sup>44</sup>, L. Han<sup>35b</sup>, K. Hanagaki<sup>67,s</sup>, K. Hanawa<sup>155</sup>, M. Hance<sup>137</sup>, B. Haney<sup>122</sup>, S. Hanisch<sup>32</sup>, P. Hanke<sup>59a</sup>, R. Hanna<sup>136</sup>, J.B. Hansen<sup>38</sup>, J.D. Hansen<sup>38</sup>, M.C. Hansen<sup>23</sup>, P.H. Hansen<sup>38</sup>, K. Hara<sup>160</sup>, A.S. Hard<sup>172</sup>, T. Harenberg<sup>174</sup>, F. Hariri<sup>117</sup>, S. Harkusha<sup>93</sup>, R.D. Harrington<sup>48</sup>, P.F. Harrison<sup>169</sup>, F. Hartjes<sup>107</sup>, N.M. Hartmann<sup>100</sup>, M. Hasegawa<sup>68</sup>, Y. Hasegawa<sup>140</sup>, A. Hasib<sup>113</sup>, S. Hassani<sup>136</sup>, S. Haug<sup>18</sup>, R. Hauser<sup>91</sup>, L. Hauswald<sup>46</sup>, M. Havranek<sup>127</sup>, C.M. Hawkes<sup>19</sup>, R.J. Hawkins<sup>32</sup>, D. Hayakawa<sup>157</sup>, D. Hayden<sup>91</sup>, C.P. Hays<sup>120</sup>, J.M. Hays<sup>77</sup>, H.S. Hayward<sup>75</sup>, S.J. Haywood<sup>131</sup>, S.J. Head<sup>19</sup>, T. Heck<sup>84</sup>, V. Hedberg<sup>82</sup>, L. Heelan<sup>8</sup>, S. Heim<sup>122</sup>, T. Heim<sup>16</sup>, B. Heinemann<sup>16</sup>, J.J. Heinrich<sup>100</sup>, L. Heinrich<sup>110</sup>, C. Heinz<sup>54</sup>, J. Hejbal<sup>127</sup>, L. Helary<sup>32</sup>, S. Hellman<sup>146a,146b</sup>, C. Hensens<sup>32</sup>, J. Henderson<sup>120</sup>, R.C.W. Henderson<sup>73</sup>, Y. Heng<sup>172</sup>, S. Henkelmann<sup>167</sup>, A.M. Henriques Correia<sup>32</sup>, S. Henrot-Versille<sup>117</sup>, G.H. Herbert<sup>17</sup>, V. Herget<sup>173</sup>, Y. Hernández Jiménez<sup>166</sup>, G. Herten<sup>50</sup>, R. Hertenberger<sup>100</sup>, L. Hervas<sup>32</sup>, G.G. Hesketh<sup>79</sup>, N.P. Hessey<sup>107</sup>, J.W. Hetherly<sup>42</sup>, R. Hickling<sup>77</sup>, E. Higón-Rodríguez<sup>166</sup>, E. Hill<sup>168</sup>, J.C. Hill<sup>30</sup>, K.H. Hiller<sup>44</sup>, S.J. Hillier<sup>19</sup>, I. Hinchliffe<sup>16</sup>, E. Hines<sup>122</sup>, R.R. Hinman<sup>16</sup>, M. Hirose<sup>50</sup>, D. Hirschbuehl<sup>174</sup>, J. Hobbs<sup>148</sup>, N. Hod<sup>159a</sup>, M.C. Hodgkinson<sup>139</sup>, P. Hodgson<sup>139</sup>, A. Hoecker<sup>32</sup>, M.R. Hoferkamp<sup>105</sup>, F. Hoenig<sup>100</sup>, D. Hohn<sup>23</sup>, T.R. Holmes<sup>16</sup>, M. Homann<sup>45</sup>, T.M. Hong<sup>125</sup>, B.H. Hooberman<sup>165</sup>, W.H. Hopkins<sup>116</sup>, Y. Horii<sup>103</sup>, A.J. Horton<sup>142</sup>, J.-Y. Hostachy<sup>57</sup>, S. Hou<sup>151</sup>, A. Hoummada<sup>135a</sup>, J. Howarth<sup>44</sup>, M. Hrabovsky<sup>115</sup>, I. Hristova<sup>17</sup>, J. Hrivnac<sup>117</sup>, T. Hryn'ova<sup>5</sup>, A. Hrynevich<sup>94</sup>, C. Hsu<sup>145c</sup>, P.J. Hsu<sup>151,t</sup>, S.-C. Hsu<sup>138</sup>, D. Hu<sup>37</sup>, Q. Hu<sup>35b</sup>, S. Hu<sup>35e</sup>, Y. Huang<sup>44</sup>, Z. Hubacek<sup>128</sup>, F. Hubaut<sup>86</sup>, F. Huegging<sup>23</sup>, T.B. Huffman<sup>120</sup>, E.W. Hughes<sup>37</sup>, G. Hughes<sup>73</sup>, M. Huhtinen<sup>32</sup>, P. Huo<sup>148</sup>, N. Huseynov<sup>66,b</sup>, J. Huston<sup>91</sup>, J. Huth<sup>58</sup>, G. Iacobucci<sup>51</sup>, G. Iakovidis<sup>27</sup>, I. Ibragimov<sup>141</sup>, L. Iconomidou-Fayard<sup>117</sup>, E. Ideal<sup>175</sup>, Z. Idrissi<sup>135e</sup>, P. Iengo<sup>32</sup>, O. Igonkina<sup>107,u</sup>, T. Iizawa<sup>170</sup>, Y. Ikegami<sup>67</sup>, M. Ikeno<sup>67</sup>, Y. Ilchenko<sup>11,v</sup>, D. Iliadis<sup>154</sup>, N. Ilic<sup>143</sup>, T. Ince<sup>101</sup>, G. Introzzi<sup>121a,121b</sup>, P. Ioannou<sup>9,\*</sup>, M. Iodice<sup>134a</sup>, K. Iordanidou<sup>37</sup>, V. Ippolito<sup>58</sup>, N. Ishijima<sup>118</sup>, M. Ishino<sup>155</sup>, M. Ishitsuka<sup>157</sup>, R. Ishmukhametov<sup>111</sup>, C. Issever<sup>120</sup>, S. Istin<sup>20a</sup>, F. Ito<sup>160</sup>,

J.M. Iturbe Ponce<sup>85</sup>, R. Iuppa<sup>133a,133b</sup>, W. Iwanski<sup>41</sup>, H. Iwasaki<sup>67</sup>, J.M. Izen<sup>43</sup>, V. Izzo<sup>104a</sup>, S. Jabbar<sup>3</sup>, B. Jackson<sup>122</sup>, P. Jackson<sup>1</sup>, V. Jain<sup>2</sup>, K.B. Jakobi<sup>84</sup>, K. Jakobs<sup>50</sup>, S. Jakobsen<sup>32</sup>, T. Jakoubek<sup>127</sup>, D.O. Jamin<sup>114</sup>, D.K. Jana<sup>80</sup>, E. Jansen<sup>79</sup>, R. Jansky<sup>63</sup>, J. Janssen<sup>23</sup>, M. Janus<sup>56</sup>, G. Jarlskog<sup>82</sup>, N. Javadov<sup>66,b</sup>, T. Javůrek<sup>50</sup>, F. Jeanneau<sup>136</sup>, L. Jeanty<sup>16</sup>, J. Jejelava<sup>53a,w</sup>, G.-Y. Jeng<sup>150</sup>, D. Jennens<sup>89</sup>, P. Jenni<sup>50,x</sup>, C. Jeske<sup>169</sup>, S. Jézéquel<sup>5</sup>, H. Ji<sup>172</sup>, J. Jia<sup>148</sup>, H. Jiang<sup>65</sup>, Y. Jiang<sup>35b</sup>, S. Jiggins<sup>79</sup>, J. Jimenez Pena<sup>166</sup>, S. Jin<sup>35a</sup>, A. Jinaru<sup>28b</sup>, O. Jinnouchi<sup>157</sup>, P. Johansson<sup>139</sup>, K.A. Johns<sup>7</sup>, W.J. Johnson<sup>138</sup>, K. Jon-And<sup>146a,146b</sup>, G. Jones<sup>169</sup>, R.W.L. Jones<sup>73</sup>, S. Jones<sup>7</sup>, T.J. Jones<sup>75</sup>, J. Jongmanns<sup>59a</sup>, P.M. Jorge<sup>126a,126b</sup>, J. Jovicevic<sup>159a</sup>, X. Ju<sup>172</sup>, A. Juste Rozas<sup>13,r</sup>, M.K. Köhler<sup>171</sup>, A. Kaczmarska<sup>41</sup>, M. Kado<sup>117</sup>, H. Kagan<sup>111</sup>, M. Kagan<sup>143</sup>, S.J. Kahn<sup>86</sup>, T. Kaji<sup>170</sup>, E. Kajomovitz<sup>47</sup>, C.W. Kalderon<sup>120</sup>, A. Kaluza<sup>84</sup>, S. Kama<sup>42</sup>, A. Kamenshchikov<sup>130</sup>, N. Kanaya<sup>155</sup>, S. Kaneti<sup>30</sup>, L. Kanjir<sup>76</sup>, V.A. Kantserov<sup>98</sup>, J. Kanzaki<sup>67</sup>, B. Kaplan<sup>110</sup>, L.S. Kaplan<sup>172</sup>, A. Kapliy<sup>33</sup>, D. Kar<sup>145c</sup>, K. Karakostas<sup>10</sup>, A. Karamaoun<sup>3</sup>, N. Karastathis<sup>10</sup>, M.J. Kareem<sup>56</sup>, E. Karentzos<sup>10</sup>, M. Karnevskiy<sup>84</sup>, S.N. Karpov<sup>66</sup>, Z.M. Karpova<sup>66</sup>, K. Karthik<sup>110</sup>, V. Kartvelishvili<sup>73</sup>, A.N. Karyukhin<sup>130</sup>, K. Kasahara<sup>160</sup>, L. Kashif<sup>172</sup>, R.D. Kass<sup>111</sup>, A. Kastanas<sup>15</sup>, Y. Kataoka<sup>155</sup>, C. Kato<sup>155</sup>, A. Katre<sup>51</sup>, J. Katzy<sup>44</sup>, K. Kawagoe<sup>71</sup>, T. Kawamoto<sup>155</sup>, G. Kawamura<sup>56</sup>, V.F. Kazanin<sup>109,c</sup>, R. Keeler<sup>168</sup>, R. Kehoe<sup>42</sup>, J.S. Keller<sup>44</sup>, J.J. Kempster<sup>78</sup>, K. Kentaro<sup>103</sup>, H. Keoshkerian<sup>158</sup>, O. Kepka<sup>127</sup>, B.P. Kerševan<sup>76</sup>, S. Kersten<sup>174</sup>, R.A. Keyes<sup>88</sup>, M. Khader<sup>165</sup>, F. Khalil-zada<sup>12</sup>, A. Khanov<sup>114</sup>, A.G. Kharlamov<sup>109,c</sup>, T.J. Khoo<sup>51</sup>, V. Khovanskiy<sup>97</sup>, E. Khramov<sup>66</sup>, J. Khubua<sup>53b,y</sup>, S. Kido<sup>68</sup>, C.R. Kilby<sup>78</sup>, H.Y. Kim<sup>8</sup>, S.H. Kim<sup>160</sup>, Y.K. Kim<sup>33</sup>, N. Kimura<sup>154</sup>, O.M. Kind<sup>17</sup>, B.T. King<sup>75</sup>, M. King<sup>166</sup>, S.B. King<sup>167</sup>, J. Kirk<sup>131</sup>, A.E. Kiryunin<sup>101</sup>, T. Kishimoto<sup>155</sup>, D. Kisiielewska<sup>40a</sup>, F. Kiss<sup>50</sup>, K. Kiuchi<sup>160</sup>, O. Kivernyk<sup>136</sup>, E. Kladiva<sup>144b</sup>, M.H. Klein<sup>37</sup>, M. Klein<sup>75</sup>, U. Klein<sup>75</sup>, K. Kleinknecht<sup>84</sup>, P. Klimek<sup>108</sup>, A. Klimentov<sup>27</sup>, R. Klingenberg<sup>45</sup>, J.A. Klinger<sup>139</sup>, T. Klioutchnikova<sup>32</sup>, E.-E. Kluge<sup>59a</sup>, P. Kluit<sup>107</sup>, S. Kluth<sup>101</sup>, J. Knapik<sup>41</sup>, E. Kneringer<sup>63</sup>, E.B.F.G. Knoops<sup>86</sup>, A. Knue<sup>55</sup>, A. Kobayashi<sup>155</sup>, D. Kobayashi<sup>157</sup>, T. Kobayashi<sup>155</sup>, M. Kobel<sup>46</sup>, M. Kocian<sup>143</sup>, P. Kodys<sup>129</sup>, N.M. Koehler<sup>101</sup>, T. Koffas<sup>31</sup>, E. Koffeman<sup>107</sup>, T. Koi<sup>143</sup>, H. Kolanoski<sup>17</sup>, M. Kolb<sup>59b</sup>, I. Koletsou<sup>5</sup>, A.A. Komar<sup>96,\*</sup>, Y. Komori<sup>155</sup>, T. Kondo<sup>67</sup>, N. Kondrashova<sup>44</sup>, K. Köneke<sup>50</sup>, A.C. König<sup>106</sup>, T. Kono<sup>67,z</sup>, R. Konoplich<sup>110,aa</sup>, N. Konstantinidis<sup>79</sup>, R. Kopeliansky<sup>62</sup>, S. Koperny<sup>40a</sup>, L. Köpke<sup>84</sup>, A.K. Kopp<sup>50</sup>, K. Korcyl<sup>41</sup>, K. Kordas<sup>154</sup>, A. Korn<sup>79</sup>, A.A. Korol<sup>109,c</sup>, I. Korolkov<sup>13</sup>, E.V. Korolkova<sup>139</sup>, O. Kortner<sup>101</sup>, S. Kortner<sup>101</sup>, T. Kosek<sup>129</sup>, V.V. Kostyukhin<sup>23</sup>, A. Kotwal<sup>47</sup>, A. Kourkouveli-Charalampidi<sup>154</sup>, C. Kourkouvelis<sup>9</sup>, V. Kouskoura<sup>27</sup>, A.B. Kowalewska<sup>41</sup>, R. Kowalewski<sup>168</sup>, T.Z. Kowalski<sup>40a</sup>, C. Kozakai<sup>155</sup>, W. Kozanecki<sup>136</sup>, A.S. Kozhin<sup>130</sup>, V.A. Kramarenko<sup>99</sup>, G. Kramberger<sup>76</sup>, D. Krasnopevtsev<sup>98</sup>, M.W. Krasny<sup>81</sup>, A. Krasznahorkay<sup>32</sup>, A. Kravchenko<sup>27</sup>, M. Kretz<sup>59c</sup>, J. Kretzschmar<sup>75</sup>, K. Kreutzfeldt<sup>54</sup>, P. Krieger<sup>158</sup>, K. Krizka<sup>33</sup>, K. Kroeninger<sup>45</sup>, H. Kroha<sup>101</sup>, J. Kroll<sup>122</sup>, J. Kroseberg<sup>23</sup>, J. Krstic<sup>14</sup>, U. Kruchonak<sup>66</sup>, H. Krüger<sup>23</sup>, N. Krumnack<sup>65</sup>, A. Kruse<sup>172</sup>, M.C. Kruse<sup>47</sup>, M. Kruskal<sup>24</sup>, T. Kubota<sup>89</sup>, H. Kucuk<sup>79</sup>, S. Kuday<sup>4b</sup>, J.T. Kuechler<sup>174</sup>, S. Kuehn<sup>50</sup>, A. Kugel<sup>59c</sup>, F. Kuger<sup>173</sup>, A. Kuhl<sup>137</sup>, T. Kuhl<sup>44</sup>, V. Kukhtin<sup>66</sup>, R. Kukla<sup>136</sup>, Y. Kulchitsky<sup>93</sup>, S. Kuleshov<sup>34b</sup>, M. Kuna<sup>132a,132b</sup>, T. Kunigo<sup>69</sup>, A. Kupco<sup>127</sup>, H. Kurashige<sup>68</sup>, Y.A. Kurochkin<sup>93</sup>, V. Kus<sup>127</sup>, E.S. Kuwertz<sup>168</sup>, M. Kuze<sup>157</sup>, J. Kvita<sup>115</sup>, T. Kwan<sup>168</sup>, D. Kyriazopoulos<sup>139</sup>, A. La Rosa<sup>101</sup>, J.L. La Rosa Navarro<sup>26d</sup>, L. La Rotonda<sup>39a,39b</sup>, C. Lacasta<sup>166</sup>, F. Lacava<sup>132a,132b</sup>, J. Lacey<sup>31</sup>, H. Lacker<sup>17</sup>, D. Lacour<sup>81</sup>, V.R. Lacuesta<sup>166</sup>, E. Ladygin<sup>66</sup>, R. Lafaye<sup>5</sup>, B. Laforge<sup>81</sup>, T. Lagouri<sup>175</sup>, S. Lai<sup>56</sup>, S. Lammers<sup>62</sup>, W. Lampl<sup>7</sup>, E. Lançon<sup>136</sup>, U. Landgraf<sup>50</sup>, M.P.J. Landon<sup>77</sup>, M.C. Lanfermann<sup>51</sup>, V.S. Lang<sup>59a</sup>, J.C. Lange<sup>13</sup>, A.J. Lankford<sup>162</sup>, F. Lanni<sup>27</sup>, K. Lantzsch<sup>23</sup>, A. Lanza<sup>121a</sup>, S. Laplace<sup>81</sup>, C. Lapoire<sup>32</sup>, J.F. Laporte<sup>136</sup>, T. Lari<sup>92a</sup>, F. Lasagni Manghi<sup>22a,22b</sup>, M. Lassnig<sup>32</sup>, P. Laurelli<sup>49</sup>, W. Lavrijsen<sup>16</sup>, A.T. Law<sup>137</sup>, P. Laycock<sup>75</sup>, T. Lazovich<sup>58</sup>, M. Lazzaroni<sup>92a,92b</sup>, B. Le<sup>89</sup>, O. Le Dortz<sup>81</sup>, E. Le Guirriec<sup>86</sup>, E.P. Le Quilleuc<sup>136</sup>, M. LeBlanc<sup>168</sup>, T. LeCompte<sup>6</sup>, F. Ledroit-Guillon<sup>57</sup>, C.A. Lee<sup>27</sup>, S.C. Lee<sup>151</sup>, L. Lee<sup>1</sup>, B. Lefebvre<sup>88</sup>, G. Lefebvre<sup>81</sup>, M. Lefebvre<sup>168</sup>, F. Legger<sup>100</sup>, C. Leggett<sup>16</sup>, A. Lehan<sup>75</sup>, G. Lehmann Miotto<sup>32</sup>, X. Lei<sup>7</sup>, W.A. Leight<sup>31</sup>, A. Leisos<sup>154,ab</sup>, A.G. Leister<sup>175</sup>, M.A.L. Leite<sup>26d</sup>, R. Leitner<sup>129</sup>, D. Lellouch<sup>171</sup>, B. Lemmer<sup>56</sup>, K.J.C. Leney<sup>79</sup>, T. Lenz<sup>23</sup>, B. Lenzi<sup>32</sup>, R. Leone<sup>7</sup>, S. Leone<sup>124a,124b</sup>, C. Leonidopoulos<sup>48</sup>, S. Leontsinis<sup>10</sup>, G. Lerner<sup>149</sup>, C. Leroy<sup>95</sup>, A.A.J. Lesage<sup>136</sup>, C.G. Lester<sup>30</sup>, M. Levchenko<sup>123</sup>, J. Levêque<sup>5</sup>, D. Levin<sup>90</sup>, L.J. Levinson<sup>171</sup>, M. Levy<sup>19</sup>, D. Lewis<sup>77</sup>, A.M. Leyko<sup>23</sup>, M. Leyton<sup>43</sup>, B. Li<sup>35b,o</sup>, C. Li<sup>35b</sup>, H. Li<sup>148</sup>, H.L. Li<sup>33</sup>, L. Li<sup>47</sup>, L. Li<sup>35e</sup>, Q. Li<sup>35a</sup>, S. Li<sup>47</sup>, X. Li<sup>85</sup>, Y. Li<sup>141</sup>, Z. Liang<sup>35a</sup>, B. Liberti<sup>133a</sup>, A. Liblong<sup>158</sup>, P. Lichard<sup>32</sup>, K. Lie<sup>165</sup>, J. Liebal<sup>23</sup>, W. Liebig<sup>15</sup>, A. Limosani<sup>150</sup>, S.C. Lin<sup>151,ac</sup>, T.H. Lin<sup>84</sup>, B.E. Lindquist<sup>148</sup>, A.E. Lioni<sup>51</sup>, E. Lipeles<sup>122</sup>, A. Lipniacka<sup>15</sup>, M. Lisovsky<sup>59b</sup>, T.M. Liss<sup>165</sup>, A. Lister<sup>167</sup>,

A.M. Litke<sup>137</sup>, B. Liu<sup>151,ad</sup>, D. Liu<sup>151</sup>, H. Liu<sup>90</sup>, H. Liu<sup>27</sup>, J. Liu<sup>86</sup>, J.B. Liu<sup>35b</sup>, K. Liu<sup>86</sup>, L. Liu<sup>165</sup>, M. Liu<sup>47</sup>, M. Liu<sup>35b</sup>, Y.L. Liu<sup>35b</sup>, Y. Liu<sup>35b</sup>, M. Livan<sup>121a,121b</sup>, A. Lleres<sup>57</sup>, J. Llorente Merino<sup>35a</sup>, S.L. Lloyd<sup>77</sup>, F. Lo Sterzo<sup>151</sup>, E. Lobodzinska<sup>44</sup>, P. Loch<sup>7</sup>, W.S. Lockman<sup>137</sup>, F.K. Loebinger<sup>85</sup>, A.E. Loevschall-Jensen<sup>38</sup>, K.M. Loew<sup>25</sup>, A. Loginov<sup>175</sup>, T. Lohse<sup>17</sup>, K. Lohwasser<sup>44</sup>, M. Lokajicek<sup>127</sup>, B.A. Long<sup>24</sup>, J.D. Long<sup>165</sup>, R.E. Long<sup>73</sup>, L. Longo<sup>74a,74b</sup>, K.A. Looper<sup>111</sup>, L. Lopes<sup>126a</sup>, D. Lopez Mateos<sup>58</sup>, B. Lopez Paredes<sup>139</sup>, I. Lopez Paz<sup>13</sup>, A. Lopez Solis<sup>81</sup>, J. Lorenz<sup>100</sup>, N. Lorenzo Martinez<sup>62</sup>, M. Losada<sup>21</sup>, P.J. Lösel<sup>100</sup>, X. Lou<sup>35a</sup>, A. Lounis<sup>117</sup>, J. Love<sup>6</sup>, P.A. Love<sup>73</sup>, H. Lu<sup>61a</sup>, N. Lu<sup>90</sup>, H.J. Lubatti<sup>138</sup>, C. Luci<sup>132a,132b</sup>, A. Lucotte<sup>57</sup>, C. Luedtke<sup>50</sup>, F. Luehring<sup>62</sup>, W. Lukas<sup>63</sup>, L. Luminari<sup>132a</sup>, O. Lundberg<sup>146a,146b</sup>, B. Lund-Jensen<sup>147</sup>, P.M. Luzi<sup>81</sup>, D. Lynn<sup>27</sup>, R. Lysak<sup>127</sup>, E. Lytken<sup>82</sup>, V. Lyubushkin<sup>66</sup>, H. Ma<sup>27</sup>, L.L. Ma<sup>35d</sup>, Y. Ma<sup>35d</sup>, G. Maccarrone<sup>49</sup>, A. Macchiolo<sup>101</sup>, C.M. Macdonald<sup>139</sup>, B. Maček<sup>76</sup>, J. Machado Miguens<sup>122,126b</sup>, D. Madaffari<sup>86</sup>, R. Madar<sup>36</sup>, H.J. Maddocks<sup>164</sup>, W.F. Mader<sup>46</sup>, A. Madsen<sup>44</sup>, J. Maeda<sup>68</sup>, S. Maeland<sup>15</sup>, T. Maeno<sup>27</sup>, A. Maevskiy<sup>99</sup>, E. Magradze<sup>56</sup>, J. Mahlstedt<sup>107</sup>, C. Maiani<sup>117</sup>, C. Maidantchik<sup>26a</sup>, A.A. Maier<sup>101</sup>, T. Maier<sup>100</sup>, A. Maio<sup>126a,126b,126d</sup>, S. Majewski<sup>116</sup>, Y. Makida<sup>67</sup>, N. Makovec<sup>117</sup>, B. Malaescu<sup>81</sup>, Pa. Malecki<sup>41</sup>, V.P. Maleev<sup>123</sup>, F. Malek<sup>57</sup>, U. Mallik<sup>64</sup>, D. Malon<sup>6</sup>, C. Malone<sup>143</sup>, S. Maltezos<sup>10</sup>, S. Malyukov<sup>32</sup>, J. Mamuzic<sup>166</sup>, G. Mancini<sup>49</sup>, B. Mandelli<sup>32</sup>, L. Mandelli<sup>92a</sup>, I. Mandić<sup>76</sup>, J. Maneira<sup>126a,126b</sup>, L. Manhaes de Andrade Filho<sup>26b</sup>, J. Manjarres Ramos<sup>159b</sup>, A. Mann<sup>100</sup>, A. Manousos<sup>32</sup>, B. Mansoulie<sup>136</sup>, J.D. Mansour<sup>35a</sup>, R. Mantifel<sup>88</sup>, M. Mantoani<sup>56</sup>, S. Manzoni<sup>92a,92b</sup>, L. Mapelli<sup>32</sup>, G. Marceca<sup>29</sup>, L. March<sup>51</sup>, G. Marchiori<sup>81</sup>, M. Marcisovsky<sup>127</sup>, M. Marjanovic<sup>14</sup>, D.E. Marley<sup>90</sup>, F. Marroquim<sup>26a</sup>, S.P. Marsden<sup>85</sup>, Z. Marshall<sup>16</sup>, S. Marti-Garcia<sup>166</sup>, B. Martin<sup>91</sup>, T.A. Martin<sup>169</sup>, V.J. Martin<sup>48</sup>, B. Martin dit Latour<sup>15</sup>, M. Martinez<sup>13,r</sup>, V.I. Martinez Outschoorn<sup>165</sup>, S. Martin-Haugh<sup>131</sup>, V.S. Martoiu<sup>28b</sup>, A.C. Martyniuk<sup>79</sup>, M. Marx<sup>138</sup>, A. Marzin<sup>32</sup>, L. Masetti<sup>84</sup>, T. Mashimo<sup>155</sup>, R. Mashinistov<sup>96</sup>, J. Masik<sup>85</sup>, A.L. Maslennikov<sup>109,c</sup>, I. Massa<sup>22a,22b</sup>, L. Massa<sup>22a,22b</sup>, P. Mastrandrea<sup>5</sup>, A. Mastroberardino<sup>39a,39b</sup>, T. Masubuchi<sup>155</sup>, P. Mättig<sup>174</sup>, J. Mattmann<sup>84</sup>, J. Maurer<sup>28b</sup>, S.J. Maxfield<sup>75</sup>, D.A. Maximov<sup>109,c</sup>, R. Mazini<sup>151</sup>, S.M. Mazza<sup>92a,92b</sup>, N.C. Mc Fadden<sup>105</sup>, G. Mc Goldrick<sup>158</sup>, S.P. Mc Kee<sup>90</sup>, A. McCarn<sup>90</sup>, R.L. McCarthy<sup>148</sup>, T.G. McCarthy<sup>101</sup>, L.I. McClymont<sup>79</sup>, E.F. McDonald<sup>89</sup>, J.A. Mcfayden<sup>79</sup>, G. Mchedlidze<sup>56</sup>, S.J. McMahon<sup>131</sup>, R.A. McPherson<sup>168,l</sup>, M. Medinnis<sup>44</sup>, S. Meehan<sup>138</sup>, S. Mehlhase<sup>100</sup>, A. Mehta<sup>75</sup>, K. Meier<sup>59a</sup>, C. Meineck<sup>100</sup>, B. Meirose<sup>43</sup>, D. Melini<sup>166</sup>, B.R. Mellado Garcia<sup>145c</sup>, M. Melo<sup>144a</sup>, F. Meloni<sup>18</sup>, A. Mengarelli<sup>22a,22b</sup>, S. Menke<sup>101</sup>, E. Meoni<sup>161</sup>, S. Mergelmeyer<sup>17</sup>, P. Mermod<sup>51</sup>, L. Merola<sup>104a,104b</sup>, C. Meroni<sup>92a</sup>, F.S. Merritt<sup>33</sup>, A. Messina<sup>132a,132b</sup>, J. Metcalfe<sup>6</sup>, A.S. Mete<sup>162</sup>, C. Meyer<sup>84</sup>, C. Meyer<sup>122</sup>, J-P. Meyer<sup>136</sup>, J. Meyer<sup>107</sup>, H. Meyer Zu Theenhausen<sup>59a</sup>, F. Miano<sup>149</sup>, R.P. Middleton<sup>131</sup>, S. Miglioranza<sup>52a,52b</sup>, L. Mijović<sup>48</sup>, G. Mikenberg<sup>171</sup>, M. Mikestikova<sup>127</sup>, M. Mikuž<sup>76</sup>, M. Milesi<sup>89</sup>, A. Milic<sup>63</sup>, D.W. Miller<sup>33</sup>, C. Mills<sup>48</sup>, A. Milov<sup>171</sup>, D.A. Milstead<sup>146a,146b</sup>, A.A. Minaenko<sup>130</sup>, Y. Minami<sup>155</sup>, I.A. Minashvili<sup>66</sup>, A.I. Mincer<sup>110</sup>, B. Mindur<sup>40a</sup>, M. Mineev<sup>66</sup>, Y. Ming<sup>172</sup>, L.M. Mir<sup>13</sup>, K.P. Mistry<sup>122</sup>, T. Mitani<sup>170</sup>, J. Mitrevski<sup>100</sup>, V.A. Mitsou<sup>166</sup>, A. Miucci<sup>51</sup>, P.S. Miyagawa<sup>139</sup>, J.U. Mjörnmark<sup>82</sup>, T. Moa<sup>146a,146b</sup>, K. Mochizuki<sup>95</sup>, S. Mohapatra<sup>37</sup>, S. Molander<sup>146a,146b</sup>, R. Moles-Valls<sup>23</sup>, R. Monden<sup>69</sup>, M.C. Mondragon<sup>91</sup>, K. Mönig<sup>44</sup>, J. Monk<sup>38</sup>, E. Monnier<sup>86</sup>, A. Montalbano<sup>148</sup>, J. Montejo Berlingen<sup>32</sup>, F. Monticelli<sup>72</sup>, S. Monzani<sup>92a,92b</sup>, R.W. Moore<sup>3</sup>, N. Morange<sup>117</sup>, D. Moreno<sup>21</sup>, M. Moreno Llácer<sup>56</sup>, P. Morettini<sup>52a</sup>, D. Mori<sup>142</sup>, T. Mori<sup>155</sup>, M. Morii<sup>58</sup>, M. Morinaga<sup>155</sup>, V. Morisbak<sup>119</sup>, S. Moritz<sup>84</sup>, A.K. Morley<sup>150</sup>, G. Mornacchi<sup>32</sup>, J.D. Morris<sup>77</sup>, S.S. Mortensen<sup>38</sup>, L. Morvaj<sup>148</sup>, M. Mosidze<sup>53b</sup>, J. Moss<sup>143</sup>, K. Motohashi<sup>157</sup>, R. Mount<sup>143</sup>, E. Mountricha<sup>27</sup>, S.V. Mouraviev<sup>96,\*</sup>, E.J.W. Moyse<sup>87</sup>, S. Muanza<sup>86</sup>, R.D. Mudd<sup>19</sup>, F. Mueller<sup>101</sup>, J. Mueller<sup>125</sup>, R.S.P. Mueller<sup>100</sup>, T. Mueller<sup>30</sup>, D. Muenstermann<sup>73</sup>, P. Mullen<sup>55</sup>, G.A. Mullier<sup>18</sup>, F.J. Munoz Sanchez<sup>85</sup>, J.A. Murillo Quijada<sup>19</sup>, W.J. Murray<sup>169,131</sup>, H. Musheghyan<sup>56</sup>, M. Muškinja<sup>76</sup>, A.G. Myagkov<sup>130,ae</sup>, M. Myska<sup>128</sup>, B.P. Nachman<sup>143</sup>, O. Nackenhorst<sup>51</sup>, K. Nagai<sup>120</sup>, R. Nagai<sup>67,z</sup>, K. Nagano<sup>67</sup>, Y. Nagasaka<sup>60</sup>, K. Nagata<sup>160</sup>, M. Nagel<sup>50</sup>, E. Nagy<sup>86</sup>, A.M. Nairz<sup>32</sup>, Y. Nakahama<sup>103</sup>, K. Nakamura<sup>67</sup>, T. Nakamura<sup>155</sup>, I. Nakano<sup>112</sup>, H. Namasivayam<sup>43</sup>, R.F. Naranjo Garcia<sup>44</sup>, R. Narayan<sup>11</sup>, D.I. Narrias Villar<sup>59a</sup>, I. Naryshkin<sup>123</sup>, T. Naumann<sup>44</sup>, G. Navarro<sup>21</sup>, R. Nayyar<sup>7</sup>, H.A. Neal<sup>90</sup>, P.Yu. Nechaeva<sup>96</sup>, T.J. Neep<sup>85</sup>, A. Negri<sup>121a,121b</sup>, M. Negrini<sup>22a</sup>, S. Nektarijevic<sup>106</sup>, C. Nellist<sup>117</sup>, A. Nelson<sup>162</sup>, S. Nemecek<sup>127</sup>, P. Nemethy<sup>110</sup>, A.A. Nepomuceno<sup>26a</sup>, M. Nessi<sup>32,af</sup>, M.S. Neubauer<sup>165</sup>, M. Neumann<sup>174</sup>, R.M. Neves<sup>110</sup>, P. Nevski<sup>27</sup>, P.R. Newman<sup>19</sup>, D.H. Nguyen<sup>6</sup>, T. Nguyen Manh<sup>95</sup>, R.B. Nickerson<sup>120</sup>, R. Nicolaïdou<sup>136</sup>, J. Nielsen<sup>137</sup>, A. Nikiforov<sup>17</sup>, V. Nikolaenko<sup>130,ae</sup>, I. Nikolic-Audit<sup>81</sup>, K. Nikolopoulos<sup>19</sup>, J.K. Nilsen<sup>119</sup>, P. Nilsson<sup>27</sup>, Y. Ninomiya<sup>155</sup>, A. Nisati<sup>132a</sup>, R. Nisius<sup>101</sup>, T. Nobe<sup>155</sup>,

M. Nomachi<sup>118</sup>, I. Nomidis<sup>31</sup>, T. Nooney<sup>77</sup>, S. Norberg<sup>113</sup>, M. Nordberg<sup>32</sup>, N. Norjoharuddeen<sup>120</sup>, O. Novgorodova<sup>46</sup>, S. Nowak<sup>101</sup>, M. Nozaki<sup>67</sup>, L. Nozka<sup>115</sup>, K. Ntekas<sup>10</sup>, E. Nurse<sup>79</sup>, F. Nuti<sup>89</sup>, F. O'grady<sup>7</sup>, D.C. O'Neil<sup>142</sup>, A.A. O'Rourke<sup>44</sup>, V. O'Shea<sup>55</sup>, F.G. Oakham<sup>31,d</sup>, H. Oberlack<sup>101</sup>, T. Obermann<sup>23</sup>, J. Ocariz<sup>81</sup>, A. Ochi<sup>68</sup>, I. Ochoa<sup>37</sup>, J.P. Ochoa-Ricoux<sup>34a</sup>, S. Oda<sup>71</sup>, S. Odaka<sup>67</sup>, H. Ogren<sup>62</sup>, A. Oh<sup>85</sup>, S.H. Oh<sup>47</sup>, C.C. Ohm<sup>16</sup>, H. Ohman<sup>164</sup>, H. Oide<sup>32</sup>, H. Okawa<sup>160</sup>, Y. Okumura<sup>155</sup>, T. Okuyama<sup>67</sup>, A. Olariu<sup>28b</sup>, L.F. Oleiro Seabra<sup>126a</sup>, S.A. Olivares Pino<sup>48</sup>, D. Oliveira Damazio<sup>27</sup>, A. Olszewski<sup>41</sup>, J. Olszowska<sup>41</sup>, A. Onofre<sup>126a,126e</sup>, K. Onogi<sup>103</sup>, P.U.E. Onyisi<sup>11,v</sup>, M.J. Oreglia<sup>33</sup>, Y. Oren<sup>153</sup>, D. Orestano<sup>134a,134b</sup>, N. Orlando<sup>61b</sup>, R.S. Orr<sup>158</sup>, B. Osculati<sup>52a,52b</sup>, R. Ospanov<sup>85</sup>, G. Otero y Garzon<sup>29</sup>, H. Otono<sup>71</sup>, M. Ouchrif<sup>135d</sup>, F. Ould-Saada<sup>119</sup>, A. Ouraou<sup>136</sup>, K.P. Oussoren<sup>107</sup>, Q. Ouyang<sup>35a</sup>, M. Owen<sup>55</sup>, R.E. Owen<sup>19</sup>, V.E. Ozcan<sup>20a</sup>, N. Ozturk<sup>8</sup>, K. Pachal<sup>142</sup>, A. Pacheco Pages<sup>13</sup>, L. Pacheco Rodriguez<sup>136</sup>, C. Padilla Aranda<sup>13</sup>, M. Pagáčová<sup>50</sup>, S. Pagan Griso<sup>16</sup>, F. Paige<sup>27</sup>, P. Pais<sup>87</sup>, K. Pajchel<sup>119</sup>, G. Palacino<sup>159b</sup>, S. Palestini<sup>32</sup>, M. Palka<sup>40b</sup>, D. Pallin<sup>36</sup>, E.St. Panagiotopoulou<sup>10</sup>, C.E. Pandini<sup>81</sup>, J.G. Panduro Vazquez<sup>78</sup>, P. Pani<sup>146a,146b</sup>, S. Panitkin<sup>27</sup>, D. Pantea<sup>28b</sup>, L. Paolozzi<sup>51</sup>, Th.D. Papadopoulou<sup>10</sup>, K. Papageorgiou<sup>154</sup>, A. Paramonov<sup>6</sup>, D. Paredes Hernandez<sup>175</sup>, A.J. Parker<sup>73</sup>, M.A. Parker<sup>30</sup>, K.A. Parker<sup>139</sup>, F. Parodi<sup>52a,52b</sup>, J.A. Parsons<sup>37</sup>, U. Parzefall<sup>50</sup>, V.R. Pascuzzi<sup>158</sup>, E. Pasqualucci<sup>132a</sup>, S. Passaggio<sup>52a</sup>, Fr. Pastore<sup>78</sup>, G. Pásztor<sup>31,ag</sup>, S. Patariaia<sup>174</sup>, J.R. Pater<sup>85</sup>, T. Pauly<sup>32</sup>, J. Pearce<sup>168</sup>, B. Pearson<sup>113</sup>, L.E. Pedersen<sup>38</sup>, M. Pedersen<sup>119</sup>, S. Pedraza Lopez<sup>166</sup>, R. Pedro<sup>126a,126b</sup>, S.V. Peleganchuk<sup>109,c</sup>, O. Penc<sup>127</sup>, C. Peng<sup>35a</sup>, H. Peng<sup>35b</sup>, J. Penwell<sup>62</sup>, B.S. Peralva<sup>26b</sup>, M.M. Perego<sup>136</sup>, D.V. Perepelitsa<sup>27</sup>, E. Perez Codina<sup>159a</sup>, L. Perini<sup>92a,92b</sup>, H. Pernegger<sup>32</sup>, S. Perrella<sup>104a,104b</sup>, R. Peschke<sup>44</sup>, V.D. Peshekhonov<sup>66</sup>, K. Peters<sup>44</sup>, R.F.Y. Peters<sup>85</sup>, B.A. Petersen<sup>32</sup>, T.C. Petersen<sup>38</sup>, E. Petit<sup>57</sup>, A. Petridis<sup>1</sup>, C. Petridou<sup>154</sup>, P. Petroff<sup>117</sup>, E. Petrolo<sup>132a</sup>, M. Petrov<sup>120</sup>, F. Petrucci<sup>134a,134b</sup>, N.E. Pettersson<sup>87</sup>, A. Peyaud<sup>136</sup>, R. Pezoa<sup>34b</sup>, P.W. Phillips<sup>131</sup>, G. Piacquadio<sup>143</sup>, E. Pianori<sup>169</sup>, A. Picazio<sup>87</sup>, E. Piccaro<sup>77</sup>, M. Piccinini<sup>22a,22b</sup>, M.A. Pickering<sup>120</sup>, R. Piegaia<sup>29</sup>, J.E. Pilcher<sup>33</sup>, A.D. Pilkington<sup>85</sup>, A.W.J. Pin<sup>85</sup>, M. Pinamonti<sup>163a,163c,ah</sup>, J.L. Pinfold<sup>3</sup>, A. Pingel<sup>38</sup>, S. Pires<sup>81</sup>, H. Pirumov<sup>44</sup>, M. Pitt<sup>171</sup>, L. Plazak<sup>144a</sup>, M.-A. Pleier<sup>27</sup>, V. Pleskot<sup>84</sup>, E. Plotnikova<sup>66</sup>, P. Plucinski<sup>91</sup>, D. Pluth<sup>65</sup>, R. Poettgen<sup>146a,146b</sup>, L. Poggioli<sup>117</sup>, D. Pohl<sup>23</sup>, G. Polesello<sup>121a</sup>, A. Poley<sup>44</sup>, A. Policicchio<sup>39a,39b</sup>, R. Polifka<sup>158</sup>, A. Polini<sup>22a</sup>, C.S. Pollard<sup>55</sup>, V. Polychronakos<sup>27</sup>, K. Pommès<sup>32</sup>, L. Pontecorvo<sup>132a</sup>, B.G. Pope<sup>91</sup>, G.A. Popeneciu<sup>28c</sup>, D.S. Popovic<sup>14</sup>, A. Poppleton<sup>32</sup>, S. Pospisil<sup>128</sup>, K. Potamianos<sup>16</sup>, I.N. Potrap<sup>66</sup>, C.J. Potter<sup>30</sup>, C.T. Potter<sup>116</sup>, G. Poulard<sup>32</sup>, J. Poveda<sup>32</sup>, V. Pozdnyakov<sup>66</sup>, M.E. Pozo Astigarraga<sup>32</sup>, P. Pralavorio<sup>86</sup>, A. Pranko<sup>16</sup>, S. Prell<sup>65</sup>, D. Price<sup>85</sup>, L.E. Price<sup>6</sup>, M. Primavera<sup>74a</sup>, S. Prince<sup>88</sup>, K. Prokofiev<sup>61c</sup>, F. Prokoshin<sup>34b</sup>, S. Protopopescu<sup>27</sup>, J. Proudfoot<sup>6</sup>, M. Przybycien<sup>40a</sup>, D. Puddu<sup>134a,134b</sup>, M. Purohit<sup>27,ai</sup>, P. Puzo<sup>117</sup>, J. Qian<sup>90</sup>, G. Qin<sup>55</sup>, Y. Qin<sup>85</sup>, A. Quadt<sup>56</sup>, W.B. Quayle<sup>163a,163b</sup>, M. Queitsch-Maitland<sup>85</sup>, D. Quilty<sup>55</sup>, S. Raddum<sup>119</sup>, V. Radeka<sup>27</sup>, V. Radescu<sup>59b</sup>, S.K. Radhakrishnan<sup>148</sup>, P. Radloff<sup>116</sup>, P. Rados<sup>89</sup>, F. Ragusa<sup>92a,92b</sup>, G. Rahal<sup>177</sup>, J.A. Raine<sup>85</sup>, S. Rajagopalan<sup>27</sup>, M. Rammensee<sup>32</sup>, C. Rangel-Smith<sup>164</sup>, M.G. Ratti<sup>92a,92b</sup>, F. Rauscher<sup>100</sup>, S. Rave<sup>84</sup>, T. Ravenscroft<sup>55</sup>, I. Ravinovich<sup>171</sup>, M. Raymond<sup>32</sup>, A.L. Read<sup>119</sup>, N.P. Readioff<sup>75</sup>, M. Reale<sup>74a,74b</sup>, D.M. Rebuzzi<sup>121a,121b</sup>, A. Redelbach<sup>173</sup>, G. Redlinger<sup>27</sup>, R. Reece<sup>137</sup>, K. Reeves<sup>43</sup>, L. Rehnisch<sup>17</sup>, J. Reichert<sup>122</sup>, H. Reisin<sup>29</sup>, C. Rembser<sup>32</sup>, H. Ren<sup>35a</sup>, M. Rescigno<sup>132a</sup>, S. Resconi<sup>92a</sup>, O.L. Rezanova<sup>109,c</sup>, P. Reznicek<sup>129</sup>, R. Rezvani<sup>95</sup>, R. Richter<sup>101</sup>, S. Richter<sup>79</sup>, E. Richter-Was<sup>40b</sup>, O. Ricken<sup>23</sup>, M. Ridel<sup>81</sup>, P. Rieck<sup>17</sup>, C.J. Riegel<sup>174</sup>, J. Rieger<sup>56</sup>, O. Rifki<sup>113</sup>, M. Rijssenbeek<sup>148</sup>, A. Rimoldi<sup>121a,121b</sup>, M. Rimoldi<sup>18</sup>, L. Rinaldi<sup>22a</sup>, B. Ristić<sup>51</sup>, E. Ritsch<sup>32</sup>, I. Riu<sup>13</sup>, F. Rizatdinova<sup>114</sup>, E. Rizvi<sup>77</sup>, C. Rizzi<sup>13</sup>, S.H. Robertson<sup>88,l</sup>, A. Robichaud-Veronneau<sup>88</sup>, D. Robinson<sup>30</sup>, J.E.M. Robinson<sup>44</sup>, A. Robson<sup>55</sup>, C. Roda<sup>124a,124b</sup>, Y. Rodina<sup>86</sup>, A. Rodriguez Perez<sup>13</sup>, D. Rodriguez Rodriguez<sup>166</sup>, S. Roe<sup>32</sup>, C.S. Rogan<sup>58</sup>, O. Röhne<sup>119</sup>, A. Romaniouk<sup>98</sup>, M. Romano<sup>22a,22b</sup>, S.M. Romano Saez<sup>36</sup>, E. Romero Adam<sup>166</sup>, N. Rompotis<sup>138</sup>, M. Ronzani<sup>50</sup>, L. Roos<sup>81</sup>, E. Ros<sup>166</sup>, S. Rosati<sup>132a</sup>, K. Rosbach<sup>50</sup>, P. Rose<sup>137</sup>, O. Rosenthal<sup>141</sup>, N.-A. Rosien<sup>56</sup>, V. Rossetti<sup>146a,146b</sup>, E. Rossi<sup>104a,104b</sup>, L.P. Rossi<sup>52a</sup>, J.H.N. Rosten<sup>30</sup>, R. Rosten<sup>138</sup>, M. Rotaru<sup>28b</sup>, I. Roth<sup>171</sup>, J. Rothberg<sup>138</sup>, D. Rousseau<sup>117</sup>, C.R. Royon<sup>136</sup>, A. Rozanov<sup>86</sup>, Y. Rozen<sup>152</sup>, X. Ruan<sup>145c</sup>, F. Rubbo<sup>143</sup>, M.S. Rudolph<sup>158</sup>, F. Rühr<sup>50</sup>, A. Ruiz-Martinez<sup>31</sup>, Z. Rurikova<sup>50</sup>, N.A. Rusakovich<sup>66</sup>, A. Ruschke<sup>100</sup>, H.L. Russell<sup>138</sup>, J.P. Rutherford<sup>7</sup>, N. Ruthmann<sup>32</sup>, Y.F. Ryabov<sup>123</sup>, M. Rybar<sup>165</sup>, G. Rybkin<sup>117</sup>, S. Ryu<sup>6</sup>, A. Ryzhov<sup>130</sup>, G.F. Rzehorz<sup>56</sup>, A.F. Saavedra<sup>150</sup>, G. Sabato<sup>107</sup>, S. Sacerdoti<sup>29</sup>, H.F.W. Sadrozinski<sup>137</sup>, R. Sadykov<sup>66</sup>, F. Safai Tehrani<sup>132a</sup>, P. Saha<sup>108</sup>, M. Sahinsoy<sup>59a</sup>, M. Saimpert<sup>136</sup>, T. Saito<sup>155</sup>, H. Sakamoto<sup>155</sup>, Y. Sakurai<sup>170</sup>, G. Salamanna<sup>134a,134b</sup>, A. Salamon<sup>133a,133b</sup>, J.E. Salazar Loyola<sup>34b</sup>, D. Salek<sup>107</sup>,

P.H. Sales De Bruin<sup>138</sup>, D. Salihagic<sup>101</sup>, A. Salnikov<sup>143</sup>, J. Salt<sup>166</sup>, D. Salvatore<sup>39a,39b</sup>, F. Salvatore<sup>149</sup>, A. Salvucci<sup>61a</sup>, A. Salzburger<sup>32</sup>, D. Sammel<sup>50</sup>, D. Sampsonidis<sup>154</sup>, A. Sanchez<sup>104a,104b</sup>, J. Sánchez<sup>166</sup>, V. Sanchez Martinez<sup>166</sup>, H. Sandaker<sup>119</sup>, R.L. Sandbach<sup>77</sup>, H.G. Sander<sup>84</sup>, M. Sandhoff<sup>174</sup>, C. Sandoval<sup>21</sup>, R. Sandstroem<sup>101</sup>, D.P.C. Sankey<sup>131</sup>, M. Sannino<sup>52a,52b</sup>, A. Sansoni<sup>49</sup>, C. Santoni<sup>36</sup>, R. Santonico<sup>133a,133b</sup>, H. Santos<sup>126a</sup>, I. Santoyo Castillo<sup>149</sup>, K. Sapp<sup>125</sup>, A. Saponov<sup>66</sup>, J.G. Saraiva<sup>126a,126d</sup>, B. Sarrazin<sup>23</sup>, O. Sasaki<sup>67</sup>, Y. Sasaki<sup>155</sup>, K. Sato<sup>160</sup>, G. Sauvage<sup>5,\*</sup>, E. Sauvan<sup>5</sup>, G. Savage<sup>78</sup>, P. Savard<sup>158,d</sup>, N. Savic<sup>101</sup>, C. Sawyer<sup>131</sup>, L. Sawyer<sup>80,q</sup>, J. Saxon<sup>33</sup>, C. Sbarra<sup>22a</sup>, A. Sbrizzi<sup>22a,22b</sup>, T. Scanlon<sup>79</sup>, D.A. Scannicchio<sup>162</sup>, M. Scarcella<sup>150</sup>, V. Scarfone<sup>39a,39b</sup>, J. Schaarschmidt<sup>171</sup>, P. Schacht<sup>101</sup>, B.M. Schachtner<sup>100</sup>, D. Schaefer<sup>32</sup>, R. Schaefer<sup>44</sup>, J. Schaeffer<sup>84</sup>, S. Schaepe<sup>23</sup>, S. Schaezel<sup>59b</sup>, U. Schäfer<sup>84</sup>, A.C. Schaffer<sup>117</sup>, D. Schaile<sup>100</sup>, R.D. Schamberger<sup>148</sup>, V. Scharf<sup>59a</sup>, V.A. Schegelsky<sup>123</sup>, D. Scheirich<sup>129</sup>, M. Schernau<sup>162</sup>, C. Schiavi<sup>52a,52b</sup>, S. Schier<sup>137</sup>, C. Schillo<sup>50</sup>, M. Schioppa<sup>39a,39b</sup>, S. Schlenker<sup>32</sup>, K.R. Schmidt-Sommerfeld<sup>101</sup>, K. Schmieden<sup>32</sup>, C. Schmitt<sup>84</sup>, S. Schmitt<sup>44</sup>, S. Schmitz<sup>84</sup>, B. Schneider<sup>159a</sup>, U. Schnoor<sup>50</sup>, L. Schoeffel<sup>136</sup>, A. Schoening<sup>59b</sup>, B.D. Schoenrock<sup>91</sup>, E. Schopf<sup>23</sup>, M. Schott<sup>84</sup>, J. Schovancova<sup>8</sup>, S. Schramm<sup>51</sup>, M. Schreyer<sup>173</sup>, N. Schuh<sup>84</sup>, A. Schulte<sup>84</sup>, M.J. Schultens<sup>23</sup>, H.-C. Schultz-Coulon<sup>59a</sup>, H. Schulz<sup>17</sup>, M. Schumacher<sup>50</sup>, B.A. Schumm<sup>137</sup>, Ph. Schune<sup>136</sup>, A. Schwartzman<sup>143</sup>, T.A. Schwarz<sup>90</sup>, H. Schweiger<sup>85</sup>, Ph. Schwemling<sup>136</sup>, R. Schwienhorst<sup>91</sup>, J. Schwindling<sup>136</sup>, T. Schwindt<sup>23</sup>, G. Sciolla<sup>25</sup>, F. Scuri<sup>124a,124b</sup>, F. Scutti<sup>89</sup>, J. Searcy<sup>90</sup>, P. Seema<sup>23</sup>, S.C. Seidel<sup>105</sup>, A. Seiden<sup>137</sup>, F. Seifert<sup>128</sup>, J.M. Seixas<sup>26a</sup>, G. Sekhniaidze<sup>104a</sup>, K. Sekhon<sup>90</sup>, S.J. Sekula<sup>42</sup>, D.M. Seliverstov<sup>123,\*</sup>, N. Semprini-Cesari<sup>22a,22b</sup>, C. Serfon<sup>119</sup>, L. Serin<sup>117</sup>, L. Serkin<sup>163a,163b</sup>, M. Sessa<sup>134a,134b</sup>, R. Seuster<sup>168</sup>, H. Severini<sup>113</sup>, T. Sfiligoj<sup>76</sup>, F. Sforza<sup>32</sup>, A. Sfyrila<sup>51</sup>, E. Shabalina<sup>56</sup>, N.W. Shaikh<sup>146a,146b</sup>, L.Y. Shan<sup>35a</sup>, R. Shang<sup>165</sup>, J.T. Shank<sup>24</sup>, M. Shapiro<sup>16</sup>, P.B. Shatalov<sup>97</sup>, K. Shaw<sup>163a,163b</sup>, S.M. Shaw<sup>85</sup>, A. Shcherbakova<sup>146a,146b</sup>, C.Y. Shehu<sup>149</sup>, P. Sherwood<sup>79</sup>, L. Shi<sup>151,qj</sup>, S. Shimizu<sup>68</sup>, C.O. Shimmmin<sup>162</sup>, M. Shimojima<sup>102</sup>, M. Shiyakova<sup>66,ak</sup>, A. Shmeleva<sup>96</sup>, D. Shoaleh Saadi<sup>95</sup>, M.J. Shochet<sup>33</sup>, S. Shojaii<sup>92a,92b</sup>, S. Shrestha<sup>111</sup>, E. Shulga<sup>98</sup>, M.A. Shupe<sup>7</sup>, P. Sicho<sup>127</sup>, A.M. Sickles<sup>165</sup>, P.E. Sidebo<sup>147</sup>, O. Sidiropoulou<sup>173</sup>, D. Sidorov<sup>114</sup>, A. Sidoti<sup>22a,22b</sup>, F. Siegert<sup>46</sup>, Dj. Sijacki<sup>14</sup>, J. Silva<sup>126a,126d</sup>, S.B. Silverstein<sup>146a</sup>, V. Simak<sup>128</sup>, Lj. Simic<sup>14</sup>, S. Simion<sup>117</sup>, E. Simioni<sup>84</sup>, B. Simmons<sup>79</sup>, D. Simon<sup>36</sup>, M. Simon<sup>84</sup>, P. Sinervo<sup>158</sup>, N.B. Sinev<sup>116</sup>, M. Sioli<sup>22a,22b</sup>, G. Siragusa<sup>173</sup>, S.Yu. Sivoklov<sup>99</sup>, J. Sjölin<sup>146a,146b</sup>, M.B. Skinner<sup>73</sup>, H.P. Skottowe<sup>58</sup>, P. Skubic<sup>113</sup>, M. Slater<sup>19</sup>, T. Slavicek<sup>128</sup>, M. Slawinska<sup>107</sup>, K. Sliwa<sup>161</sup>, R. Slovak<sup>129</sup>, V. Smakhtin<sup>171</sup>, B.H. Smart<sup>5</sup>, L. Smestad<sup>15</sup>, J. Smiesko<sup>144a</sup>, S.Yu. Smirnov<sup>98</sup>, Y. Smirnov<sup>98</sup>, L.N. Smirnova<sup>99,al</sup>, O. Smirnova<sup>82</sup>, M.N.K. Smith<sup>37</sup>, R.W. Smith<sup>37</sup>, M. Smizanska<sup>73</sup>, K. Smolek<sup>128</sup>, A.A. Snesarev<sup>96</sup>, S. Snyder<sup>27</sup>, R. Sobie<sup>168,l</sup>, F. Socher<sup>46</sup>, A. Soffer<sup>153</sup>, D.A. Soh<sup>151</sup>, G. Sokhrannyi<sup>76</sup>, C.A. Solans Sanchez<sup>32</sup>, M. Solar<sup>128</sup>, E.Yu. Soldatov<sup>98</sup>, U. Soldevila<sup>166</sup>, A.A. Solodkov<sup>130</sup>, A. Soloshenko<sup>66</sup>, O.V. Solovyanov<sup>130</sup>, V. Solovye<sup>123</sup>, P. Sommer<sup>50</sup>, H. Son<sup>161</sup>, H.Y. Song<sup>35b,am</sup>, A. Sood<sup>16</sup>, A. Sopczak<sup>128</sup>, V. Sopko<sup>128</sup>, V. Sorin<sup>13</sup>, D. Sosa<sup>59b</sup>, C.L. Sotiropoulou<sup>124a,124b</sup>, R. Soualah<sup>163a,163c</sup>, A.M. Soukharev<sup>109,c</sup>, D. South<sup>44</sup>, B.C. Sowden<sup>78</sup>, S. Spagnolo<sup>74a,74b</sup>, M. Spalla<sup>124a,124b</sup>, M. Spangenberg<sup>169</sup>, F. Spanò<sup>78</sup>, D. Sperlich<sup>17</sup>, F. Spettel<sup>101</sup>, R. Spighi<sup>22a</sup>, G. Spigo<sup>32</sup>, L.A. Spiller<sup>89</sup>, M. Spousta<sup>129</sup>, R.D. St. Denis<sup>55,\*</sup>, A. Stabile<sup>92a</sup>, R. Stamen<sup>59a</sup>, S. Stamm<sup>17</sup>, E. Stanecka<sup>41</sup>, R.W. Stanek<sup>6</sup>, C. Stanescu<sup>134a</sup>, M. Stanescu-Bellu<sup>44</sup>, M.M. Stanitzki<sup>44</sup>, S. Stapnes<sup>119</sup>, E.A. Starchenko<sup>130</sup>, G.H. Stark<sup>33</sup>, J. Stark<sup>57</sup>, P. Staroba<sup>127</sup>, P. Starovoitov<sup>59a</sup>, S. Stärz<sup>32</sup>, R. Staszewski<sup>41</sup>, P. Steinberg<sup>27</sup>, B. Stelzer<sup>142</sup>, H.J. Stelzer<sup>32</sup>, O. Stelzer-Chilton<sup>159a</sup>, H. Stenzel<sup>54</sup>, G.A. Stewart<sup>55</sup>, J.A. Stillings<sup>23</sup>, M.C. Stockton<sup>88</sup>, M. Stoebe<sup>88</sup>, G. Stoica<sup>28b</sup>, P. Stolte<sup>56</sup>, S. Stonjek<sup>101</sup>, A.R. Stradling<sup>8</sup>, A. Straessner<sup>46</sup>, M.E. Stramaglia<sup>18</sup>, J. Strandberg<sup>147</sup>, S. Strandberg<sup>146a,146b</sup>, A. Strandlie<sup>119</sup>, M. Strauss<sup>113</sup>, P. Strizenec<sup>144b</sup>, R. Ströhmer<sup>173</sup>, D.M. Strom<sup>116</sup>, R. Stroynowski<sup>42</sup>, A. Strubig<sup>106</sup>, S.A. Stucci<sup>18</sup>, B. Stugu<sup>15</sup>, N.A. Styles<sup>44</sup>, D. Su<sup>143</sup>, J. Su<sup>125</sup>, S. Suchek<sup>59a</sup>, Y. Sugaya<sup>118</sup>, M. Suk<sup>128</sup>, V.V. Sulin<sup>96</sup>, S. Sultansoy<sup>4c</sup>, T. Sumida<sup>69</sup>, S. Sun<sup>58</sup>, X. Sun<sup>35a</sup>, J.E. Sundermann<sup>50</sup>, K. Suruliz<sup>149</sup>, G. Susinno<sup>39a,39b</sup>, M.R. Sutton<sup>149</sup>, S. Suzuki<sup>67</sup>, M. Svatos<sup>127</sup>, M. Swiatlowski<sup>33</sup>, I. Sykora<sup>144a</sup>, T. Sykora<sup>129</sup>, D. Ta<sup>50</sup>, C. Taccini<sup>134a,134b</sup>, K. Tackmann<sup>44</sup>, J. Taenzer<sup>158</sup>, A. Taffard<sup>162</sup>, R. Tafirout<sup>159a</sup>, N. Taiblum<sup>153</sup>, H. Takai<sup>27</sup>, R. Takashima<sup>70</sup>, T. Takeshita<sup>140</sup>, Y. Takubo<sup>67</sup>, M. Talby<sup>86</sup>, A.A. Talyshv<sup>109,c</sup>, K.G. Tan<sup>89</sup>, J. Tanaka<sup>155</sup>, M. Tanaka<sup>157</sup>, R. Tanaka<sup>117</sup>, S. Tanaka<sup>67</sup>, B.B. Tannenwald<sup>111</sup>, S. Tapia Araya<sup>34b</sup>, S. Tapprogge<sup>84</sup>, S. Tarem<sup>152</sup>, G.F. Tartarelli<sup>92a</sup>, P. Tas<sup>129</sup>, M. Tasevsky<sup>127</sup>, T. Tashiro<sup>69</sup>, E. Tassi<sup>39a,39b</sup>, A. Tavares Delgado<sup>126a,126b</sup>, Y. Tayalati<sup>135e</sup>, A.C. Taylor<sup>105</sup>, G.N. Taylor<sup>89</sup>, P.T.E. Taylor<sup>89</sup>, W. Taylor<sup>159b</sup>, F.A. Teischinger<sup>32</sup>, P. Teixeira-Dias<sup>78</sup>, K.K. Temming<sup>50</sup>,

D. Temple<sup>142</sup>, H. Ten Kate<sup>32</sup>, P.K. Teng<sup>151</sup>, J.J. Teoh<sup>118</sup>, F. Tepel<sup>174</sup>, S. Terada<sup>67</sup>, K. Terashi<sup>155</sup>, J. Terron<sup>83</sup>, S. Terzo<sup>101</sup>, M. Testa<sup>49</sup>, R.J. Teuscher<sup>158,l</sup>, T. Theveneaux-Pelzer<sup>86</sup>, J.P. Thomas<sup>19</sup>, J. Thomas-Wilsker<sup>78</sup>, E.N. Thompson<sup>37</sup>, P.D. Thompson<sup>19</sup>, A.S. Thompson<sup>55</sup>, L.A. Thomsen<sup>175</sup>, E. Thomson<sup>122</sup>, M. Thomson<sup>30</sup>, M.J. Tibbetts<sup>16</sup>, R.E. Ticse Torres<sup>86</sup>, V.O. Tikhomirov<sup>96,an</sup>, Yu.A. Tikhonov<sup>109,c</sup>, S. Timoshenko<sup>98</sup>, P. Tipton<sup>175</sup>, S. Tisserant<sup>86</sup>, K. Todome<sup>157</sup>, T. Todorov<sup>5,\*</sup>, S. Todorova-Nova<sup>129</sup>, J. Tojo<sup>71</sup>, S. Tokár<sup>144a</sup>, K. Tokushuku<sup>67</sup>, E. Tolley<sup>58</sup>, L. Tomlinson<sup>85</sup>, M. Tomoto<sup>103</sup>, L. Tompkins<sup>143,ao</sup>, K. Toms<sup>105</sup>, B. Tong<sup>58</sup>, E. Torrence<sup>116</sup>, H. Torres<sup>142</sup>, E. Torró Pastor<sup>138</sup>, J. Toth<sup>86,ap</sup>, F. Touchard<sup>86</sup>, D.R. Tovey<sup>139</sup>, T. Trefzger<sup>173</sup>, A. Tricoli<sup>27</sup>, I.M. Trigger<sup>159a</sup>, S. Trincaz-Duvoid<sup>81</sup>, M.F. Tripiana<sup>13</sup>, W. Trischuk<sup>158</sup>, B. Trocme<sup>57</sup>, A. Trofymov<sup>44</sup>, C. Troncon<sup>92a</sup>, M. Trotter-McDonald<sup>16</sup>, M. Trovatelli<sup>168</sup>, L. Truong<sup>163a,163c</sup>, M. Trzebinski<sup>41</sup>, A. Trzupek<sup>41</sup>, J.C.-L. Tseng<sup>120</sup>, P.V. Tsiarehsha<sup>93</sup>, G. Tsipolitis<sup>10</sup>, N. Tsimintanis<sup>9</sup>, S. Tsiskaridze<sup>13</sup>, V. Tsiskaridze<sup>50</sup>, E.G. Tskhadadze<sup>53a</sup>, K.M. Tsui<sup>61a</sup>, I.I. Tsukerman<sup>97</sup>, V. Tsulaia<sup>16</sup>, S. Tsuno<sup>67</sup>, D. Tsybychev<sup>148</sup>, Y. Tu<sup>61b</sup>, A. Tudorache<sup>28b</sup>, V. Tudorache<sup>28b</sup>, A.N. Tuna<sup>58</sup>, S.A. Tupputi<sup>22a,22b</sup>, S. Turchikhin<sup>66</sup>, D. Turecek<sup>128</sup>, D. Turgeman<sup>171</sup>, R. Turra<sup>92a,92b</sup>, A.J. Turvey<sup>42</sup>, P.M. Tuts<sup>37</sup>, M. Tyndel<sup>131</sup>, G. Uccielli<sup>22a,22b</sup>, I. Ueda<sup>155</sup>, M. Ughetto<sup>146a,146b</sup>, F. Ukegawa<sup>160</sup>, G. Unal<sup>32</sup>, A. Undrus<sup>27</sup>, G. Unel<sup>162</sup>, F.C. Ungaro<sup>89</sup>, Y. Unno<sup>67</sup>, C. Unverdorben<sup>100</sup>, J. Urban<sup>144b</sup>, P. Urquijo<sup>89</sup>, P. Urrejola<sup>84</sup>, G. Usai<sup>8</sup>, A. Usanova<sup>63</sup>, L. Vacavant<sup>86</sup>, V. Vacek<sup>128</sup>, B. Vachon<sup>88</sup>, C. Valderanis<sup>100</sup>, E. Valdes Santurio<sup>146a,146b</sup>, N. Valencic<sup>107</sup>, S. Valentini<sup>22a,22b</sup>, A. Valero<sup>166</sup>, L. Valery<sup>13</sup>, S. Valkar<sup>129</sup>, J.A. Valls Ferrer<sup>166</sup>, W. Van Den Wollenberg<sup>107</sup>, P.C. Van Der Deijl<sup>107</sup>, H. van der Graaf<sup>107</sup>, N. van Eldik<sup>152</sup>, P. van Gemmeren<sup>6</sup>, J. Van Nieuwkoop<sup>142</sup>, I. van Vulpen<sup>107</sup>, M.C. van Woerden<sup>32</sup>, M. Vanadia<sup>132a,132b</sup>, W. Vandelli<sup>32</sup>, R. Vanguri<sup>122</sup>, A. Vaniachine<sup>130</sup>, P. Vankov<sup>107</sup>, G. Vardanyan<sup>176</sup>, R. Vari<sup>132a</sup>, E.W. Varnes<sup>7</sup>, T. Varol<sup>42</sup>, D. Varouchas<sup>81</sup>, A. Vartapetian<sup>8</sup>, K.E. Varvell<sup>150</sup>, J.G. Vasquez<sup>175</sup>, F. Vazeille<sup>36</sup>, T. Vazquez Schroeder<sup>88</sup>, J. Veatch<sup>56</sup>, V. Veeraraghavan<sup>7</sup>, L.M. Veloce<sup>158</sup>, F. Veloso<sup>126a,126c</sup>, S. Veneziano<sup>132a</sup>, A. Ventura<sup>74a,74b</sup>, M. Venturi<sup>168</sup>, N. Venturi<sup>158</sup>, A. Venturini<sup>25</sup>, V. Vercesi<sup>121a</sup>, M. Verducci<sup>132a,132b</sup>, W. Verkerke<sup>107</sup>, J.C. Vermeulen<sup>107</sup>, A. Vest<sup>46,aq</sup>, M.C. Vetterli<sup>142,d</sup>, O. Viazlo<sup>82</sup>, I. Vichou<sup>165</sup>, T. Vickey<sup>139</sup>, O.E. Vickey Boeriu<sup>139</sup>, G.H.A. Viehhauser<sup>120</sup>, S. Viel<sup>16</sup>, L. Vignani<sup>120</sup>, M. Villa<sup>22a,22b</sup>, M. Villaplana Perez<sup>92a,92b</sup>, E. Vilucchi<sup>49</sup>, M.G. Vinciter<sup>31</sup>, V.B. Vinogradov<sup>66</sup>, C. Vittori<sup>22a,22b</sup>, I. Vivarelli<sup>149</sup>, S. Vlachos<sup>10</sup>, M. Vlasak<sup>128</sup>, M. Vogel<sup>174</sup>, P. Vokac<sup>128</sup>, G. Volpi<sup>124a,124b</sup>, M. Volpi<sup>89</sup>, H. von der Schmitt<sup>101</sup>, E. von Toerne<sup>23</sup>, V. Vorobel<sup>129</sup>, K. Vorobev<sup>98</sup>, M. Vos<sup>166</sup>, R. Voss<sup>32</sup>, J.H. Vosseveld<sup>75</sup>, N. Vranjes<sup>14</sup>, M. Vranjes Milosavljevic<sup>14</sup>, V. Vrba<sup>127</sup>, M. Vreeswijk<sup>107</sup>, R. Vuillermet<sup>32</sup>, I. Vukotic<sup>33</sup>, Z. Vykydal<sup>128</sup>, P. Wagner<sup>23</sup>, W. Wagner<sup>174</sup>, H. Wahlberg<sup>72</sup>, S. Wahrmund<sup>46</sup>, J. Wakabayashi<sup>103</sup>, J. Walder<sup>73</sup>, R. Walker<sup>100</sup>, W. Walkowiak<sup>141</sup>, V. Wallangen<sup>146a,146b</sup>, C. Wang<sup>35c</sup>, C. Wang<sup>35d,86</sup>, F. Wang<sup>172</sup>, H. Wang<sup>16</sup>, H. Wang<sup>42</sup>, J. Wang<sup>44</sup>, J. Wang<sup>150</sup>, K. Wang<sup>88</sup>, R. Wang<sup>6</sup>, S.M. Wang<sup>151</sup>, T. Wang<sup>23</sup>, T. Wang<sup>37</sup>, W. Wang<sup>35b</sup>, X. Wang<sup>175</sup>, C. Wanotayaroj<sup>116</sup>, A. Warburton<sup>88</sup>, C.P. Ward<sup>30</sup>, D.R. Wardrope<sup>79</sup>, A. Washbrook<sup>48</sup>, P.M. Watkins<sup>19</sup>, A.T. Watson<sup>19</sup>, M.F. Watson<sup>19</sup>, G. Watts<sup>138</sup>, S. Watts<sup>85</sup>, B.M. Waugh<sup>79</sup>, S. Webb<sup>84</sup>, M.S. Weber<sup>18</sup>, S.W. Weber<sup>173</sup>, J.S. Webster<sup>6</sup>, A.R. Weidberg<sup>120</sup>, B. Weinert<sup>62</sup>, J. Weingarten<sup>56</sup>, C. Weiser<sup>50</sup>, H. Weits<sup>107</sup>, P.S. Wells<sup>32</sup>, T. Wenaus<sup>27</sup>, T. Wengler<sup>32</sup>, S. Wenig<sup>32</sup>, N. Wermes<sup>23</sup>, M. Werner<sup>50</sup>, M.D. Werner<sup>65</sup>, P. Werner<sup>32</sup>, M. Wessels<sup>59a</sup>, J. Wetter<sup>161</sup>, K. Whalen<sup>116</sup>, N.L. Whallon<sup>138</sup>, A.M. Wharton<sup>73</sup>, A. White<sup>8</sup>, M.J. White<sup>1</sup>, R. White<sup>34b</sup>, D. Whiteson<sup>162</sup>, F.J. Wickens<sup>131</sup>, W. Wiedenmann<sup>172</sup>, M. Wielers<sup>131</sup>, P. Wienemann<sup>23</sup>, C. Wigglesworth<sup>38</sup>, L.A.M. Wiik-Fuchs<sup>23</sup>, A. Wildauer<sup>101</sup>, F. Wilk<sup>85</sup>, H.G. Wilkens<sup>32</sup>, H.H. Williams<sup>122</sup>, S. Williams<sup>107</sup>, C. Willis<sup>91</sup>, S. Willocq<sup>87</sup>, J.A. Wilson<sup>19</sup>, I. Wingerter-Seez<sup>5</sup>, F. Winklmeier<sup>116</sup>, O.J. Winston<sup>149</sup>, B.T. Winter<sup>23</sup>, M. Wittgen<sup>143</sup>, J. Wittkowski<sup>100</sup>, T.M.H. Wolf<sup>107</sup>, M.W. Wolter<sup>41</sup>, H. Wolters<sup>126a,126c</sup>, S.D. Worm<sup>131</sup>, B.K. Wosiek<sup>41</sup>, J. Wotschack<sup>32</sup>, M.J. Woudstra<sup>85</sup>, K.W. Wozniak<sup>41</sup>, M. Wu<sup>57</sup>, M. Wu<sup>33</sup>, S.L. Wu<sup>172</sup>, X. Wu<sup>51</sup>, Y. Wu<sup>90</sup>, T.R. Wyatt<sup>85</sup>, B.M. Wynne<sup>48</sup>, S. Xella<sup>38</sup>, D. Xu<sup>35a</sup>, L. Xu<sup>27</sup>, B. Yabsley<sup>150</sup>, S. Yacoob<sup>145a</sup>, D. Yamaguchi<sup>157</sup>, Y. Yamaguchi<sup>118</sup>, A. Yamamoto<sup>67</sup>, S. Yamamoto<sup>155</sup>, T. Yamanaka<sup>155</sup>, K. Yamauchi<sup>103</sup>, Y. Yamazaki<sup>68</sup>, Z. Yan<sup>24</sup>, H. Yang<sup>35e</sup>, H. Yang<sup>172</sup>, Y. Yang<sup>151</sup>, Z. Yang<sup>15</sup>, W.-M. Yao<sup>16</sup>, Y.C. Yap<sup>81</sup>, Y. Yasu<sup>67</sup>, E. Yatsenko<sup>5</sup>, K.H. Yau Wong<sup>23</sup>, J. Ye<sup>42</sup>, S. Ye<sup>27</sup>, I. Yeletsikh<sup>66</sup>, A.L. Yen<sup>58</sup>, E. Yildirim<sup>84</sup>, K. Yorita<sup>170</sup>, R. Yoshida<sup>6</sup>, K. Yoshihara<sup>122</sup>, C. Young<sup>143</sup>, C.J.S. Young<sup>32</sup>, S. Youssef<sup>24</sup>, D.R. Yu<sup>16</sup>, J. Yu<sup>8</sup>, J.M. Yu<sup>90</sup>, J. Yu<sup>65</sup>, L. Yuan<sup>68</sup>, S.P.Y. Yuen<sup>23</sup>, I. Yusuff<sup>30,ar</sup>, B. Zabinski<sup>41</sup>, R. Zaidan<sup>35d</sup>, A.M. Zaitsev<sup>130,ae</sup>, N. Zakharuk<sup>44</sup>, J. Zalieckas<sup>15</sup>, A. Zaman<sup>148</sup>, S. Zambito<sup>58</sup>, L. Zanello<sup>132a,132b</sup>, D. Zanzi<sup>89</sup>, C. Zeitnitz<sup>174</sup>, M. Zeman<sup>128</sup>, A. Zemla<sup>40a</sup>, J.C. Zeng<sup>165</sup>, Q. Zeng<sup>143</sup>, K. Zengel<sup>25</sup>, O. Zenin<sup>130</sup>, T. Ženiš<sup>144a</sup>, D. Zerwas<sup>117</sup>, D. Zhang<sup>90</sup>, F. Zhang<sup>172</sup>,

G. Zhang<sup>35b,am</sup>, H. Zhang<sup>35c</sup>, J. Zhang<sup>6</sup>, L. Zhang<sup>50</sup>, R. Zhang<sup>23</sup>, R. Zhang<sup>35b,as</sup>, X. Zhang<sup>35d</sup>, Z. Zhang<sup>117</sup>, X. Zhao<sup>42</sup>, Y. Zhao<sup>35d</sup>, Z. Zhao<sup>35b</sup>, A. Zhemchugov<sup>66</sup>, J. Zhong<sup>120</sup>, B. Zhou<sup>90</sup>, C. Zhou<sup>47</sup>, L. Zhou<sup>37</sup>, L. Zhou<sup>42</sup>, M. Zhou<sup>148</sup>, N. Zhou<sup>35f</sup>, C.G. Zhu<sup>35d</sup>, H. Zhu<sup>35a</sup>, J. Zhu<sup>90</sup>, Y. Zhu<sup>35b</sup>, X. Zhuang<sup>35a</sup>, K. Zhukov<sup>96</sup>, A. Zibell<sup>173</sup>, D. Zieminska<sup>62</sup>, N.I. Zimine<sup>66</sup>, C. Zimmermann<sup>84</sup>, S. Zimmermann<sup>50</sup>, Z. Zinonos<sup>56</sup>, M. Zinser<sup>84</sup>, M. Ziolkowski<sup>141</sup>, L. Živković<sup>14</sup>, G. Zobernig<sup>172</sup>, A. Zoccoli<sup>22a,22b</sup>, M. zur Nedden<sup>17</sup>, L. Zwalinski<sup>32</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia

<sup>2</sup> Physics Department, SUNY Albany, Albany NY, United States

<sup>3</sup> Department of Physics, University of Alberta, Edmonton AB, Canada

<sup>4</sup> (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

<sup>5</sup> LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States

<sup>7</sup> Department of Physics, University of Arizona, Tucson AZ, United States

<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington TX, United States

<sup>9</sup> Physics Department, University of Athens, Athens, Greece

<sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece

<sup>11</sup> Department of Physics, The University of Texas at Austin, Austin TX, United States

<sup>12</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

<sup>13</sup> Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

<sup>14</sup> Institute of Physics, University of Belgrade, Belgrade, Serbia

<sup>15</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway

<sup>16</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States

<sup>17</sup> Department of Physics, Humboldt University, Berlin, Germany

<sup>18</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

<sup>19</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

<sup>20</sup> (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (d) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey

<sup>21</sup> Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

<sup>22</sup> (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

<sup>23</sup> Physikalisches Institut, University of Bonn, Bonn, Germany

<sup>24</sup> Department of Physics, Boston University, Boston MA, United States

<sup>25</sup> Department of Physics, Brandeis University, Waltham MA, United States

<sup>26</sup> (a) Universidade Federal do Rio de Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Física, Universidade de Sao Paulo, Sao Paulo, Brazil

<sup>27</sup> Physics Department, Brookhaven National Laboratory, Upton NY, United States

<sup>28</sup> (a) Transilvania University of Brasov, Brasov; (b) National Institute of Physics and Nuclear Engineering, Bucharest; (c) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (d) University Politehnica Bucharest, Bucharest; (e) West University in Timisoara, Timisoara, Romania

<sup>29</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

<sup>30</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

<sup>31</sup> Department of Physics, Carleton University, Ottawa ON, Canada

<sup>32</sup> CERN, Geneva, Switzerland

<sup>33</sup> Enrico Fermi Institute, University of Chicago, Chicago IL, United States

<sup>34</sup> (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

<sup>35</sup> (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui; (c) Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong; (e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; (f) Physics Department, Tsinghua University, Beijing 100084, China

<sup>36</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

<sup>37</sup> Nevis Laboratory, Columbia University, Irvington NY, United States

<sup>38</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

<sup>39</sup> (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

<sup>40</sup> (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

<sup>41</sup> Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

<sup>42</sup> Physics Department, Southern Methodist University, Dallas TX, United States

<sup>43</sup> Physics Department, University of Texas at Dallas, Richardson TX, United States

<sup>44</sup> DESY, Hamburg and Zeuthen, Germany

<sup>45</sup> Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

<sup>46</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

<sup>47</sup> Department of Physics, Duke University, Durham NC, United States

<sup>48</sup> SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

<sup>49</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy

<sup>50</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

<sup>51</sup> Section de Physique, Université de Genève, Geneva, Switzerland

<sup>52</sup> (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy

<sup>53</sup> (a) E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

<sup>54</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

<sup>55</sup> SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

<sup>56</sup> II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

<sup>57</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

<sup>58</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States

<sup>59</sup> (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

<sup>60</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

- <sup>61</sup> (a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, The University of Hong Kong, Hong Kong; (c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- <sup>62</sup> Department of Physics, Indiana University, Bloomington IN, United States
- <sup>63</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- <sup>64</sup> University of Iowa, Iowa City IA, United States
- <sup>65</sup> Department of Physics and Astronomy, Iowa State University, Ames IA, United States
- <sup>66</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- <sup>67</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- <sup>68</sup> Graduate School of Science, Kobe University, Kobe, Japan
- <sup>69</sup> Faculty of Science, Kyoto University, Kyoto, Japan
- <sup>70</sup> Kyoto University of Education, Kyoto, Japan
- <sup>71</sup> Department of Physics, Kyushu University, Fukuoka, Japan
- <sup>72</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- <sup>73</sup> Physics Department, Lancaster University, Lancaster, United Kingdom
- <sup>74</sup> (a) INFN Sezione di Lecce; (b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- <sup>75</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- <sup>76</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- <sup>77</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- <sup>78</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- <sup>79</sup> Department of Physics and Astronomy, University College London, London, United Kingdom
- <sup>80</sup> Louisiana Tech University, Ruston LA, United States
- <sup>81</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- <sup>82</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden
- <sup>83</sup> Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- <sup>84</sup> Institut für Physik, Universität Mainz, Mainz, Germany
- <sup>85</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- <sup>86</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- <sup>87</sup> Department of Physics, University of Massachusetts, Amherst MA, United States
- <sup>88</sup> Department of Physics, McGill University, Montreal QC, Canada
- <sup>89</sup> School of Physics, University of Melbourne, Victoria, Australia
- <sup>90</sup> Department of Physics, The University of Michigan, Ann Arbor MI, United States
- <sup>91</sup> Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
- <sup>92</sup> (a) INFN Sezione di Milano; (b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- <sup>93</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- <sup>94</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- <sup>95</sup> Group of Particle Physics, University of Montreal, Montreal QC, Canada
- <sup>96</sup> P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- <sup>97</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- <sup>98</sup> National Research Nuclear University MEPhI, Moscow, Russia
- <sup>99</sup> D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- <sup>100</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- <sup>101</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- <sup>102</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan
- <sup>103</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- <sup>104</sup> (a) INFN Sezione di Napoli; (b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- <sup>105</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
- <sup>106</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- <sup>107</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- <sup>108</sup> Department of Physics, Northern Illinois University, DeKalb IL, United States
- <sup>109</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- <sup>110</sup> Department of Physics, New York University, New York NY, United States
- <sup>111</sup> Ohio State University, Columbus OH, United States
- <sup>112</sup> Faculty of Science, Okayama University, Okayama, Japan
- <sup>113</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
- <sup>114</sup> Department of Physics, Oklahoma State University, Stillwater OK, United States
- <sup>115</sup> Palacký University, RCPTM, Olomouc, Czech Republic
- <sup>116</sup> Center for High Energy Physics, University of Oregon, Eugene OR, United States
- <sup>117</sup> LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- <sup>118</sup> Graduate School of Science, Osaka University, Osaka, Japan
- <sup>119</sup> Department of Physics, University of Oslo, Oslo, Norway
- <sup>120</sup> Department of Physics, Oxford University, Oxford, United Kingdom
- <sup>121</sup> (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- <sup>122</sup> Department of Physics, University of Pennsylvania, Philadelphia PA, United States
- <sup>123</sup> National Research Centre "Kurchatov Institute" B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- <sup>124</sup> (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- <sup>125</sup> Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
- <sup>126</sup> (a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; (b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Department of Physics, University of Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); (g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- <sup>127</sup> Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- <sup>128</sup> Czech Technical University in Prague, Praha, Czech Republic
- <sup>129</sup> Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- <sup>130</sup> State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- <sup>131</sup> Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- <sup>132</sup> (a) INFN Sezione di Roma; (b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- <sup>133</sup> (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- <sup>134</sup> (a) INFN Sezione di Roma Tre; (b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

- <sup>135</sup> <sup>(a)</sup> *Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca*; <sup>(b)</sup> *Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat*; <sup>(c)</sup> *Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech*; <sup>(d)</sup> *Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda*; <sup>(e)</sup> *Faculté des sciences, Université Mohammed V, Rabat, Morocco*
- <sup>136</sup> *DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France*
- <sup>137</sup> *Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States*
- <sup>138</sup> *Department of Physics, University of Washington, Seattle WA, United States*
- <sup>139</sup> *Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
- <sup>140</sup> *Department of Physics, Shinshu University, Nagano, Japan*
- <sup>141</sup> *Fachbereich Physik, Universität Siegen, Siegen, Germany*
- <sup>142</sup> *Department of Physics, Simon Fraser University, Burnaby BC, Canada*
- <sup>143</sup> *SLAC National Accelerator Laboratory, Stanford CA, United States*
- <sup>144</sup> <sup>(a)</sup> *Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava*; <sup>(b)</sup> *Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic*
- <sup>145</sup> <sup>(a)</sup> *Department of Physics, University of Cape Town, Cape Town*; <sup>(b)</sup> *Department of Physics, University of Johannesburg, Johannesburg*; <sup>(c)</sup> *School of Physics, University of the Witwatersrand, Johannesburg, South Africa*
- <sup>146</sup> <sup>(a)</sup> *Department of Physics, Stockholm University*; <sup>(b)</sup> *The Oskar Klein Centre, Stockholm, Sweden*
- <sup>147</sup> *Physics Department, Royal Institute of Technology, Stockholm, Sweden*
- <sup>148</sup> *Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States*
- <sup>149</sup> *Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
- <sup>150</sup> *School of Physics, University of Sydney, Sydney, Australia*
- <sup>151</sup> *Institute of Physics, Academia Sinica, Taipei, Taiwan*
- <sup>152</sup> *Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel*
- <sup>153</sup> *Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
- <sup>154</sup> *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- <sup>155</sup> *International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan*
- <sup>156</sup> *Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan*
- <sup>157</sup> *Department of Physics, Tokyo Institute of Technology, Tokyo, Japan*
- <sup>158</sup> *Department of Physics, University of Toronto, Toronto ON, Canada*
- <sup>159</sup> <sup>(a)</sup> *TRIUMF, Vancouver BC*; <sup>(b)</sup> *Department of Physics and Astronomy, York University, Toronto ON, Canada*
- <sup>160</sup> *Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan*
- <sup>161</sup> *Department of Physics and Astronomy, Tufts University, Medford MA, United States*
- <sup>162</sup> *Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States*
- <sup>163</sup> <sup>(a)</sup> *INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine*; <sup>(b)</sup> *ICTP, Trieste*; <sup>(c)</sup> *Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy*
- <sup>164</sup> *Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
- <sup>165</sup> *Department of Physics, University of Illinois, Urbana IL, United States*
- <sup>166</sup> *Instituto de Física Corpuscular (IFIC) and Departamento de Física Atomica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain*
- <sup>167</sup> *Department of Physics, University of British Columbia, Vancouver BC, Canada*
- <sup>168</sup> *Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada*
- <sup>169</sup> *Department of Physics, University of Warwick, Coventry, United Kingdom*
- <sup>170</sup> *Waseda University, Tokyo, Japan*
- <sup>171</sup> *Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel*
- <sup>172</sup> *Department of Physics, University of Wisconsin, Madison WI, United States*
- <sup>173</sup> *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany*
- <sup>174</sup> *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
- <sup>175</sup> *Department of Physics, Yale University, New Haven CT, United States*
- <sup>176</sup> *Yerevan Physics Institute, Yerevan, Armenia*
- <sup>177</sup> *Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France*

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom.

<sup>b</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

<sup>c</sup> Also at Novosibirsk State University, Novosibirsk, Russia.

<sup>d</sup> Also at TRIUMF, Vancouver BC, Canada.

<sup>e</sup> Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

<sup>f</sup> Also at Department of Physics, California State University, Fresno CA, United States of America.

<sup>g</sup> Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

<sup>h</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

<sup>i</sup> Also at Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Portugal.

<sup>j</sup> Also at Tomsk State University, Tomsk, Russia.

<sup>k</sup> Also at Università di Napoli Parthenope, Napoli, Italy.

<sup>l</sup> Also at Institute of Particle Physics (IPP), Canada.

<sup>m</sup> Also at National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

<sup>n</sup> Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

<sup>o</sup> Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.

<sup>p</sup> Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

<sup>q</sup> Also at Louisiana Tech University, Ruston LA, United States of America.

<sup>r</sup> Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

<sup>s</sup> Also at Graduate School of Science, Osaka University, Osaka, Japan.

<sup>t</sup> Also at Department of Physics, National Tsing Hua University, Taiwan.

<sup>u</sup> Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.

<sup>v</sup> Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.

<sup>w</sup> Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

<sup>x</sup> Also at CERN, Geneva, Switzerland.

<sup>y</sup> Also at Georgian Technical University (GTU), Tbilisi, Georgia.

<sup>z</sup> Also at O Chadai Academic Production, Ochanomizu University, Tokyo, Japan.

<sup>aa</sup> Also at Manhattan College, New York NY, United States of America.

<sup>ab</sup> Also at Hellenic Open University, Patras, Greece.

<sup>ac</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>ad</sup> Also at School of Physics, Shandong University, Shandong, China.

<sup>ae</sup> Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

<sup>af</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland.

<sup>ag</sup> Also at Eotvos Lorand University, Budapest, Hungary.

<sup>ah</sup> Also at International School for Advanced Studies (SISSA), Trieste, Italy.

<sup>ai</sup> Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America.

<sup>aj</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

<sup>ak</sup> Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

<sup>al</sup> Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.

<sup>am</sup> Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

<sup>an</sup> Also at National Research Nuclear University MEPhI, Moscow, Russia.

<sup>ao</sup> Also at Department of Physics, Stanford University, Stanford CA, United States of America.

<sup>ap</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

<sup>aq</sup> Also at Flensburg University of Applied Sciences, Flensburg, Germany.

<sup>ar</sup> Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.

<sup>as</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

<sup>at</sup> Also affiliated with PKU-CHEP.

\* Deceased.